

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## CLEAMEN GASTRO PROFESSIONAL Stainless polisher

Date of issue:

05. 10. 2021

Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product Name**

**CLEAMEN GASTRO PROFESSIONAL Stainless polisher**

**UFI code**

UFI: VR70-C0N3-U00Q-CRM9

**Product code**

None.

**Mixture description**

Mixture of mineral oil and 1-octylpyrrolidone.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses**

Cleaning agent designed for polishing stainless surfaces and devices.  
Professional use.

**Uses advised against**

It is not suitable for areas outside kitchen devices such as railing and areas in public areas (lifts). It has a greasy character and the fats contained could contaminate the clothes of people.  
It is recommended to use it only for the intended use. Other uses may expose users to unpredictable risks.

#### 1.3. Details of the supplier of the safety data sheet

**CORMEN s.r.o.**

Věchnov 73

593 01

Czech Republic

Tel.: +420 566 550 961

Fax: +420 566 551 822

e-mail address for a competent person responsible for the SDS: [info@cormen.cz](mailto:info@cormen.cz)

#### 1.4. Emergency telephone number

112 (General emergency phone).

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

The mixture is classified as **hazardous** according to regulation 1272/2008/EC.

**Classification according to 1272/2008/EC**

**Asp. Tox. 1; H304**

Full text of classifications and H-phrases: see section 16.

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## CLEAMEN GASTRO PROFESSIONAL Stainless polisher

### *The most important adverse physical, human health and environmental effects*

May be fatal if swallowed and enters airways.

### 2.2. Label elements

#### *Hazard pictograms*



#### *Signal word*

Danger.

#### *Substances of the mixture to be placed on the label*

Contains White mineral oil (petroleum).

#### *Hazard statements*

H304 May be fatal if swallowed and enters airways.

#### *Precautionary statements*

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### *Supplemental hazard information*

Mandatory additional information is not required according to CLP regulation.

Composition according to regulation 648/2004/EC on detergents:  $\geq 30\%$  aliphatic and aromatic hydrocarbons,  $< 5\%$  non-ionic surfactants.

### 2.3. Other hazards

Mixture does not contain substance(s) meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH regulation. Mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### 3.2.1. Substances of a mixture classified as hazardous

Identification of substance	Content wt. %	Classification according to 1272/2008/EC
White mineral oil (petroleum)		

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## CLEAMEN GASTRO PROFESSIONAL Stainless polisher

CAS Number	8042-47-5		
EC Number	232-455-8		
Index Number	not given	≤ 99.5	Asp. Tox. 1; H304
Registration Number	01-2119487078-27-XXXX		

Full text of classifications and H-phrases: see section 16.

### SECTION 4: First aid measures

In all cases keep the victim at physical and mental rest and warm. In case of doubt or if symptoms persist, seek medical attention. Never give anything by mouth if victim is rapidly losing consciousness, unconscious or convulsing. Protect yourself during rescue work.

#### 4.1. Description of first aid measures

##### **Inhalation**

Interrupt the exposure, move the person to the fresh air. In case of persistent nausea, seek medical advice.

##### **Skin contact**

Remove contaminated clothing, shoes, and wash affected skin thoroughly with water (preferably lukewarm) and soap. Do not use solvents or thinners. If the problem persists, seek medical advice.

##### **Eye contact**

Rinse with a gentle stream of water for at least 15 minutes. Keep your eyelids wide open with your thumb and forefinger. If the affected person is wearing contact lenses, remove them before rinsing eyes if it is easy. If pain or redness persists, seek medical advice.

##### **Ingestion**

Rinse your mouth and then drink plenty of water. Do not induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

Are not known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### **Suitable extinguishing media**

###### Small fire:

Carbon dioxide CO<sub>2</sub>, dry extinguishing agent, sand or earth, alcohol-resistant foam.

###### Extensive fire:

Fragmented water streams (water mist), alcohol-resistant foam.

##### **Unsuitable extinguishing media**

Solid streams of water may be ineffective.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire extinguishing prevent leakage of water and rest of product into drains. Collect them separately and dispose of safely in accordance with current legislation and applicable local regulations.

In case of fires, hazardous combustion gases are formed: carbon oxides and products of incomplete combustion.

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## CLEAMEN GASTRO PROFESSIONAL Stainless polisher

### 5.3. Advice for firefighters

Stop further leakage of product if possible. Spilled product, which does not burn, cover with sand or foam. Move containers and barrels away from the fire to a safe place, if possible. Cool all affected containers down with flooding quantities of water. If the fire can't be extinguished - evacuate the premises.

In case of fire, wear suitable respiratory protective equipment and fire-fighting suit.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes, use suitable protective equipment and clothing, see Section 8. Ensure adequate ventilation. Avoid formation of vapour and aerosol. At the point of leakage, prevent the movement of unauthorized persons.

### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. If this cannot be avoided, inform the competent authorities (police and firefighters) immediately.

### 6.3. Methods and material for containment and cleaning up

According to the amount of spilled liquid, drain away the substance (large spillage) or in case of small spillage, absorb it with suitable absorbent (vermiculite, dry sand), put into labelled closed containers and dispose of them accordingly to Section 13. Flush residues with water and collect it for waste disposal. Do not use solvents or dispersants unless instructed by an expert or government authority.

If container is damaged, remove the content to the new undamaged container and label it properly again..

### 6.4. Reference to other sections

Refer also to the provisions of sections 7, 8 and 13 of this safety data sheet.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid contact with skin and eyes. Personal protection see. Section 8. Ensure good ventilation to prevent formation of vapour and aerosol.

Smoking, eating and drinking should be prohibited at the place of use. Keep safety regulations for handling chemicals. Take off contaminated clothing and protective equipment before entering the dining area. Do not use dirty clothing. After work wash yourself carefully with warm water and soap, take a shower. Use protective cream.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in original, tightly closed containers, in a dry, cool and well-ventilated place at room temperature.

Protect from heat and direct sunlight.

Do not store together with incompatible materials (see subsection 10.5), food, drink and feed.

### 7.3. Specific end use(s)

See subsection 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Exposure limit value

Not determined.

#### 8.1.2. Biological limit values

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## CLEAMEN GASTRO PROFESSIONAL Stainless polisher

Not determined in EU.

### 8.1.3. DNEL and PNEC values

White mineral oil (petroleum)

CAS: 8042-47-5

#### DNEL

Area of use	Route of exposure	Effect	Exposure time	Value
Workers	Inhalation	Systemic effect	Long term	164.56 mg/m <sup>3</sup>
Workers	Dermal	Systemic effect	Long term	217.05 mg/kg/day
General population	Inhalation	Systemic effect	Long term	34.78 mg/m <sup>3</sup>
General population	Dermal	Systemic effect	Long term	93.02 mg/kg/day
General population	Oral	Systemic effect	Long term	25 mg/kg/day

PNEC - not are determined

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Use only in well-ventilated areas.

Observe usual safety precautions for working with chemicals. The degree of effectiveness of personal protective equipment depends on temperature and ventilation levels.

#### 8.2.2. Individual protection measures, such as personal protective equipment

Do not eat, drink or smoke. After work, wash thoroughly with warm water and soap and take a shower. Use protective cream. Do not soiled protective equipment to wash, do not use solvents.

##### Eye/face protection

Wear safety goggles or face shield when manufacturing and handling the product.

##### Skin protection - hand protection

Wear protective gloves when manufacturing and handling the product.

The selection of the glove material on consideration of the breakthrough time, permeability, degradation and next relevant factors; other chemicals that may come into contact, physical requirements (cut and puncture protection, dexterity, thermal protection), possible body reactions to the glove material and the glove supplier's instructions and specifications. In case of repeated use of gloves, clean and keep them in a well-ventilated place before taking off.

##### Skin protection - other

Suitable protective working clothing and footwear.

##### Respiratory protection

Not necessary in case of compliance concentration limits (if they were exceeded, use a respirator against organic vapour). In the event of an accident or a fire use self-contained breathing apparatus.

##### Thermal hazards

In normal use, it is not necessary to use protective equipment to be worn for materials that represent a thermal hazard.

#### 8.2.3. Environmental exposure controls

Uncontrolled release of the mixture into environment is to be avoided. Keep the emission limits according to national legislation.

## SECTION 9: Physical and chemical properties

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## CLEAMEN GASTRO PROFESSIONAL Stainless polisher

### 9.1. Information on basic physical and chemical properties

#### Mixture

<b>Physical state</b>	Liquid.
<b>Colour</b>	Colourless.
<b>Odour</b>	Odourless.
<b>Melting point/freezing point</b>	Not determined.
<b>Boiling point or initial boiling point and boiling range</b>	Not determined.
<b>Flammability</b>	Not determined.
<b>Lower explosion limit</b>	Not determined.
<b>Upper explosion limit</b>	Not determined.
<b>Flash point</b>	> 100 °C.
<b>Auto-ignition temperature</b>	Not determined.
<b>Decomposition temperature</b>	Not determined, the mixture does not contain self-reactive substances or organic peroxides or other substances which may decompose.
<b>pH</b>	8.
<b>Kinematic viscosity</b>	Not determined.
<b>Solubility</b>	Not solubility.
<b>Partition coefficient n-octanol/water (log value)</b>	Does not apply to mixture.
<b>Vapour pressure</b>	Not determined.
<b>Density and/or relative density</b>	$D_4^{20} = 0.853$ .
<b>Relative vapour density</b>	Not determined.
<b>Particle characteristics</b>	Does not apply to liquid.

#### White mineral oil (petroleum)

CAS: 8042-47-5

<b>Physical state</b>	Liquid.
<b>Colour</b>	White.
<b>Odour</b>	Petroleum.
<b>Melting point/freezing point</b>	-60 - -9 °C (ASTM D 97).
<b>Boiling point or initial boiling point and boiling range</b>	218 - 800 °C (ASTM D1160).
<b>Flammability</b>	The substance is not classified as flammable, pyrophoric or emit flammable gases under standard conditions.
<b>Lower explosion limit</b>	Not determined.
<b>Upper explosion limit</b>	Not determined.
<b>Flash point</b>	> 112 °C (ISO 2719).
<b>Auto-ignition temperature</b>	325 - 355 °C (ASTM E 659).



# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## CLEAMEN GASTRO PROFESSIONAL Stainless polisher

<b>Decomposition temperature</b>	Not determined, it is not a self-reactive substance or an organic peroxide or a substance that may decompose.
<b>pH</b>	Not determined.
<b>Kinematic viscosity</b>	> 3 mm <sup>2</sup> /s (40 °C, ISO 3104).
<b>Solubility</b>	Not determined.
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure</b>	≤ 0.01 (cca. 20 °C, OECD 104).
<b>Density and/or relative density</b>	810 - 894 kg/m <sup>3</sup> (15 °C, EN ISO 12185).
<b>Relative vapour density</b>	Not determined.
<b>Particle characteristics</b>	Does not apply to liquid.

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

##### Mixture

The mixture does not contain substances classified as hazardous to the physical classes, or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

##### White mineral oil (petroleum)

CAS: 8042-47-5

##### Explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

##### Flammable gases

It is not gas.

##### Aerosols

It is not aerosol.

##### Oxidising gases

It is not gas.

##### Gases under pressure

It is not gas.

##### Flammable liquids

The substance is not classified as flammable liquid according to the value of the flash point and boiling point.

##### Flammable solids

It is not solid.

##### Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

##### Pyrophoric liquids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## CLEAMEN GASTRO PROFESSIONAL Stainless polisher

### ***Pyrophoric solids***

It is not solid.

### ***Self-heating substances and mixtures***

Data for the substance are not available.

The substance is not classified as self-heating.

### ***Substances and mixtures, which emit flammable gases in contact with water***

Data for the substance are not available.

The chemical structure of the substance does not contain metals or metalloids.

### ***Oxidising liquids***

Data for the substance are not available.

It is an organic substance that does not contain oxygen, fluorine or chlorine, or these elements are chemically bounded only to carbon or hydrogen.

### ***Oxidizing solids***

It is not solid.

### ***Organic peroxides***

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

### ***Corrosive to metals***

Data for the substance are not available.

The substance is not classified as corrosive to metal.

### ***Desensitised explosives***

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

### **9.2.2. Other safety characteristics**

<b><i>Mechanical sensitivity</i></b>	Not determined, it is not an explosive substance.
<b><i>Self-accelerating polymerisation temperature</i></b>	Not determined, it is not a polymerising substance.
<b><i>Formation of explosible dust/air mixtures</i></b>	Not determined, it is not a dust.
<b><i>Acid/alkaline reserve</i></b>	Not determined, pH is in the range 4 - 10.
<b><i>Evaporation rate</i></b>	Not determined.
<b><i>Miscibility</i></b>	Not determined.
<b><i>Conductivity</i></b>	Not determined.
<b><i>Corrosiveness</i></b>	Not determined.
<b><i>Gas group</i></b>	Not determined, it is not gas.
<b><i>Redox potential</i></b>	Not determined.
<b><i>Radical formation potential</i></b>	Not determined.
<b><i>Photocatalytic properties</i></b>	Not determined.

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**



# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## CLEAMEN GASTRO PROFESSIONAL Stainless polisher

The mixture is stable under normal conditions of use. There aren't any hazardous reaction.

### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions aren't known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid direct sunlight or ultraviolet light, heat, sparks, flames etc.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Burning releases carbon oxides and products of incomplete combustion.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Mixture

#### Acute toxicity

The mixture is not classified as toxic for all routes of exposure.

##### Oral

Data for the mixture are not available.

The mixture does not contain substances classified as an acute toxicity by oral route of exposure or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

##### Dermal

Data for the mixture are not available.

The mixture does not contain substances classified as an acute toxicity by dermal route of exposure or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

##### Inhalation

Data for the mixture are not available.

The mixture does not contain substances classified as an acute toxicity by inhalation route of exposure or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

#### Skin corrosion/irritation

Data for the mixture are not available.

The mixture does not contain substances classified as hazardous to skin or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

#### Serious eye damage/irritation

Data for the mixture are not available.

The mixture does not contain substances classified as hazardous to eye or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

#### Respiratory or skin sensitisation

Data for the mixture are not available.

The mixture does not contain substances classified as sensitizing or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## CLEAMEN GASTRO PROFESSIONAL Stainless polisher

### ***Germ cell mutagenicity***

Data for the mixture are not available.

The mixture does not contain substances classified as mutagenicity or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### ***Carcinogenicity***

Data for the mixture are not available.

The mixture does not contain substances classified as carcinogenicity or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### ***Reproductive toxicity***

Data for the mixture are not available.

The mixture does not contain substances classified as toxic for reproduction or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### ***STOT – single exposure***

Data for the mixture are not available.

The mixture does not contain substances classified as toxic for specific target organs in a single exposure or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### ***STOT – repeated exposure***

Data for the mixture are not available.

The mixture does not contain substances classified as toxic for specific target organs in a repeated exposure or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### ***Aspiration hazard***

Data for the mixture are not available.

The mixture is classified as aspiration toxic according to the high concentration of the substance classified as Asp. Tox. 1; H304.

### ***Other information***

See section 2 and 4.

### **White mineral oil (petroleum)**

CAS: 8042-47-5

### ***Acute toxicity***

#### ***Oral***

Based on available data, the classification criteria are not met.  
LD<sub>50</sub> > 5 000 mg/kg (rat, OECD 401).

#### ***Dermal***

Based on available data, the classification criteria are not met.  
LD<sub>50</sub> > 2 000 mg/kg (rabbit, OECD 402).

#### ***Inhalation***

Based on available data, the classification criteria are not met.  
LC<sub>50</sub> > 5 mg/l (vapour, rat, 4 hrs., no death is observed, OECD 403).

### ***Skin corrosion/irritation***

Based on available data, the classification criteria are not met.

Mean erythema score = 0 (intact skin) and oedema = 0 (intact skin) (rabbit, 72 hrs., OECD 404).

### ***Serious eye damage/irritation***

Based on available data, the classification criteria are not met.

Mean score of corneal opacity = 0, iritis = 0, conjunctival redness = 0.22 (fully reversible after 72 hrs), conjunctival oedema = 0 (rabbit, 72 h, OECD 405).

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## CLEAMEN GASTRO PROFESSIONAL Stainless polisher

### **Respiratory or skin sensitisation**

Based on available data, the classification criteria are not met.  
Not skin sensitising (guinea pig, OECD 406).

### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.  
Negative (OECD 471, OECD 473, OECD 476).

### **Carcinogenicity**

Based on available data, the classification criteria are not met.  
NOAEL  $\geq$  1 200 mg/kg/day (rat, oral, OECD 453).

### **Reproductive toxicity**

Based on available data, the classification criteria are not met.  
NOAEL  $\geq$  2 000 mg/kg/day (rat, female, dermal, generation P0, OECD 415).  
NOAEL  $\geq$  2 000 mg/kg/day (rat, dermal, generation F1, OECD 415).

### **STOT – single exposure**

Data for the substance are not available.

### **STOT – repeated exposure**

Based on available data, the classification criteria are not met.  
NOAEL  $\geq$  1 200 mg/kg/day (rat, oral, OECD 453).  
NOAEL  $\geq$  2 000 mg/kg/day (rat, dermal, systemic effect, OECD 411).  
NOAEL  $<$  125 mg/kg/day (rat, dermal, local effect, OECD 411).  
NOEC = 50 mg/m<sup>3</sup> (rat, aerosol, based on increased lung weight, OECD 412).  
LOEC = 210 mg/m<sup>3</sup> (rat, aerosol, based on increased lung weight, OECD 412).

### **Aspiration hazard**

The substance is a hydrocarbon, and is classified as aspiration toxic according to a kinematic viscosity value  $<20.5$  mm<sup>2</sup>/s at 40° C.

## **11.2. Information on other hazards**

Mixture does not contain substance(s) meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet and given in the list (established in accordance with Article 59(1) for having endocrine disrupting properties of REACH regulation.

Mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. There is no other relevant information on adverse health effects that is not required according to the classification criteria set out in CLP Regulation.

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

#### **Mixture**

Data for the mixture are not available.

#### **Acute aquatic toxicity**

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## CLEAMEN GASTRO PROFESSIONAL Stainless polisher

The mixture does not contain substances classified as acute aquatic toxicity or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### **Chronic aquatic toxicity**

The mixture does not contain substances classified as a chronic aquatic toxicity or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

#### **White mineral oil (petroleum)**

CAS: 8042-47-5

The substance is not classified as hazardous for the aquatic environment.

### **Fish**

LL<sub>50</sub>, 96 hrs., Oncorhynchus mykiss: > 100 mg/l - CAS 8042-47-5 (mobility and mortality, OECD 203).

NOEL, 96 hrs., Oncorhynchus mykiss: ≥ 100 mg/l - CAS 8042-47-5 (mobility and mortality, OECD 203).

### **Crustaceans**

LL<sub>50</sub>, 48 hrs., Daphnia Magna: > 100 mg/l - CAS 8042-47-5 (mobility, OECD 202).

NOEL, 48 hrs., Daphnia Magna: ≥ 100 mg/l - CAS 8042-47-5 (mobility, OECD 202).

### **Algae**

NOEL, 72 hrs, Pseudokirchneriella subcapitata: ≥ 100 mg/l (growth rate, OECD 201).

## **12.2. Persistence and degradability**

### **Mixture**

Data for the mixture are not available.

#### **White mineral oil (petroleum)**

CAS: 8042-47-5

Not readily biodegradable: 31 % after 28 days (O<sub>2</sub> consumption, OECD 301 F).

## **12.3. Bioaccumulative potential**

### **Mixture**

Data for the mixture are not available.

#### **White mineral oil (petroleum)**

CAS: 8042-47-5

Data for the substance are not available.

## **12.4. Mobility in soil**

### **Mixture**

Data for the mixture are not available.

#### **White mineral oil (petroleum)**

CAS: 8042-47-5

Data for the substance are not available.

## **12.5. Results of PBT and vPvB assessment**

Mixture does not contain substance(s) meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH Regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH Regulation.

## **12.6. Endocrine disrupting properties**

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## CLEAMEN GASTRO PROFESSIONAL Stainless polisher

The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH Regulation. Mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### **Disposal methods of the substance or mixture and the contaminated packaging**

Dispose according to the applicable European and local regulations (eg. in a hazardous waste incinerator). **Do not empty unused product into drainage systems.** Do not contaminate ponds or ditches with the product or used container. Hand over the residual amounts and solutions to a licensed disposal company.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### **Possible waste code**

16 03 05\* - organic wastes containing dangerous substances (mixture), 15 01 10\* - packaging containing residues of or contaminated by hazardous substances (contaminated packaging), 15 01 02 - plastic packaging (clear packaging).

#### **Physical/chemical properties that may affect waste treatment options**

Not known.

#### **Special precautions recommended for waste management**

Not known.

#### **Waste legislation**

Directive 2008/98/EC on waste and repealing certain Directives, as amended.

## SECTION 14: Transport information

This product is not classified as a dangerous for transportation (ADR/RID, IMDG, ICAO/IATA).

### 14.1. UN number or ID number

Not given.

### 14.2. UN proper shipping name

Not given.

### 14.3. Transport hazard class(es)

Not given.

### 14.4. Packing group

Not given.

### 14.5. Environmental hazards

It is not dangerous for the environment during transport.

### 14.6. Special precautions for user

Not given.

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## CLEAMEN GASTRO PROFESSIONAL Stainless polisher

### 14.7. Maritime transport in bulk according to IMO instruments

Not available.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation No. 1907/2006/EC, concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals, as amended (REACH)

Regulation No. 1272/2008/EC, on Classification, Labelling and Packaging of substances and mixtures, as amended (CLP)

Regulation No. 648/2004/EC on detergents, as amended

### 15.2. Chemical safety assessment

Has not been carried out for mixture.

## SECTION 16: Other information

### Reason for the revision of the safety data sheet

First edition.

### Key or legend to abbreviations and acronyms

Asp. Tox. 1	Aspiration hazard, cat. 1
ADR	Accord Dangereuses Route
CLP	Regulation No. 1272/2008/EC, on Classification, Labelling and Packaging of substances and mixtures
DNEL	Derived No Effect Level
ICAO/IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
PBT	Persistent, bioaccumulative, toxic substance
PNEC	Predicted No Effect Concentration
REACH	Regulation No. 1907/2006/EC, concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulation concerning the International Carriage of Dangerous Goods by Rail
STOT	Specific target organ toxicity
vPvB	Very persistent and very bioaccumulative substance

### Sources of key data used to compile the Safety Data Sheet

European legislation, manufacturer's safety data sheet, registration dossier of substances.

### List of H- and P- phrases

H304	May be fatal if swallowed and enters airways.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P405	Store locked up.



# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## CLEAMEN GASTRO PROFESSIONAL Stainless polisher

P501	Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
------	---

### **Training advice**

According to SDS.

### **Other information**

Classification according to data from the manufacturer. The mixture is classified using calculation methods according to Regulation CLP and tests. Use only for the purposes designated by the manufacturer, will prevent health and environmental risks.

The information in this SDS was obtained from sources, which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

The safety data sheet is created in accordance with Regulation No. 2020/878/EC. There is no additional information in accordance with the local and national legislation of the Member State in the European Union, in the safety data sheet.

The safety data sheet was created by company LACHEPRA s.r.o.