according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Date of revision: 14. 02. 2025 Version: 2.0

Replaced version from: 03. 07. 2024

Date of issue: **09. 06. 2022**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name

CLEAMEN 112

UFI code

UFI: REH0-G0C6-S00Q-57FT

Product code

TC112.

Mixture description

Water solution.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Liquid agent intended for wet washing of windows and frames.

Professional and consumer use.

Uses advised against

Not known. It is recommended to use it only for the intended use. Other uses may expose users to unpredictable risks.

1.3. Details of the supplier of the safety data sheet

CORMEN s.r.o.

Věchnov 73

593 01

Czech Republic

telephone: +420 566 550 961 Fax: +420 566 551 822

e-mail address for a competent person responsible for the SDS: info@cormen.cz

1.4. Emergency telephone number

112 (General emergency phone).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture is classified as hazardous according to regulation 1272/2008/EC.

Classification according to 1272/2008/EC

Page: 1/34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Eye Irrit. 2; H319

Full text of classifications and H-phrases: see section 16.

The most important adverse physical, human health and environmental effects

Causes serious eye irritation.

2.2. Label elements

Hazard pictograms



Signal word

Warning

Substances of the mixture to be placed on the label

Are not.

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P102 Keep out of reach of children.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container by handing it over to a collection yard or sorted waste.

Supplemental hazard information

EUH 208 - Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Composition according to regulation 648/2004/EC on detergents: ≥ 5 - < 15 % anionic surfactants, < 5 % perfumes, HEXYL CINNAMAL, preservation agents (BENZYL ALCOHOL, METHYLCHLOROISOTHIAZOLINONE AND METHYLISOTHIAZOLINONE).

2.3. Other hazards

Mixture does not contain substance(s) meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH regulation. Mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

3.2.1. Substances of a mixture classified as hazardous

Page: 2/34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

	Identification of substance		Content wt. %	Classification according to 1272/2008/EC
Propan-2-ol; Isopro	opyl alcohol; Isopropanol			
CAS Number EC Number Index Number Registration Number	67-63-0 200-661-7 603-117-00-0 01-2119457558-25-XXXX		1 - < 5	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336
Alcohols, C12-14,	ethoxylated, sulfates, sodium	salts		
CAS Number EC Number Index Number Registration Number	68891-38-3 500-234-8 not given 01-2119488639-16-XXXX		1 - < 5	Skin Irrit. 2; H315 Eye Dam. 1; H318
The substance has	specific concentration limits:			
Eye Dam. 1; H318		C ≥ 10 %		
Eye Irrit. 2; H319		5 % < C < 10	%	
Sulfuric acid, mon	o-C12-14-alkyl esters, sodium	salts		
CAS Number EC Number Index Number Registration Number	85586-07-8 287-809-4 not given 01-2119489463-28-XXXX		1 - < 5	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 ATE _{oral} = 1 800 mg/kg bw
The substance has	a bulk density ≥ 400 g/l.			
The substance has	specific concentration limits:			
Eye Dam. 1; H318		C ≥ 20 %		
Eye Irrit. 2; H319		10 % ≤ C < 20	0 %	
Reaction mass of	5-chloro-2-methyl-2H-isothiaz	ol-3-one and 2-n	nethyl-2H-is	othiazol-3-one (3:1)

Page: 3 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Acute Tox. 3; H301 Acute Tox. 2; H310

> Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317

CAS Number 55965-84-9 Acute Tox. 2; H330

EC Number 911-418-6 Aquatic Acute 1; H400

Index Number 613-167-00-5

ATE_{inhalation} = 0.17 mg/L (aerosol)

The substance has specific concentration limits:

Skin Corr. 1C; H314 $C \ge 0.6 \%$ Eye Dam. 1; H318 $C \ge 0.6 \%$

Skin Irrit. 2; H315 $0.06 \% \le C < 0.6 \%$ Eye Irrit. 2; H319 $0.06 \% \le C < 0.6 \%$

Skin Sens. 1A; H317 C ≥ 0.0015 %

Ethanediol; Ethylene glycol

CAS Number 107-21-1 Acute Tox. 4; H302

EC Number 203-473-3 STOT RE 2; H373

Index Number 603-027-00-1 (kidney) (oral)

Registration Number 01-2119456816-28-XXXX ATE_{oral} = 500 mg/kg bw

Full text of classifications and H-phrases: see section 16.

SECTION 4: First aid measures

In all cases keep the victim at physical and mental rest and warm. In case of doubt or if symptoms persist, seek medical attention. Never give anything by mouth if victim is rapidly losing consciousness, unconscious or convulsing. Protect yourself during rescue work.

4.1. Description of first aid measures

Inhalation

Interrupt the exposure, move the person to the fresh air. In case of persistent nausea, seek medical advice.

Skin contact

Remove contaminated clothing, shoes, and wash affected skin thoroughly with water (preferably lukewarm) and soap. Do not use solvents or thinners. If the problem persists, seek medical advice.

Eve contact

Rinse with a gentle stream of water for at least 15 minutes. Keep your eyelids wide open with your thumb and forefinger. If the affected person is wearing contact lenses, remove them before rinsing eyes if it is easy. If pain or redness persists, seek medical advice.

Page: 4/34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Ingestion

Rinse your mouth and then drink plenty of water. Do not induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Are not known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Small fire:

Carbon dioxide CO₂, dry extinguishing agent, sand or earth, alcohol-resistant foam.

Extensive fire:

Fragmented water streams (water mist), alcohol-resistant foam.

Unsuitable extinguishing media

Solid streams of water may be ineffective.

5.2. Special hazards arising from the substance or mixture

In case of fire extinguishing prevent leakage of water and rest of product into drains. Collect them separately and dispose of safely in accordance with current legislation and applicable local regulations.

In case of fires, hazardous combustion gases are formed: carbon oxides, sulphur oxides, hydrogen sulphide, nitrogen oxides, ammonia, chlorine oxides, hydrogen chloride and products of incomplete combustion.

5.3. Advice for firefighters

Stop further leakage of product if possible. Spilled product, which does not burn, cover with sand or foam. Move containers and barrels away from the fire to a safe place, if possible. Cool all affected containers down with flooding quantities of water. If the fire can't be extinguished - evacuate the premises.

In case of fire, wear suitable respiratory protective equipment and fire-fighting suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes, use suitable protective equipment and clothing, see Section 8. Ensure adequate ventilation. Avoid formation of vapour and aerosol. At the point of leakage, prevent the movement of unauthorized persons.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. If this cannot be avoided, inform the competent authorities (police and firefighters) immediately.

6.3. Methods and material for containment and cleaning up

According to the amount of spilled liquid, drain away the substance (large spillage) or in case of small spillage, absorb it with suitable absorbent (vermiculite, dry sand), put into labelled closed containers and dispose of them accordingly to Section 13. Flush residues with water and collect it for waste disposal. Do not use solvents or dispersants unless instructed by an expert or government authority.

If container is damaged, remove the content to the new undamaged container and label it properly again.

Page: 5 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

6.4. Reference to other sections

Refer also to the provisions of sections 7, 8 and 13 of this safety data sheet.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Personal protection see. Section 8. Ensure good ventilation to prevent formation of vapour and aerosol.

Smoking, eating and drinking should be prohibited at the place of use. Keep safety regulations for handling chemicals. Take off contaminated clothing and protective equipment before entering the dining area. Do not use dirty clothing. After work wash yourself carefully with warm water and soap, take a shower. Use protective cream.

7.2. Conditions for safe storage, including any incompatibilities

Store in original, tightly closed containers, in a dry, cool and well-ventilated place at room temperature.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

Do not store together with incompatible materials (see subsection 10.5), food, drink and feed.

7.3. Specific end use(s)

See subsection 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure limit value

Ethanediol	CAS: 107-21-1
------------	---------------

Limit values - Eight hours		Limit values -	Note	
52 mg/m ³	20 ppm	104 mg/m ³	40 ppm	Skin

8.1.2. Biological limit values

Not determined in EU.

8.1.3. DNEL and PNEC values

Propan-2-ol	CAS: 67-63-0

DNEL				
Area of use	Route of exposure	Effect	Exposure time	Value
Workers	Inhalation	Systemic effect	Long term	500 mg/m ³
Workers	Inhalation	Systemic effect	Acute/short term	1 000 mg/m ³
Workers	Dermal	Systemic effect	Long term	888 mg/kg/day
General population	Inhalation	Systemic effect	Long term	89 mg/m³
General population	Inhalation	Systemic effect	Acute/short term	178 mg/m ³
General population	Dermal	Systemic effect	Long term	319 mg/kg/day
General population	Oral	Systemic effect	Long term	26 mg/kg/day
General population	Oral	Systemic effect	Acute/short term	51 mg/kg/day

PNEC - not available

Page: 6 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Alcohols, C12-14, e	Alcohols, C12-14, ethoxylated, sulfates, sodium salts CAS: 68891-38-3			
DNEL				
Area of use	Route of exposure	Effect	Exposure time	Value
Workers	Inhalation	Systemic effect	Long term	411 mg/m ³
Workers	Dermal	Systemic effect	Long term	5 830 mg/kg/day
General population	Inhalation	Systemic effect	Long term	87.1 mg/m ³
General population	Dermal	Systemic effect	Long term	2 500 mg/kg/day
General population	Oral	Systemic effect	Long term	25 mg/kg/day
PNEC				
Fresh water	Marine water	Intermitte	ent releases	Sewage Treatment
Flesh water	Manne water	Fresh water	Marine water	Plant (STP)
0.129 mg/l	0.013 mg/l	0.71 mg/l	0.071 mg/l	10 g/l
PNEC				
Sediment (freshwater)	Sediment (marine w	ater) Air	Soil	Hazard for predators
4.835 mg/kg	0.483 mg/kg	no effect	7.5 mg/kg	no effect
Sulfuric acid, mond	o-C12-14-alkyl esters,	sodium salts		CAS: 85586-07-8
DNEL				
Area of use	Route of exposure	Effect	Exposure time	Value
Workers	Inhalation	Systemic effect	Long term	285 mg/m ³
Workers	Dermal	Systemic effect	Long term	4 060 mg/kg/day
General population	Inhalation	Systemic effect	Long term	85 mg/m ³
General population	Dermal	Systemic effect	Long term	2 440 mg/kg/day
General population	Oral	Systemic effect	Long term	24 mg/kg/day
PNEC				
Fresh water	Marine water	Intermitte	ent releases	Sewage Treatment
i resii watei	Marine water	Fresh water	Marine water	Plant (STP)
0.131 mg/l	0.013 mg/l	0.036 mg/l	not given	1.35 mg/l
PNEC				
Sediment (freshwater)	Sediment (marine wa	ater) Air	Soil	Hazard for predators
4.61 mg/l	0.461 mg/kg	no effect	0.846 mg/kg	no effect
Reaction mass of 5 isothiazol-3-one (3	5-chloro-2-methyl-2H-i :1)	sothiazol-3-one and	2-methyl-2H-	CAS: 55965-84-9
DNEL				
Area of use	Route of exposure	Effect	Exposure time	Value
Workers	Inhalation	Systemic effect	Long term	0.02 mg/m ³
Workers	Inhalation	Local effect	Long term	0.04 mg/m ³

Page: 7 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

General population	Inhalation	Systemic effect	Long term	0.02 mg/m ³
General population	Inhalation	Local effect	Long term	0.04 mg/m ³
General population	Oral	Systemic effect	Long term	0.09 mg/kg/day
General population	Oral	Local effect	Long term	0.11 mg/kg/day
PNEC				
Facel water	Marina	Intermitte	ent releases	Sewage Treatment
Fresh water	Marine water	Fresh water	Marine water	Plant (STP)
3.39 µg/l	3.39 µg/l	3.39 µg/l	3.39 µg/l	0.23 mg/l
PNEC				
Sediment (freshwater)	Sediment (marine w	rater) Air	Soil	Hazard for predators
0.027 mg/kg	0.027 mg/kg	no effect	0.01 mg/kg	no effect
Ethanediol				CAS: 107-21-1
DNEL				
Area of use	Route of exposure	Effect	Exposure time	Value
Workers	Inhalation	Local effect	Long term	35 mg/m ³
Workers	Dermal	Systemic effect	Long term	106 mg/kg/day
General population	Inhalation	Local effect	Long term	7 mg/m ³
General population	Dermal	Systemic effect	Long term	53 mg/kg/day

PNEC - not available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Use only in well-ventilated areas.

Observe usual safety precautions for working with chemicals. The degree of effectiveness of personal protective equipment depends on temperature and ventilation levels.

8.2.2. Individual protection measures, such as personal protective equipment

Do not eat, drink or smoke. After work, wash thoroughly with warm water and soap and take a shower. Use protective cream. Do not soiled protective equipment to wash, do not use solvents.

Eye/face protection

Wear safety goggles or face shield when manufacturing and handling the product (EN 166, EN 149+A1). It is not necessary for normal use, in case of possible contact with the eyes, use protective glasses or a face shield.

Skin protection - hand protection

Wear protective gloves when manufacturing and handling the product (EN 374-1, EN 374-2). In normal use it is not necessary to use protective gloves. Wear protective gloves in case of prolonged skin contact.

The selection of the glove material on consideration of the breakthrough time, permeability, degradation and next relevant factors; other chemicals that may come into contact, physical requirements (cut and puncture protection, dexterity, thermal protection), possible body reactions to the glove material and the glove supplier's instructions and specifications. In case of repeated use of gloves, clean and keep them in a well-ventilated place before taking off.

Page: 8 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Skin protection - other

Suitable protective working clothing and footwear.

Respiratory protection

Not necessary in case of compliance concentration limits (if they were exceeded, use respiratory protection). In the event of an accident or a fire use self-contained breathing apparatus.

Thermal hazards

In normal use, it is not necessary to use protective equipment to be worn for materials that represent a thermal hazard.

8.2.3. Environmental exposure controls

Uncontrolled release of the mixture into environment is to be avoided. Keep the emission limits according to national legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Mixture

Physical stateLiquid.ColourLight blue.OdourCharacteristic.Melting point/freezing pointNot determined.

Boiling point or initial boiling point and boiling

range

100 °C.

FlammabilityNot determined.Lower explosion limitNot determined.Upper explosion limitNot determined.

Flash point 51 °C.

Auto-ignition temperature Not determined.

Decomposition temperatureNot determined, the mixture does not contain self-

reactive substances or organic peroxides or other

substances which may decompose.

pH 7.0 - 8.0 (20 °C).

Kinematic viscosity

Not determined, the mixture does not contain a

substance classified as aspiration toxic, or the sum of the concentrations of substances classified as

aspiration toxic is less than 10 wt. %.

Solubility Miscible.

Partition coefficient n-octanol/water (log value) Does not apply to mixture.

Vapour pressure23 hPa.Density and/or relative density $D_4^{20} = 1.0.$

Relative vapour density Not determined.

Particle characteristics Does not apply to liquid.

Page: 9 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Propan-2-ol	CAS: 67-63-0
Physical state	Liquid.
Colour	Colopurless.
Odour	Not determined.
Melting point/freezing point	-88.5 °C (literature).
Boiling point or initial boiling point and boiling range	82.3 °C (literature).
Flammability	Highly flammable liquid.
Lower explosion limit	2 vol. % (literature).
Upper explosion limit	13 vol. % (literature).
Flash point	11.7 °C (literature).
Auto-ignition temperature	399 - 455.6 °C (literature).
Decomposition temperature	Not determined, it is not a self-reactive substance or an organic peroxide or a substance that may decompose.
pΗ	Not determined.
Kinematic viscosity	Not determined, it is not a hydrocarbon or a chlorinated hydrocarbon.
Solubility	Miscible with water.
Partition coefficient n-octanol/water (log value)	log Pow = 0.05 (25 °C, literature).
Vapour pressure	Not determined.
Density and/or relative density	785.5 kg/m³ (20 °C, literature).
Relative vapour density	Not determined.
Particle characteristics	Does not apply to liquid.
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS: 68891-38-3
Physical state	Solid.
Colour	Yellowish.
Odour	Rancid.
Melting point/freezing point	> 300 °C (ASTM E737-76).
Boiling point or initial boiling point and boiling range	Not determined, the substance has a melting point higher than 300 $^{\circ}$ C.
Flammability	The substance is not classified as flammable solid (EU method A.10)
Lower explosion limit	Does not apply to solid.
Upper explosion limit	Does not apply to solid.
Flash point	Does not apply to solid.
Auto-ignition temperature	250 °C (EU method A.16)
Decomposition temperature	Not determined, it is not a self-reactive substance or an organic peroxide or a substance that may decompose.

Page: 10 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

pH Not determined.

Kinematic viscosity Does not apply to solid.

Solubility 280 g/l (20 °C, pH = 6.8, literature).

Partition coefficient n-octanol/water (log value) log Pow = 0.3 (23 °C, pH = 6.1, OECD 123).

Vapour pressure Not determined, the substance has melting point

higher than 300 °C.

Density and/or relative density 1.08 g/cm³ (22 °C, OECD 109).

Relative vapour density Does not apply to solid.

Particle characteristics Not determined.

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

Physical state Solid.

ColourNot determined.OdourNot determined.Melting point/freezing point102 °C (OECD 102).

Boiling point or initial boiling point and boiling

range

Flammability The substance is not classified as flammable (EU

method A.10).

Not determined, substance decomposes.

Lower explosion limitDoes not apply to solid.Upper explosion limitDoes not apply to solid.Flash pointDoes not apply to solid.Auto-ignition temperature> 302 °C (VDI_2263).Decomposition temperature> 187 °C (OECD 103).

pH 10.4 (1% aqueous solution, DGF H-III 1).

Kinematic viscosity Does not apply to solid.

Solubility > 400 g/l (20 °C, OECD 105).

Partition coefficient n-octanol/water (log value) log Pow ≤ -2.42 (20 °C, calculation).

Vapour pressure Not determined.

Density and/or relative density $D_4^{20} = 1.155$ (OECD 109).Relative vapour densityDoes not apply to solid.

Particle characteristics D50 = 882 μ m (DIN 66165-2).

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-

isothiazol-3-one (3:1)

Physical state Liquid.

ColourLight yellow.OdourNot determined.

Melting point/freezing point < -25 °C (OECD 102).

Page: 11 / 34

CAS: 55965-84-9

CAS: 85586-07-8

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Boiling point or initial boiling point and boiling

range

Flammability The substance is not classified as flammable.

pyrophoric or emit flammable gases under

standard conditions.

100.1 °C (OECD 103).

Lower explosion limit Not determined. Upper explosion limit Not determined.

> 110 °C (EU method A.9). Flash point

Auto-ignition temperature Not determined.

Decomposition temperature Not determined, it is not a self-reactive substance

or an organic peroxide or a substance that may

decompose.

3.43 (20 °C, 10 g/l, CIPAC MT 75). pН

Not determined, it is not a hydrocarbon or a Kinematic viscosity

chlorinated hydrocarbon.

Solubility > 1 000 g/l (20 °C, pH = 5 - 9, OECD 105).

log Pow = 0.326 (2-methyl-2H-isothiazol-3-one, 24 Partition coefficient n-octanol/water (log value)

°C, OECD 107).

log Pow = 2.519 (5-chloro-2-methyl-2H-isothiazol-

3-one, 24 °C, OECD 107).

0.003 Pa (25 °C, OECD 104). Vapour pressure

Density and/or relative density $D_4^{20} = 1.294$ (OECD 109).

Relative vapour density Not determined.

Particle characteristics Does not apply to liquid.

Ethanediol CAS: 107-21-1

Physical state Liquid. Colour Colourless. Odourless. Odour

-12.69 °C (literature). Melting point/freezing point 197.4 °C (literature).

Boiling point or initial boiling point and boiling

range

Flammability The substance is not classified as flammable,

pyrophoric or emit flammable gases under

standard conditions.

Lower explosion limit Not determined. Upper explosion limit Not determined. 115 °C (literature). Flash point 412 °C (literature). Auto-ignition temperature

Not determined, it is not a self-reactive substance Decomposition temperature

or an organic peroxide or a substance that may

decompose.

Page: 12 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

pH Not determined.

Kinematic viscosity

Not determined, it is not a hydrocarbon or a

chlorinated hydrocarbon.

Solubility Miscible.

Partition coefficient n-octanol/water (log value) log Pow = -1.36 (literature).

Vapour pressure 100 Pa (51.1 °C, literature).

1 kPa (86.1 °C, literature). 10 kPa (132.5 °C, literature). 100 kPa (196.9 °C, literature).

Density and/or relative density 1.11 g/cm³ (DIN 51557).

Relative vapour density Not determined.

Particle characteristics Does not apply to liquid.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Mixture

Explosives

Data for the mixture are not available.

The mixture does not contain substances classified as explosives or oxidising, or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

The mixture is not classified as a flammable liquid according to the negative result of the sustained burning test according to ČSN EN ISO 9038.

Flammable solids

It is not solid.

Self-reactive substances and mixtures

Data for the mixture are not available.

The mixture does not contain substances classified as self-reactive substances or explosives or organic peroxides or oxidising, or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Pyrophoric liquids

Page: 13 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Data for the mixture are not available.

The mixture does not contain substances classified as pyrophoric liquids or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Pyrophoric solids

It is not solid.

Self-heating substances and mixtures

Data for the mixture are not available.

The mixture does not contain substances classified as self-heating or pyrophoric substances or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Substances and mixtures, which emit flammable gases in contact with water

Data for the mixture are not available.

The mixture does not contain substances classified as substances, which emit flammable gases in contact with water or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Oxidising liquids

Data for the mixture are not available.

The mixture does not contain substances classified as oxidising liquids or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Oxidizing solids

It is not solid.

Organic peroxides

Data for the mixture are not available.

The mixture does not contain substances classified as organic peroxides or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Corrosive to metals

Data for the mixture are not available.

The mixture does not contain substances classified as corrosive to metals or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Desensitised explosives

Data for the mixture are not available.

The mixture does not contain substances classified as explosives or desensitised explosives, or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Propan-2-ol CAS: 67-63-0

Explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Pure propan-2-ol is autoxidated by air and light to form an explosive cyclic triacetone triperoxide, which settles to the bottom of the vessel as a white sediment. In the event of such a finding, the container must be handled immediately and pyrotechnics called.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Page: 14 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

The substance is classified as flammable liquid category 2 according to the value of the flash point and boiling point.

Flammable solids

It is not solid.

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Pyrophoric solids

It is not solid.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

Data for the substance are not available.

The chemical structure of the substance does not contain metals or metalloids.

The substance is miscible with water and forms a stable mixture with it.

Oxidising liquids

Data for the substance are not available.

It is an organic substance that does not contain oxygen, fluorine or chlorine, or these elements are chemically bounded only to carbon or hydrogen.

Oxidizing solids

It is not solid.

Organic peroxides

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

Data for the substance are not available.

The substance is not classified as corrosive to metal.

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Page: 15 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

It is not liquid.

Flammable solids

The substance is not classified as flammable solid, burning time > 2 400 s (EU method A.10).

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

It is not liquid.

Pyrophoric solids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

Data for the substance are not available.

The chemical structure of the substance does not contain metals or metalloids.

The substance is miscible with water and forms a stable mixture with it.

Oxidising liquids

It is not liquid.

Oxidizing solids

Data for the substance are not available.

It is an organic substance does not contain chemical groups associated with oxidising properties.

Organic peroxides

Page: 16 / 34

CAS: 68891-38-3

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

Data for the substance are not available.

The substance is not classified as corrosive to metal.

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

Explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

It is not liquid.

Flammable solids

The substance is not classified as flammable solid, burning time = 69 s (EU method A.10).

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

It is not liquid.

Pyrophoric solids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

Data for the substance are not available.

The substance is soluble in water and forms a stable mixture with it.

Page: 17 / 34

CAS: 85586-07-8

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Oxidising liquids

It is not liquid.

Oxidizing solids

Data for the substance are not available.

It is an organic substance does not contain chemical groups associated with oxidising properties.

Organic peroxides

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

Data for the substance are not available.

The substance is not classified as corrosive to metal.

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

The substance is not classified as flammable liquid according to the value of the flash point and boiling point.

Flammable solids

It is not solid.

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Pyrophoric solids

Page: 18 / 34

CAS: 55965-84-9

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

It is not solid.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

Data for the substance are not available.

The chemical structure of the substance does not contain metals or metalloids.

The substance is miscible with water and forms a stable mixture with it.

Oxidising liquids

Data for the substance are not available.

It is an organic substance that does not contain oxygen, fluorine or chlorine, or these elements are chemically bounded only to carbon or hydrogen.

Oxidizing solids

It is not solid.

Organic peroxides

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

Data for the substance are not available.

The substance is not classified as corrosive to metal.

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Ethanediol CAS: 107-21-1

Explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Flammable gases

It is not gas.

Aerosols

It is not an aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

The substance is not classified as flammable liquid according to the value of the flash point and boiling point.

Flammable solids

It is not solid.

Page: 19 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Pyrophoric solids

It is not solid.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

Data for the substance are not available.

The chemical structure of the substance does not contain metals or metalloids.

The substance is miscible with water and forms a stable mixture with it.

Oxidising liquids

Data for the substance are not available.

It is an organic substance that does not contain oxygen, fluorine or chlorine, or these elements are chemically bounded only to carbon or hydrogen.

Oxidizing solids

It is not solid.

Organic peroxides

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

Data for the substance are not available.

The substance is not classified as corrosive to metal.

Self-accelerating polymerisation temperature

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

9.2.2. Other safety characteristics

Mechanical sensitivity

Not determined, it is not an explosive substance.

Formation of explosible dust/air mixtures Not determined, it is not a dust.

Acid/alkaline reserve Not determined, pH is in the range 4 - 10.

Evaporation rateNot determined.MiscibilityNot determined.ConductivityNot determined.

Corrosiveness Not determined.

Page: 20 / 34

Not determined, it is not a polymerising substance.

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Gas group Not determined, it is not gas.

Redox potentialNot determined.Radical formation potentialNot determined.Photocatalytic propertiesNot determined.

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is stable under normal conditions of use. There aren't any hazardous reaction.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions aren't known under normal conditions of use.

10.4. Conditions to avoid

Protect from temperatures below 0 °C.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

They do not form under normal use. Burning releases carbon oxides, sulphur oxides, hydrogen sulphide, nitrogen oxides, ammonia, chlorine oxides, hydrogen chloride and products of incomplete combustion.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture

Acute toxicity

The mixture is not classified as toxic for all routes of exposure.

Oral Data for the mixture are not available.

ATE_{mixture} > 2 000 mg/kg bw (estimate, low concentration of substances classified as toxic

oral route of exposure).

Dermal Data for the mixture are not available.

The mixture does not contain relevant substances classified as an acute toxicity by dermal route of exposure or the concentration of substance(s) is lower than the limit for

inclusion in Section 3.

Inhalation Data for the mixture are not available.

The mixture does not contain relevant substances classified as an acute toxicity by inhalation route of exposure or the concentration of substance(s) is lower than the limit for

inclusion in Section 3.

Skin corrosion/irritation

Data for the mixture are not available.

The mixture is not classified as skin irritant based on the general/specific concentration limits of substance(s).

Page: 21 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Serious eye damage/irritation

Data for the mixture are not available.

The mixture is classified as eye irritant based on the general/specific concentration limits of substance(s).

Respiratory or skin sensitisation

Data for the mixture are not available.

The mixture is not classified as a skin sensitizing according to the general/specific concentration limits of substance(s).

Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Germ cell mutagenicity

Data for the mixture are not available.

The mixture does not contain substances classified as mutagenicity or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Carcinogenicity

Data for the mixture are not available.

The mixture does not contain substances classified as carcinogenicity or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Reproductive toxicity

Data for the mixture are not available.

The mixture does not contain substances classified as toxic for reproduction or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

STOT - single exposure

Data for the mixture are not available.

The mixture is not classified as toxic for specific target organs in a single exposure in category 3 according to the recommended concentration limits of substance(s).

STOT - repeated exposure

Data for the mixture are not available.

The mixture does not contain relevant substances classified as toxic for specific target organs in a repeated exposure or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Aspiration hazard

Data for the mixture are not available.

The mixture does not contain substances classified as aspiration hazard or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Other information

See section 2 and 4.

Propan-2-ol CAS: 67-63-0

Acute toxicity

Oral Based on available data, the classification criteria are not met.

 $LD_{50} = 5 840 \text{ mg/kg bw (rat, OECD 401)}.$

Dermal Based on available data, the classification criteria are not met.

 $LD_{50} = 16.4 \text{ ml/kg bw } (12.792 \text{ mg/kg bw at a density of } 0.78 \text{ g/cm}^3, \text{ rabbit, OECD } 402).$

Page: 22 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Inhalation Based on available data, the classification criteria are not met.

 $LC_{50} > 10~000$ ppm (vapour, 6 h, OECD 403).

Skin corrosion/irritation

Based on available data, the classification criteria are not met. Mean erythema score = 0 and oedema = 0 (rabbit, OECD 404).

Serious eye damage/irritation

The substance is classified as eye irritant.

Total mean irritation score = 1.89 (rabbit, 72 h, OECD 405).

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Not skin sensitising (guinea pig, OECD 406).

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Negative (OECD 471, OECD 476).

Carcinogenicity

Based on available data, the classification criteria are not met.

NOAEL = 5 000 ppm (testicular tumors, rat, male, vapour, OECD 451).

Reproductive toxicity

Based on available data, the classification criteria are not met.

NOAEL = 853 mg/kg/day (rat, oral, generation P0, OECD 415).

STOT - single exposure

The substance may cause drowsiness or dizziness.

STOT – repeated exposure

Based on available data, the classification criteria are not met.

NOEC = 500 ppm (specific toxic effect, rat, vapour, 104 weeks, OECD 451).

NOAEC = 5 000 ppm (specific exposure-related adverse reaction, rat, vapour, 104 weeks, OECD 451).

NOEC = 5 000 ppm (effects of oncogenicity, rat, vapour, 104 weeks, OECD 451).

Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Acute toxicity

Oral Based on available data, the classification criteria are not met.

 $LD_{50} = 4 100 \text{ mg/kg bw (rat, OECD 401)}.$

Dermal Based on available data, the classification criteria are not met.

 $LD_{50} > 2~000 \text{ mg/kg bw (rabbit, OECD 402)}.$

Inhalation Data for the substance are not available.

Skin corrosion/irritation

Page: 23 / 34

CAS: 68891-38-3

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

The substance is classified as skin irritant.

Mean erythema score = 3.2 and oedema = 3.2 (fully reversible) (rabbit, 72 hrs., OECD 404).

Serious eye damage/irritation

The substance is classified as seriously damaging to the eyes.

Mean score of corneal opacity = 1.3 (not fully reversible after 21 days), iritis = 0.8 (not fully reversible after 21 days), conjunctival redness = 3 (fully reversible), conjunctival edema = 1 (fully reversible) (rabbit, 72 h, OECD 405)

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Not skin sensitising (guinea pig, OECD 406).

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Negative (OECD 471, OECD 476).

Carcinogenicity

Data for the substance are not available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

NOAEL = 300 mg/kg/day (systemic effects, rat, oral, generation P0, OECD 416).

NOAEL = 300 mg/kg/day (reproduction, rat, oral, generation P0, OECD 416).

NOAEL = 300 mg/kg/day (rat, oral, generation F1, OECD 416).

STOT – single exposure

Data for the substance are not available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

NOAEL > 225 mg/kg/day (systemic toxicity, rat, oral, 90 days, OECD 408).

Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

Acute toxicity

Oral The substance is classified in category 4.

ATE = 1 800 mg/kg bw (according to registration documentation).

Dermal Based on available data, the classification criteria are not met.

 $LD_{50} > 2~000$ mg/kg bw (rabbit, OECD 402).

Inhalation Data for the substance are not available.

Skin corrosion/irritation

The substance is classified as skin irritant.

Mean erythema score = 2.2 (not fully reversible after 72 hours) and oedema = 1.7 (not fully reversible after 72 hours) (rabbit, 72 hrs., OECD 404).

Serious eye damage/irritation

Page: 24 / 34

CAS: 85586-07-8

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

The substance is classified as seriously damaging to the eyes.

Mean score of corneal opacity = 2.3 (not fully reversible after 7 days), iritis = 1.0 (not fully reversible after 7 days), conjunctival redness = 2.3 (not fully reversible after 7 days), conjunctival oedema = 2.9 (not fully reversible after 7 days) (rabbit, 72 hrs., OECD 405).

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Not skin sensitising (guinea pig, maximization test).

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Negative (OECD 471, OECD 476).

Carcinogenicity

Based on available data, the classification criteria are not met.

NOEL ≥ 1 125 mg/kg/day (rat, oral, OECD 453).

Reproductive toxicity

Data for the substance are not available.

STOT - single exposure

Data for the substance are not available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

NOAEL = 488 mg/kg/day (rat, oral, 90 d., OECD 408).

NOAEL = 1 016 mg/kg/day (rat, oral, 90 d., OECD 408).

Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2Hisothiazol-3-one (3:1)

Acute toxicity

Oral The substance is classified in category 3.

 $LD_{50} = 66 \text{ mg/kg bw (rat, OECD 401)}.$

Dermal The substance is classified in category 2.

 $LD_{50} = 87 \text{ mg/kg bw (rat, OECD literature)}.$

Inhalation The substance is classified in category 2.

 $LC_{50} = 0.17 \text{ mg/l (aerosol, rat, 4 hrs., OECD 403)}.$

Skin corrosion/irritation

The substance is classified as skin corrosion in category 1C.

Mean erythema score = 1.7 (exposure time 4 hours, fully reversible in 11 days) and edema = 0.7 (exposure time 4 hours, fully reversible in 8 days) (rabbit, 72 hours, OECD 404).

Serious eye damage/irritation

The substance is classified as seriously damaging to the eyes (rabbit, 72 hrs., literature).

Respiratory or skin sensitisation

Page: 25 / 34

CAS: 55965-84-9

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

The substance is classified as skin sensitising in category 1A (guinea pig, OECD 406).

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

In vitro:

Pozitive (OECD 471, OECD 476).

In vivo:

Negative (OECD 474, OECD 475, OECD 477, OE3CD 486).

Carcinogenicity

Based on available data, the classification criteria are not met.

NOEL = 300 ppm (rat, oral, OECD 453).

Reproductive toxicity

Based on available data, the classification criteria are not met.

NOAEL = 30 ppm (overall effect, rat, oral, generation P0, OECD 416).

NOAEL = 300 ppm (reproduction, rat, oral, generation P1, OECD 416).

NOAEL = 300 ppm (reproduction and development, rat, oral, generation F1, OECD 416).

NOAEL = 300 ppm (viability, clinical signs, rat, oral, generation F2, OECD 416).

STOT - single exposure

Data for the substance are not available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

NOAEL = 6.28 mg/kg/day (overall effect, rat, oral, 90 d., OECD 408).

NOAEL = 0.4 mg/kg/day (overall effect, rabbit, dermal, 90 d., OECD 411).

NOAEC = 0.34 mg/kg/day (histopathology, rat, aerosol, 90 d., OECD 413).

Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

Ethanediol CAS: 107-21-1

Acute toxicity

Dermal

Oral The substance is classified in category 4 according to harmonized classification.

 $LD_{50} = 7.712$ mg/kg bw (rat, 30% solution, BASF test). ATE = 500 mg/kg bw (for calculation by additive formula).

Based on available data, the classification criteria are not met.

 $LD_{50} > 3500$ mg/kg bw (mouse, literature).

Inhalation Based on available data, the classification criteria are not met.

LC₅₀ > 2.5 mg/l (aerosol, rat, 6 hrs., no death is observed, literature).

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Total irritation score = 0 (BASF test).

Serious eye damage/irritation

Page: 26 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Based on available data, the classification criteria are not met.

Total irritation score = 0 (BASF test).

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Not skin sensitising (guinea pig, maximization test).

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Negative (OECD 471).

Carcinogenicity

Based on available data, the classification criteria are not met.

NOAEL = 1 000 mg/kg/day (rat, oral, literature).

Reproductive toxicity

Based on available data, the classification criteria are not met.

NOAEL > 1 000 mg/kg/day (rat, oral, generation P0, literature).

NOAEL > 1 000 mg/kg/day (rat, oral, generation F1, literature).

STOT - single exposure

Data for the substance are not available.

STOT - repeated exposure

May cause damage to kidney through prolonged or repeated oral exposure.

NOAEL = 853 mg/kg/day (kidney, rat, oral, 90 days, OECD 408).

Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

11.2. Information on other hazards

Mixture does not contain substance(s) meets meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet and given in the list (established in accordance with Article 59(1) for having endocrine disrupting properties of REACH regulation.

Mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. There is no other relevant information on adverse health effects that is not required according to the classification criteria set out in CLP Regulation.

SECTION 12: Ecological information

12.1. Toxicity

Mixture

Data for the mixture are not available.

Acute aquatic toxicity

The mixture is not classified as acute aquatic toxicity based on calculation according to the summation method.

category 1 \sum < 0.15

Page: 27 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Chronic aquatic toxicity

The mixture is not classified as chronic aquatic toxicity based on calculation according to the summation method.

category 1 2 3 4 \sum < 0.15 < 1.5 < 25 < 10.0015

Propan-2-ol CAS: 67-63-0

The substance is not classified as hazardous for the aquatic environment.

Fish

LC₅₀, 96 hrs., Pimephales promelas: 9 640 - 10 000 mg/l (mortality, OECD 203)

Crustaceans

EC₅₀, 24 hrs., Daphnia Magna: > 10 000 mg/l (mobility, OECD 202)

logNOEC, 16 d., Daphnia Magna: 3.37 (growth, NOEC = 2 344 μmol/l = 140.9 mg/l)

Algae

Threshold toxicity, 7 d., Scenedesmus quadricauda: 1.800 mg/l

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

The substance is not classified as hazardous for the aquatic environment.

Fish

LC₅₀, 96 hrs., Danio rerio: 7.1 mg/l (mortality, OECD 203).

 EC_{10} , 28 d., Pimephales promelas: 1.7 mg/l (read-across (Alcohols, C12-14 (linear, even numbering), ethoxylated, sulfates, ammonium salt, < 2.5 mol EO, OECD 210).

Crustaceans

EC₅₀, 48 hrs., Daphnia Magna: 7.4 mg/l (mobility, OECD 202).

NOEC, 21 d., Daphnia Magna: ≥ 1.19 mg/l (reproduction, OECD 211).

Algae

EC₅₀, 72 hrs., Desmodesmus subspicatus: 27.7 mg/l (growth rate, OECD 201).

EC₁₀, 72 hrs., Desmodesmus subspicatus: 4.4 mg/l (growth rate, OECD 201).

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

The substance is classified as Aquatic Chronic 3; H412.

Fish

LC₅₀, 96 hrs., Oncorhynchus mykiss: 3.6 mg/l (mortality, OECD 203).

NOEC, 96 hrs., Oncorhynchus mykiss: 1.8 mg/l (mortality, OECD 203).

Crustaceans

EC₅₀, 48 hrs., Daphnia Magna: 4.7 mg/l (mobility).

NOEC, 48 hrs., Daphnia Magna: 2.5 mg/l (mobility).

Algae

Page: 28 / 34

CAS: 68891-38-3

CAS: 85586-07-8

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

EC₅₀, 72 hrs., Desmodesmus subspicatus: > 20 mg/l (growth rate, EU method C.3).

EC₅₀, 72 hrs., Desmodesmus subspicatus: 12 mg/l (biomass, , EU method C.3).

EC₁₀, 72 hrs., Desmodesmus subspicatus: 5.4 mg/l (growth rate, , EU method C.3).

EC₁₀, 72 hrs., Desmodesmus subspicatus: 2 mg/l (biomass, , EU method C.3).

NOEC, 72 hrs., Desmodesmus subspicatus: 0.6 mg/l (biomass, , EU method C.3).

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

CAS: 55965-84-9

The substance is classified as Aquatic Acute 1; H400 (M=100) and Aquatic Chronic 1; H410 (M=100).

Fish

LC₅₀, 96 hrs., Oncorhynchus mykiss: 0.19 mg/l (mortality, EPA OPP 72-1).

NOEC, 35 d., Brachydanio rerio: ≥ 46.4 µg/l (mortality, OECD 210).

Crustaceans

EC₅₀, 48 hrs., Daphnia Magna: 0.099 mg/l (mobility, OECD 202).

NOEC, 21 d., Daphnia Magna: 11.1 µg/l (reproduction, OECD 211).

Algae

EC₅₀, 72 hrs., Skeletonema costatum: 6.3 μg/l (growth rate, OECD 201).

NOEC, 48 hrs., Skeletonema costatum: 0.49 µg/l (growth rate, OECD 201).

Ethanediol CAS: 107-21-1

The substance is not classified as hazardous for the aquatic environment.

Fish

LC₅₀, 96 hrs., Pimephales promelas: > 72 860 mg/l (mortality, literature).

NOEC, 7 d., Pimephales promelas: 32 000 mg/l (mortality, EPA 600/4-89/001).

Crustaceans

EC₅₀, 48 hrs., Daphnia Magna: > 100 mg/l (mobility, OECD 202).

NOEC, 21 d., Daphnia Magna: 2 mg/l (reproduction, literature).

Algae

IC₅₀, 96 hrs., Pseudokirchneriella subcapitata: 10 940 mg/l (number of cells, EPA/600/4-89/001).

12.2. Persistence and degradability

Mixture

Data for the mixture are not available.

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

Propan-2-ol CAS: 67-63-0

Readily biodegradable: 53 % after 5 days (CO2 evolution, OECD 301 B).

Alcohols, C12-14, ethoxylated, sulfates, sodium salts CAS: 68891-38-3

Readily biodegradable: 100 % after 28 days (dissolved organic carbon removal, EU method C.4-C).

Readily biodegradable: 90 - 100 % after 28 days (O2 consumption, OECD 301 D).

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

CAS: 55965-84-9

CAS: 85586-07-8

Not readily biodegradable: 38.8 % after 29 days (CO₂ evolution, OECD 301 B).

Page: 29 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Ethanediol	CAS: 107-21-1
Readily biodegradable: 90 - 100 % after 10 days (removal of dissolved organic ca	arbon, OECD 301 A).
12.3. Bioaccumulative potential	
Mixture	
Data for the mixture are not available.	
Propan-2-ol	CAS: 67-63-0
log Pow = 0.05 (25 °C).	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS: 68891-38-3
log Pow = 0.3 (23 °C, pH = 6.1, OECD 123).	
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	CAS: 85586-07-8
log Pow ≤ -2.42 (20 °C, calculation).	
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS: 55965-84-9
BCF, Lepomis macrochirus: 41 - 54 (OECD 305 E). log Pow = 0.326 (2-methyl-2H-isothiazol-3-one, 24 °C, OECD 107). log Pow = 2.519 (5-chloro-2-methyl-2H-isothiazol-3-one, 24 °C, OECD 107).	
Ethanediol	CAS: 107-21-1
log Pow = -1.36 (literature).	
12.4. Mobility in soil	
Mixture	
Data for the mixture are not available.	
Propan-2-ol	CAS: 67-63-0
Data for the substance are not available.	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS: 68891-38-3
Koc = 2.2 (Q)SAR method.	
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	CAS: 85586-07-8
log Koc > 3.13 - < 3.19 (25 °C).	
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS: 55965-84-9
Koc = 6.4 - 10 (pH = 4.7 - 7.4, OECD 106).	
Ethanediol	CAS: 107-21-1
log Koc = 0 l/kg ((Q)SAR method).	
10 - 1	

12.5. Results of PBT and vPvB assessment

Mixture does not contain substance(s) meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH Regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH Regulation.

Page: 30 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

12.6. Endocrine disrupting properties

The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH Regulation. Mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data are not available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods of the substance or mixture and the contaminated packaging

Dispose according to the applicable European and local regulations. Do not empty unused product into drainage systems. Do not contaminate ponds or ditches with the product or used container. Do not dispose with municipal waste.

Hand over residual quantities and unregenerate solutions to the collection yard according to the worker's instructions. Empty, cleaned packaging can be stored at a landfill of the appropriate category or **in the sorted waste.**

Possible waste code

07 06 01* - aqueous washing liquids and mother liquors or 20 01 29* - detergents containing hazardous substances (mixture), 15 01 10* - packaging containing residues of or contaminated by hazardous substances (contaminated packaging), 15 01 02 - plastic packaging (clear packaging).

Physical/chemical properties that may affect waste treatment options

Flammability.

Special precautions recommended for waste management

Not known.

Waste legislation

Directive 2008/98/EC on waste and repealing certain Directives, as amended.

SECTION 14: Transport information

The mixture is not classified as a flammable liquid according to the negative result of the sustained burning test according to ČSN EN ISO 9038).

14.1. UN number or ID number

Not given.

14.2. UN proper shipping name

Not given.

14.3. Transport hazard class(es)

Not given.

14.4. Packing group

Not given.

14.5. Environmental hazards

Page: 31 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

It is not dangerous for the environment during transport.

14.6. Special precautions for user

Not given.

14.7. Maritime transport in bulk according to IMO instruments

Not available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation No. 1907/2006/EC, concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals, as amended (REACH)

Regulation No. 1272/2008/EC, on Classification, Labelling and Packaging of substances and mixtures, as amended (CLP)

Regulation No. 528/2012/EC concerning the making available on the market and use of biocidal products, as amended

Regulation No. 648/2004/EC on detergents, as amended

15.2. Chemical safety assessment

Has not been carried out for mixture.

SECTION 16: Other information

Reason for the revision of the safety data sheet

Change of the classification and labeling of the mixture. Change in section 14.

Key or legend to abbreviations and acronyms

Acute Tox. 4	Acute toxicity, cat. 4
Acute Tox. 3	Acute toxicity, cat. 3
Acute Tox. 2	Acute toxicity, cat. 2

Aquatic Acute 1 Acute aquatic hazard, cat. 1
Aquatic Chronic 1 Chronic aquatic hazard, cat. 1
Aquatic Chronic 3 Chronic aquatic hazard, cat. 3
Eye Dam. 1 Serious eye damage, cat. 1

Eye Irrit. 2 Eye irritation, cat. 2
Flam. Liq. 2 Flammable liquid, cat. 2
Skin Corr. 1C Skin corrosion, cat. 1C
Skin Irrit. 2 Skin irritation, cat. 2
Skin Sens. 1A Skin sensitization, cat. 1A

STOT RE 2 Specific target organ toxicity - repeated exposure, cat. 2
STOT SE 3 Specific target organ toxicity - single exposure, cat. 3

ATE Acute Toxicity Estimate

bw body weight

Page: 32 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

M Multiplying factor

ADR Accord Dangereuses Route

CLP Regulation No. 1272/2008/EC, on Classification, Labelling and Packaging of subs-

tances and mixtures

DNEL Derived No Effect Level

ICAO/IATA International Air Transport Association
IMDG International Maritime Dangerous Goods
PBT Persistent, bioaccumulative, toxic substance

PNEC Predicted No Effect Concentration

REACH Regulation No. 1907/2006/EC, concerning the Registration, Evaluation, Authorisation

and Restriction of Chemicals

RID Regulation concerning the International Carriage of Dangerous Goods by Rail

STOT Specific target organ toxicity

vPvB Very persistent and very bioaccumulative substance

Corrosive to the respiratory tract.

Sources of key data used to compile the Safety Data Sheet

European legislation, manufacturer's safety data sheet, registration dossier of substances.

List of H- and P- phrases

EUH071

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

H330 Fatal if inhaled.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

P102 Keep out of reach of children.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container by handing it over to a collection yard or sorted waste.

Page: 33 / 34

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 112

Training advice

According to SDS.

Other information

Classification according to data from the manufacturer. The mixture is classified using calculation methods according to Regulation CLP and tests. Use only for the purposes designated by the manufacturer, will prevent health and environmental risks.

The information in this safety data sheet has been prepared according to the best available knowledge. The safety data sheet has been compiled in good faith but without guarantee. Various factors may influence properties under specific conditions. It is the responsibility of the product user to assess the accuracy of the information for their specific application. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

The safety data sheet is prepared in accordance with Regulation No. 2020/878/EC. There is no additional information in accordance with the local and national legislation of the Member State in the European Union, in the safety data sheet.

The safety data sheet was prepared by LACHEPRA s.r.o.

Page: 34 / 34