according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Date of revision: 29. 07. 2024 Version: 3.1

Replaced version from: 08. 01. 2024

Date of issue: 20. 12. 2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name

CLEAMEN 210

UFI code

UFI: RTR0-00QC-4008-2KKC

Product code

TC21001.

Mixture description

Water solution.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

The liquid product is intended for cleaning all kitchen surfaces and equipment, including stainless steel and laminate surfaces.

Professional use.

Uses advised against

The product is not suitable for alkali-sensitive surfaces, especially aluminum. If used, do not leave them on for a long time. Do not use on floors treated with metallic waxes, as they will be washed away.

It is recommended to use it only for the intended use. Other uses may expose users to unpredictable risks.

1.3. Details of the supplier of the safety data sheet

CORMEN s.r.o.

Věchnov 73

593 01

Czech Republic

Tel.: +420 566 550 961 Fax: +420 566 551 822

e-mail address for a competent person responsible for the SDS: info@cormen.cz

1.4. Emergency telephone number

112 (General emergency phone).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture is classified as hazardous according to regulation 1272/2008/EC.

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Classification according to 1272/2008/EC

Flam. Liq. 3; H226 Skin Corr. 1; H314 Eye Dam. 1; H318

Full text of classifications and H-phrases: see section 16.

The most important adverse physical, human health and environmental effects

Flammable liquid and vapour. Causes severe skin burns and eye damage. May produce an allergic reaction.

2.2. Label elements

Hazard pictograms





Signal word

Danger.

Substances of the mixture to be placed on the label

Contains Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts, Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Sodium hydroxide.

Hazard statements

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation. Dispose of the

cleaned packaging without any residual product content in the sorted waste.

Supplemental hazard information

Page: 2 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

EUH208 - Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Composition according to regulation 648/2004/EC on detergents: ≥ 5 - < 15 % anionic surfactants, < 5% non-ionic surfactants, phosphates, perfumes, preservation agents (METHYLCHLOROISOTHIAZOLINONE AND METHYLISOTHIAZOLINONE).

2.3. Other hazards

Mixture does not contain substance(s) meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH regulation., Mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

3.2.1. Substances of a mixture classified as hazardous

olari olabotario ola mixtaro olabomo de riazar dodo					
	Identification of substance	Content wt. %	Classification according to 1272/2008/EC		
Benzenesulfonic ac	id, C10-13-alkyl derivs., sodi	um salts			
Propan-2-ol; Isoprop CAS Number EC Number Index Number	68411-30-3 270-115-0 not given 01-2119489428-22-XXXX pyl alcohol; Isopropanol 67-63-0 200-661-7 603-117-00-0	5 - < 15 1 - < 10	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336		
	Registration Number 01-2119457558-25-XXXX 2-Butoxyethanol; Ethylene glycol monobutyl ether; Butyl cellosolve				
CAS Number EC Number Index Number	111-76-2 203-905-0 603-014-00-0 01-2119475108-36-XXXX	1 - < 5	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Acute Tox. 3; H331 ATE _{oral} = 1 200 mg/kg bw ATE _{inhalation} = 3 mg/L (vapours)		
CAS Number EC Number Index Number Registration Number	choxylated, sulfates, sodium 68891-38-3 500-234-8 not given 01-2119488639-16-XXXX Decific concentration limits:	salts 1 - < 5	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412		

Page: 3 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Eye Dam. 1; H318 C ≥ 10 %

5 % < C < 10 % Eye Irrit. 2; H319

Sodium hydroxide; Caustic soda

CAS Number 1310-73-2

Met. Corr. 1; H290 **EC Number** 215-185-5 Skin Corr. 1A; H314 0.1 - < 1

Index Number 011-002-00-6 Eye Dam. 1; H318

Registration Number 01-2119457892-27-XXXX

The substance has specific concentration limits:

Skin Corr. 1A; H314 C ≥ 5 %

 $2\% \le C < 5\%$ Skin Corr. 1B; H314 Skin Irrit. 2; H315 $0.5\% \le C < 2\%$ $0.5\% \le C < 2\%$ Eye Irrit. 2; H319

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Acute Tox. 3; H301

Acute Tox. 2; H310 Skin Corr. 1C; H314

Eye Dam. 1; H318 CAS Number 55965-84-9 Skin Sens. 1A; H317 EC Number not given

< 0.001 Acute Tox. 2; H330 Index Number 613-167-00-5

Aquatic Acute 1; H400

Registration Number not yet available Aquatic Chronic 1; H410

EUH071

M=100 M(Chronic)=100

The substance has specific concentration limits:

Skin Corr. 1C; H314 $C \ge 0.6 \%$ Eye Dam. 1; H318 C ≥ 0.6 %

 $0.06 \% \le C < 0.6 \%$ Skin Irrit. 2; H315 Eye Irrit. 2; H319 $0.06 \% \le C < 0.6 \%$

Skin Sens. 1A; H317 C ≥ 0.0015 %

Full text of classifications and H-phrases: see section 16.

SECTION 4: First aid measures

In all cases keep the victim at physical and mental rest and warm. In case of doubt or if symptoms persist, seek medical attention. Never give anything by mouth if victim is rapidly losing consciousness, unconscious or convulsing. Protect yourself during rescue work.

4.1. Description of first aid measures

Interrupt the exposure, move the person to the fresh air. In case of persistent nausea, seek medical advice.

Skin contact

Page: 4 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Remove contaminated clothing, shoes, and wash affected skin thoroughly with water (preferably lukewarm) and soap. Do not use solvents or thinners. Seek medical advice.

Eye contact

Rinse with a gentle stream of water for at least 15 minutes. Keep your eyelids wide open with your thumb and forefinger. If the affected person is wearing contact lenses, remove them before rinsing eyes if it is easy. Seek medical advice.

Ingestion

Rinse your mouth and then drink plenty of water. Do not induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Are not known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Small fire:

Carbon dioxide CO₂, dry extinguishing agent, sand or earth, alcohol-resistant foam.

Extensive fire:

Fragmented water streams (water mist), alcohol-resistant foam.

Unsuitable extinguishing media

Solid streams of water may be ineffective.

5.2. Special hazards arising from the substance or mixture

In case of fire extinguishing prevent leakage of water and rest of product into drains. Collect them separately and dispose of safely in accordance with current legislation and applicable local regulations.

In case of fires, hazardous combustion gases are formed: carbon oxides, sulphur oxides, hydrogen sulphide, nitrogen oxides, ammonia, chlorine oxides, hydrogen chloride and products of incomplete combustion.

5.3. Advice for firefighters

Stop further leakage of product if possible. Spilled product, which does not burn, cover with sand or foam. Move containers and barrels away from the fire to a safe place, if possible. Cool all affected containers down with flooding quantities of water. If the fire can't be extinguished - evacuate the premises.

In case of fire, wear suitable respiratory protective equipment and fire-fighting suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes, use suitable protective equipment and clothing, see Section 8. Ensure adequate ventilation. Avoid formation of vapour and aerosol. At the point of leakage, prevent the movement of unauthorized persons.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. If this cannot be avoided, inform the competent authorities (police and firefighters) immediately.

Page: 5 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

6.3. Methods and material for containment and cleaning up

According to the amount of spilled liquid, drain away the substance (large spillage) or in case of small spillage, absorb it with suitable absorbent (vermiculite, dry sand), put into labelled closed containers and dispose of them accordingly to Section 13. Flush residues with water and collect it for waste disposal. Do not use solvents or dispersants unless instructed by an expert or government authority.

If container is damaged, remove the content to the new undamaged container and label it properly again.

6.4. Reference to other sections

Refer also to the provisions of sections 7, 8 and 13 of this safety data sheet.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Personal protection see. Section 8. Ensure good ventilation to prevent formation of vapor and aerosol.

Smoking, eating and drinking should be prohibited at the place of use. Keep safety regulations for handling chemicals. Take off contaminated clothing and protective equipment before entering the dining area. Do not use dirty clothing. After work wash yourself carefully with warm water and soap, take a shower. Use protective cream.

7.2. Conditions for safe storage, including any incompatibilities

Store in original, tightly closed containers, in a dry, cool and well-ventilated place at room temperature. Protect from frost. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not store together with incompatible materials (see subsection 10.5), food, drink and feed.

7.3. Specific end use(s)

See subsection 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure limit value

2-Butoxyethanol	CAS: 111-76-2
Limit values - Fight hours Limit values - Short-term	Note

Limit values - Eight hours Limit values - Short-term Note 98 mg/m³ 20 ppm 246 mg/m³ 50 ppm skin

8.1.2. Biological limit values

Not determined in EU.

8.1.3. DNEL and PNEC values

Benzenesulfonic acid. C10-13-alkyl derivs sodium sal	ts CAS: 68411-30-3

D	N	Ε	L

Area of use	Route of exposure	Effect	Exposure time	Value
Workers	Inhalation	Systemic effect	Long term	7.6 mg/m ³
Workers	Dermal	Systemic effect	Long term	119 mg/kg/day
General population	Inhalation	Systemic effect	Long term	1.3 mg/m ³
General population	Dermal	Systemic effect	Long term	42.5 mg/kg/day

Page: 6 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

General population	Oral	Systemic effect	Long term	0.425 mg/kg/day
PNEC				
Fresh water	Intermittent releases		Sewage Treatment	
Flesii watei	Marine water	Fresh water	Marine water	Plant (STP)
0.268 mg/l	0.027 mg/l	0.017 mg/l	not given	3.43 mg/l
PNEC				
Sediment (freshwater	r) Sediment (marine v	vater) Air	Soil	Hazard for predators
8.1 mg/l	6.8 mg/kg	no effect	35 mg/kg	no effect
Propan-2-ol				CAS: 67-63-0
DNEL				
Area of use	Route of exposure	Effect	Exposure time	Value
Workers	Inhalation	Systemic effect	Long term	500 mg/m ³
Workers	Inhalation	Systemic effect	Acute/short term	1 000 mg/m ³
Workers	Dermal	Systemic effect	Long term	888 mg/kg/day
General population	Inhalation	Systemic effect	Long term	89 mg/m ³
General population	Inhalation	Systemic effect	Acute/short term	178 mg/m ³
General population	Dermal	Systemic effect	Long term	319 mg/kg/day
General population	Oral	Systemic effect	Long term	26 mg/kg/day
General population	Oral	Systemic effect	Acute/short term	51 mg/kg/day
PNEC - not available				
2-Butoxyethanol				CAS: 111-76-2
DNEL				
Area of use	Route of exposure	Effect	Exposure time	Value
Workers	Inhalation	Systemic effect	Long term	98 mg/m ³
Workers	Inhalation	Systemic effect	Acute/short term	1 091 mg/m ³
Workers	Inhalation	Local effect	Acute/short term	246 mg/m ³
General population	Inhalation	Systemic effect	Long term	59 mg/m ³
General population	Inhalation	Systemic effect	Acute/short term	426 mg/m ³
General population	Inhalation	Local effect	Acute/short term	147 mg/m ³
General population	Oral	Systemic effect	Long term	6.3 mg/kg/day
General population	Oral	Systemic effect	Acute/short term	26.7 mg/kg/day
PNEC				
Eroch woter	Marina water	Intermitte	ent releases	Sewage Treatment
Fresh water	Marine water	Fresh water	Marine water	Plant (STP)
8.8 mg/l	0.88 mg/l	26.4 mg/l	not given	463 mg/l
PNEC				
Sediment (freshwater	r) Sediment (marine v	vater) Air	Soil	Hazard for predators

Page: 7 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

34.6 mg/kg	3.46 mg/kg	no effect	2.33 mg/kg	0.02 g/kg food
Alcohols, C12-14, e	thoxylated, sulfates, s	odium salts		CAS: 68891-38-3
DNEL				
Area of use	Route of exposure	Effect	Exposure time	Value
Workers	Inhalation	Systemic effect	Long term	175 mg/m ³
Workers	Dermal	Systemic effect	Long term	2 750 mg/kg/day
Workers	Dermal	Local effect	Long term	132 μg/cm²
General population	Inhalation	Systemic effect	Long term	52 mg/m ³
General population	Dermal	Systemic effect	Long term	1 650 mg/kg/day
General population	Dermal	Local effect	Long term	79 μg/cm²
General population	Oral	Systemic effect	Long term	15 mg/kg/day
PNEC				
Eroch woter	Marine water	Intermitte	Intermittent releases	
Fresh water	Maine water	Fresh water	Marine water	Plant (STP)
0.24 mg/l	0.024 mg/l	0.071 mg/l	not given	10 g/l
PNEC				
Sediment (freshwate	r) Sediment (marine w	ater) Air	Soil	Hazard for predators
0.917 mg/kg	0.092 mg/kg	no effect	7.5 mg/kg	no effect
Sodium hydroxide				CAS: 1310-73-2
DNEL				
Area of use	Route of exposure	Effect	Exposure time	Value
Workers	Inhalation	Local effect	Long term	1 mg/m ³
General population	Inhalation	Local effect	Long term	1 mg/m ³
PNEC - not yet availa	able			

PNEC - not yet available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Use only in well-ventilated areas.

Observe usual safety precautions for working with chemicals. The degree of effectiveness of personal protective equipment depends on temperature and ventilation levels.

8.2.2. Individual protection measures, such as personal protective equipment

Do not eat, drink or smoke. After work, wash thoroughly with warm water and soap and take a shower. Use protective cream. Do not soiled protective equipment to wash, do not use solvents.

Eye/face protection

Wear safety glasses or face shield (EN 166, EN 149+A1).

Skin protection - hand protection

Page: 8 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Wear protective gloves (EN 374-1, EN 374-2).

Suitable gloves material: polyvinylchloride, neoprene, nature rubber, butyl-rubber, breakthrough time: 480 min

Unsuitable gloves material: leather

The selection of the glove material on consideration of the breakthrough time, permeability, degradation and next relevant factors; other chemicals that may come into contact, physical requirements (cut and puncture protection, dexterity, thermal protection), possible body reactions to the glove material and the glove supplier's instructions and specifications. In case of repeated use of gloves, clean and keep them in a well-ventilated place before taking off.

Skin protection - other

Suitable protective working clothing and protective footwear.

Respiratory protection

Not necessary in case of compliance concentration limits (if they were exceeded, use respiratory protection). In the event of an accident or a fire use self-contained breathing apparatus.

Thermal hazards

In normal use is not necessary protective equipment to be worn for materials that represent a thermal hazard.

8.2.3. Environmental exposure controls

Uncontrolled release of the mixture into environment is to be avoided. Keep the emission limits according to national legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Mixture

Physical state Liquid.

ColourLight brown.OdourCharacteristic.Melting point/freezing pointNot determined.

Boiling point or initial boiling point and boiling

range

82 °C

FlammabilityNot determined.Lower explosion limitNot determined.Upper explosion limitNot determined.

Flash point 46 °C.

Auto-ignition temperature Not determined.

Decomposition temperature Not determined, the mixture does not contain self-

reactive substances or organic peroxides or other

substances which may decompose.

pH > 12.

Kinematic viscosity

Not determined, the mixture does not contain a

substance classified as aspiration toxic, or the sum of the concentrations of substances classified as

aspiration toxic is less than 10 wt. %.

Page: 9 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Solubility Fully miscible.

Partition coefficient n-octanol/water (log value) Does not apply to mixture.

Vapour pressure Not determined.

Density and/or relative density $D_4^{20} = 1.0.$

Relative vapour density Not determined.

Particle characteristics Does not apply to liquid.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

cAS: 68411-30-3

Physical state Solid.

ColourNot determined.OdourNot determined.Melting point/freezing point> 350 °C (ISO 1218)

Boiling point or initial boiling point and boiling

range

Flammability The substance is not classified as flammable (EU

method A.10)

> 400 °C (ASTM E 737-76)

Lower explosion limitDoes not apply to solid.Upper explosion limitDoes not apply to solid.Flash pointDoes not apply to solid.Auto-ignition temperatureDoes not apply to solid.

Decomposition temperatureNot determined, it is not a self-reactive substance

or an organic peroxide or a substance that may

decompose.

pH Not determined.

Kinematic viscosity Does not apply to solid.

Solubility 250 g/l (20 °C)

Partition coefficient n-octanol/water (log value) 1.4 (23 °C, pH = 6.1, OECD 123)

Vapour pressure Not determined, the substance has melting point

higher than 300 °C.

Density and/or relative density $D_4^{20} = 0.776 \text{ (OECD 109)}.$

Relative vapour densityDoes not apply to solid.

Particle characteristics Not determined.

Propan-2-ol CAS: 67-63-0

Physical stateLiquid.ColourColorless.

OdourNot determined.Melting point/freezing point-88.5 °C (literature).Boiling point or initial boiling point and boiling82.3 °C (literature).

range

Flammability Highly flammable liquid.

Page: 10 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Lower explosion limit2 vol. % (literature).Upper explosion limit13 vol. % (literature).

Flash point 11.7 °C (literature).

Auto-ignition temperature 399 - 455.6 °C (literature).

Decomposition temperatureNot determined, it is not a self-reactive substance

or an organic peroxide or a substance that may

decompose.

pH Not determined.

Kinematic viscosity

Not determined, it is not a hydrocarbon or a

chlorinated hydrocarbon.

Solubility Miscible with water.

Partition coefficient n-octanol/water (log value) log Pow = 0.05 (25 °C, literature).

Vapour pressure Not determined.

Density and/or relative density 785.5 kg/m³ (20 °C, literature).

Relative vapour density Not determined.

Particle characteristics Does not apply to liquid.

2-Butoxyethanol CAS: 111-76-2

Physical stateLiquid.ColourColorless.OdourEtheric.

Melting point/freezing point-74.8 °C (literature).Boiling point or initial boiling point and boiling173.5 °C (IP123/93).

range

Flammability The substance is not classified as flammable,

pyrophoric or emit flammable gases under

standard conditions.

Lower explosion limitNot determined.Upper explosion limitNot determined.Flash point67 °C (DIN 51758).Auto-ignition temperature230 °C (literature).

Decomposition temperatureNot determined, it is not a self-reactive substance

or an organic peroxide or a substance that may

decompose.

pH Not determined.

Kinematic viscosity

Not determined, it is not a hydrocarbon or a

chlorinated hydrocarbon.

Solubility 900 g/l (20 °C, pH = 7, literature).

Partition coefficient n-octanol/water (log value) log Pow = 0.81 (25 °C, pH = 7, shake-flask

method).

Vapour pressure 0.8 hPa (20 °C, literature).

Page: 11 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Density and/or relative density	900 kg/m³ (20 °C, DIN 51 757).
Relative vapour density	Not determined.
Particle characteristics	Does not apply to liquid.
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS: 68891-38-3
Physical state	Solid.
Colour	Yellowish.
Odour	Rancid.
Melting point/freezing point	> 300 °C (ASTM E737-76).
Boiling point or initial boiling point and boiling range	Not determined, the substance has a melting point higher than 300 $^{\circ}$ C.
Flammability	The substance is not classified as flammable solid (EU method A.10)
Lower explosion limit	Does not apply to solid.
Upper explosion limit	Does not apply to solid.
Flash point	Does not apply to solid.
Auto-ignition temperature	250 °C (EU method A.16)
Decomposition temperature	Not determined, it is not a self-reactive substance or an organic peroxide or a substance that may decompose.
рН	Not determined.
Kinematic viscosity	Does not apply to solid.
Solubility	280 g/l (20 °C, pH = 6.8, literature).
Partition coefficient n-octanol/water (log value)	log Pow = 0.3 (23 °C, pH = 6.1, OECD 123).
Vapour pressure	Not determined, the substance has melting point higher than 300 °C.
Density and/or relative density	1.08 g/cm3 (22 °C, OECD 109).
Relative vapour density	Does not apply to solid.
Particle characteristics	Not determined.
Sodium hydroxide	CAS: 1310-73-2
Physical state	Solid.
Colour	White.
Odour	Odourless.
Melting point/freezing point	323 °C (literature).
Boiling point or initial boiling point and boiling range	1 388 °C (literature).
Flammability	The substance is not classified as flammable, pyrophoric or emit flammable gases under standard conditions.
Lower explosion limit	Does not apply to solid.
Upper explosion limit	Does not apply to solid.

Page: 12 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Flash point Does not apply to solid.

Auto-ignition temperature Does not apply to solid.

Decomposition temperature Not determined, it is not a self-reactive substance

or an organic peroxide or a substance that may

decompose.

pH Not determined, strong alkaline substance.

Kinematic viscosity Does not apply to solid.

Solubility 100 g/100 g H2O (25 °C, literature).

Partition coefficient n-octanol/water (log value) Not determined, it is an inorganic substance.

Vapour pressure Not determined, the substance has melting point

higher than 300 °C.

Density and/or relative density 2.13 g/cm³ (20 °C, literature).

Relative vapour density Does not apply to solid.

Particle characteristics Not determined, solid NaOH is in the form of large

particles (flakes).

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Mixture

Explosives

Data for the mixture are not available.

The mixture does not contain substances classified as explosives or oxidising, or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

Data for the mixture are not available.

The mixture is classified as flammable liquid category 3 according to the value of the flash point and boiling point.

Flammable solids

It is not solid.

Self-reactive substances and mixtures

Data for the mixture are not available.

The mixture does not contain substances classified as self-reactive substances or explosives or organic peroxides or oxidising, or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Page: 13 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Pyrophoric liquids

Data for the mixture are not available.

The mixture does not contain substances classified as pyrophoric liquids or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Pyrophoric solids

It is not solid.

Self-heating substances and mixtures

Data for the mixture are not available.

The mixture does not contain substances classified as self-heating or pyrophoric substances or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Substances and mixtures, which emit flammable gases in contact with water

Data for the mixture are not available.

The mixture does not contain substances classified as substances, which emit flammable gases in contact with water or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Oxidising liquids

Data for the mixture are not available.

The mixture does not contain substances classified as oxidising liquids or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Oxidizing solids

It is not solid.

Organic peroxides

Data for the mixture are not available.

The mixture does not contain substances classified as organic peroxides or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Corrosive to metals

Data for the mixture are not available.

The mixture is not classified as corrosive to metals due to the low sodium hydroxide content.

Desensitised explosives

Data for the mixture are not available.

The mixture does not contain substances classified as explosives or desensitised explosives, or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

Explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

Page: 14 / 35

CAS: 68411-30-3

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

It is not liquid.

Flammable solids

The substance is not classified as flammable solid (EU method A.10).

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

It is not liquid.

Pyrophoric solids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

Data for the substance are not available.

The substance is soluble in water and forms a stable mixture with it.

Oxidising liquids

It is not liquid.

Oxidizing solids

Data for the substance are not available.

It is an organic substance does not contain chemical groups associated with oxidising properties.

Organic peroxides

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

Data for the substance are not available.

The substance is not classified as corrosive to metal.

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Propan-2-ol CAS: 67-63-0

Explosives

Page: 15 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Pure propan-2-ol is autoxidated by air and light to form an explosive cyclic triacetone triperoxide, which settles to the bottom of the vessel as a white sediment. In the event of such a finding, the container must be handled immediately and pyrotechnics called.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

The substance is classified as flammable liquid category 2 according to the value of the flash point and boiling point.

Flammable solids

It is not solid.

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Pyrophoric solids

It is not solid.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

Data for the substance are not available.

The chemical structure of the substance does not contain metals or metalloids.

The substance is miscible with water and forms a stable mixture with it.

Oxidising liquids

Data for the substance are not available.

It is an organic substance that does not contain oxygen, fluorine or chlorine, or these elements are chemically bounded only to carbon or hydrogen.

Oxidizing solids

It is not solid.

Organic peroxides

Page: 16 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

Data for the substance are not available.

The substance is not classified as corrosive to metal.

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

2-Butoxyethanol CAS: 111-76-2

Explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

The substance is not classified as flammable liquid according to the value of the flash point and boiling point.

Flammable solids

It is not solid.

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Pyrophoric solids

It is not solid.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

Page: 17 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Data for the substance are not available.

The chemical structure of the substance does not contain metals or metalloids.

The substance is soluble in water and forms a stable mixture with it.

Oxidising liquids

Data for the substance are not available.

It is an organic substance that does not contain oxygen, fluorine or chlorine, or these elements are chemically bounded only to carbon or hydrogen.

Oxidizing solids

It is not solid.

Organic peroxides

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

Data for the substance are not available.

The substance is not classified as corrosive to metal.

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

It is not liquid.

Flammable solids

The substance is not classified as flammable solid, burning time > 2 400 s (EU method A.10).

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

It is not liquid.

Page: 18 / 35

CAS: 68891-38-3

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Pyrophoric solids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

Data for the substance are not available.

The chemical structure of the substance does not contain metals or metalloids.

The substance is miscible with water and forms a stable mixture with it.

Oxidising liquids

It is not liquid.

Oxidizing solids

Data for the substance are not available.

It is an organic substance does not contain chemical groups associated with oxidising properties.

Organic peroxides

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

Data for the substance are not available.

The substance is not classified as corrosive to metal.

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Sodium hydroxide CAS: 1310-73-2

Explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

It is not liquid.

Page: 19 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Flammable solids

Data for the substance are not available.

The substance is not classified as flammable solid.

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

It is not liquid.

Pyrophoric solids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

Data for the substance are not available.

The substance is soluble in water and forms a stable mixture with it.

Oxidising liquids

It is not liquid.

Oxidising solids

Data for the substance are not available.

The substance does not contain chemical groups associated with oxidising properties.

Organic peroxides

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

Data for the substance are not available.

The substance is classified as corrosive to metal category 1.

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

9.2.2. Other safety characteristics

Mechanical sensitivityNot determined, it is not an explosive substance.

Self-accelerating polymerisation temperatureNot determined, it is not a polymerising substance.

Formation of explosible dust/air mixtures Not determined, it is not a dust.

Acid/alkaline reserveNot determined.Evaporation rateNot determined.

Miscibility Not determined.

Page: 20 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

ConductivityNot determined.CorrosivenessNot determined.

Gas group Not determined, it is not gas.

Redox potentialNot determined.Radical formation potentialNot determined.Photocatalytic propertiesNot determined.

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is stable under normal conditions of use. There aren't any hazardous reaction.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions aren't known under normal conditions of use.

10.4. Conditions to avoid

Protect from frost. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

10.5. Incompatible materials

Strong oxidizing agents, aluminum.

10.6. Hazardous decomposition products

They do not form under normal use. Burning releases carbon oxides, sulphur oxides, hydrogen sulphide, nitrogen oxides, ammonia, chlorine oxides, hydrogen chloride and products of incomplete combustion.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture

Acute toxicity

The mixture is not classified as toxic for all routes of exposure.

Oral Data for the mixture are not available.

The mixture is not classified by the additive formula.

 $ATE_{mixture} > 5 538 \text{ mg/kg}.$

Dermal Data for the mixture are not available.

The mixture does not contain relevant substances classified as an acute toxicity by dermal route of exposure or the concentration of substance(s) is lower than the limit for inclusion

in Section 3.

Inhalation Data for the mixture are not available.

ATE_{mixture} > 60 mg/l.

Skin corrosion/irritation

Data for the mixture are not available.

The mixture is classified as skin corrosive category 1 based on the pH value and the content of sodium hydroxide and surfactants.

Page: 21 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Serious eye damage/irritation

Data for the mixture are not available.

The mixture is classified as causes serious eye damage based on the general/specific concentration limits of substance(s).

Respiratory or skin sensitisation

Data for the mixture are not available.

The mixture is not classified as a skin sensitizing according to the general/specific concentration limits of substance(s).

EUH208 - Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Germ cell mutagenicity

Data for the mixture are not available.

The mixture does not contain substances classified as mutagenicity or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Carcinogenicity

Data for the mixture are not available.

The mixture does not contain substances classified as carcinogenicity or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Reproductive toxicity

Data for the mixture are not available.

The mixture does not contain substances classified as toxic for reproduction or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

STOT - single exposure

Data for the mixture are not available.

The mixture is not classified as toxic for specific target organs in a single exposure in category 3 according to the recommended concentration limits of substance(s).

STOT - repeated exposure

Data for the mixture are not available.

The mixture does not contain substances classified as toxic for specific target organs in a repeated exposure or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Aspiration hazard

Data for the mixture are not available.

The mixture does not contain substances classified as aspiration hazard or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Other information

See section 2 and 4.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

Acute toxicity

Oral The substance is classified in category 4.

 $LD_{50} = 1 080 \text{ mg/kg}$ (rat, female, OECD 401).

Dermal Based on available data, the classification criteria are not met.

 $LD_{50} > 2~000 \text{ mg/kg}$ (rabbit, OECD 402).

Page: 22 / 35

CAS: 68411-30-3

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Inhalation Data for the substance are not available.

Skin corrosion/irritation

The substance is classified as skin irritant.

Primary dermal irritation index PDII = 2.17 (max. 4, not fully reversible after 14 days) (rabbit, 72 hrs., OECD 404).

Serious eye damage/irritation

The substance is classified as seriously damaging to the eyes.

Overall irritation score = 1.75 (max. 4, not rinsed, not fully reversible after 14 days), 1 (max. 3, rinse after 4 seconds, reversible after 7 days), 1.06 (max. 2, rinse after 30 seconds, reversible after 14 days) (rabbit, 72 hrs., OECD 405).

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Not skin sensitising (guinea pig, OECD 406).

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Negative (OECD 471, OECD 473, OECD 476).

Carcinogenicity

Data for the substance are not available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

NOAEL = 350 mg/kg/day (rat, oral, generation P0, literature).

NOAEL = 350 mg/kg/day (rat, oral, generation F1, literature).

NOAEL = 350 mg/kg/day (rat, oral, generation F2, literature).

STOT - single exposure

Data for the substance are not available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

NOAEL = 85 mg/kg/day (rat, oral, literature).

LOAEL = 300 mg/kg/day (rat, oral, literature).

Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

Propan-2-ol CAS: 67-63-0

Acute toxicity

Oral Based on available data, the classification criteria are not met.

 $LD_{50} = 5.840 \text{ mg/kg} \text{ (rat, OECD 401)}.$

Dermal Based on available data, the classification criteria are not met.

 $LD_{50} = 16.4 \text{ ml/kg}$ (12 792 mg/kg at a density of 0.78 g/cm³, rabbit, OECD 402).

Inhalation Based on available data, the classification criteria are not met.

 $LC_{50} > 10~000$ ppm (vapour, 6 h, OECD 403).

Page: 23 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mean erythema score = 0 and oedema = 0 (rabbit, OECD 404).

Serious eye damage/irritation

The substance is classified as eye irritant.

Total mean irritation score = 1.89 (rabbit, 72 h, OECD 405).

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Not skin sensitising (guinea pig, OECD 406).

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Negative (OECD 471, OECD 476).

Carcinogenicity

Based on available data, the classification criteria are not met.

NOAEL = 5 000 ppm (testicular tumors, rat, male, vapour, OECD 451).

Reproductive toxicity

Based on available data, the classification criteria are not met.

NOAEL = 853 mg/kg/day (rat, oral, generation P0, OECD 415).

STOT – single exposure

The substance may cause drowsiness or dizziness.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

NOEC = 500 ppm (specific toxic effect, rat, vapour, 104 weeks, OECD 451).

NOAEC = 5 000 ppm (specific exposure-related adverse reaction, rat, vapour, 104 weeks, OECD 451).

NOEC = 5 000 ppm (effects of oncogenicity, rat, vapour, 104 weeks, OECD 451).

Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

2-Butoxyethanol CAS: 111-76-2

Acute toxicity

Oral The substance is classified in category 4.

 $LD_{50} = 1414 \text{ mg/kg (rat, OECD 401)}.$

ATE = 1 200 mg/kg (according to harmonized classification).

Dermal Based on available data, the classification criteria are not met.

 $LD_{50} > 2~000 \text{ mg/kg}$ (rabbit, OECD 402).

Inhalation The substance is classified in category 3 according to harmonized classification.

ATE = 3 mg/l (for calculation by additive formula, vapour).

Skin corrosion/irritation

Page: 24 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

The substance is classified as skin irritant.

Mean erythema score = 1.7 (not fully reversible after 14 days) and edema = 0.13 (not fully reversible after 14 days) (rabbit, EU method B.4).

Serious eye damage/irritation

The substance is classified as eye irritant.

Mean score of corneal opacity = 0.89 (fully reversible after 21 days), iritis = 0.56 (fully reversible after 7 days), conjunctival redness = 2.6 (fully reversible after 21 days) = 1.8 (fully reversible after 14 days) (rabbit, 72 h, OECD 405).

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Not skin sensitising (guinea pig, maximization test).

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Negative (OECD 471, OECD 473, OECD 476).

Carcinogenicity

Based on available data, the classification criteria are not met.

NOAEC = 125 ppm (liver hemangiocarcomas, rat, male, vapour, OECD 451).

NOAEC = 125 ppm (forestomach tumors, rat, female, vapour, OECD 451).

Reproductive toxicity

Based on available data, the classification criteria are not met.

NOAEL = 720 mg/kg/day (body weight loss, mortality, reproductive performance, mouse, oral, generation P0).

LOAEL = 720 mg/kg/day (water consumption and compound intake, mouse, oral, generation P0).

NOAEL = 720 mg/kg/day (pup weight, mouse, orally, generation F1).

NOAEL = 720 mg/kg/day (no effect, mouse, oral, generation F2).

STOT - single exposure

Data for the substance are not available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

NOAEL < 69 mg/kg/day (histopathology, rat, male, oral, 90 days, OECD 408).

NOAEL < 82 mg/kg/day (histopathology and hematology, rat, female, oral, 90 days, OECD 408).

Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Acute toxicity

Oral Based on available data, the classification criteria are not met.

 $LD_{50} = 4 100 \text{ mg/kg (rat, OECD 401)}.$

Dermal Based on available data, the classification criteria are not met.

 $LD_{50} > 2~000 \text{ mg/kg (rabbit, OECD 402)}.$

Inhalation Data for the substance are not available.

Page: 25 / 35

CAS: 68891-38-3

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Skin corrosion/irritation

The substance is classified as skin irritant.

Mean erythema score = 3.2 and oedema = 3.2 (fully reversible) (rabbit, 72 hrs., OECD 404).

Serious eye damage/irritation

The substance is classified as seriously damaging to the eyes.

Mean score of corneal opacity = 1.3 (not fully reversible after 21 days), iritis = 0.8 (not fully reversible after 21 days), conjunctival redness = 3 (fully reversible), conjunctival edema = 1 (fully reversible) (rabbit, 72 h, OECD 405)

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Not skin sensitising (guinea pig, OECD 406).

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Negative (OECD 471, OECD 476).

Carcinogenicity

Data for the substance are not available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

NOAEL = 300 mg/kg/day (systemic effects, rat, oral, generation P0, OECD 416).

NOAEL = 300 mg/kg/day (reproduction, rat, oral, generation P0, OECD 416).

NOAEL = 300 mg/kg/day (rat, oral, generation F1, OECD 416).

STOT - single exposure

Data for the substance are not available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

NOAEL > 225 mg/kg/day (systemic toxicity, rat, oral, 90 days, OECD 408).

Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

Sodium hydroxide CAS: 1310-73-2

Acute toxicity

OralData for the substance are not available.DermalData for the substance are not available.InhalationData for the substance are not available.

Skin corrosion/irritation

Page: 26 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

The substance is classified as skin corrosive category 1A.

Irritating to the skin at a concentration of 0.95 % by weight - intact skin - mean erythema score = 2 after 24 hours, 1.7 after 72 hours, 0.7 after 8 days (irreversible for 1/6 animals, scale on the skin) and edema = 0.3 after 24 h, 0 after 72 h, 0 after 8 d (fully reversible in 72 h), broken skin - mean erythema score = 2.3 after 24 h, 2 after 72 h, 2.7 after 8 d (irreversible for 1/6 animals, skin necrosis) and edema = 2 after 24 h, 0.3 after 72 h, 0 after 8 d (fully reversible in 8 days), primary dermal irritation index PDII = 2.7 (rabbit, Draize test).

Corrosive skin at a concentration of 4.98% by weight - intact skin - mean erythema score = 4 after 24 h, 4 after 72 h, 4 after 8 d (irreversible, skin necrosis) and edema = 2 after 24 h, 1 after 72 h, 1 after 8 days (irreversible for 8 days), broken skin - mean erythema score = 4 after 24 h, 4 after 72 h, 4 after 8 d (irreversible, skin necrosis) and edema = 2 after 24 h, after 72 hours, 1 after 8 days (irreversible for 8 days), primary dermal irritation index PDII = 5.6 (rabbit, Draize test).

Serious eye damage/irritation

Substance is classified as serious eye damage.

Mean corneal opacity > 2, conjunctival redness > 2.5 (2 wt.%, rabbit, 72 h, OECD 405).

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Not skin sensitising (human).

Germ cell mutagenicity

Data for the substance are not available.

Carcinogenicity

Data for the substance are not available.

Reproductive toxicity

Data for the substance are not available.

STOT - single exposure

Data for the substance are not available.

STOT - repeated exposure

Data for the substance are not available.

Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

11.2. Information on other hazards

Mixture does not contain substance(s) meets meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet and given in the list (established in accordance with Article 59(1) for having endocrine disrupting properties of REACH regulation.

Mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. There is no other relevant information on adverse health effects that is not required according to the classification criteria set out in CLP Regulation.

SECTION 12: Ecological information

12.1. Toxicity

Mixture

Page: 27 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Data for the mixture are not available.

Acute aquatic toxicity

The mixture does not contain relevant substances classified as acute aquatic toxicity or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Chronic aquatic toxicity

The mixture is not classified as chronic aquatic toxicity based on calculation according to the summation method.

category	1	2	3	4
Σ	0	0	< 20	< 20

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

The substance is classified as Aquatic Chronic 3; H412.

Fish

LC₅₀, 96 hrs., Lepomis macrochirus: 1.67 mg/l (mortality).

NOEC, 28 d., Oncorhynchus mykiss: 0.23 mg/l (mortality, OECD 210).

Crustaceans

EC₅₀, 48 hrs., Daphnia Magna: 2.9 mg/l (mobility, OECD 202).

NOEC, 21 d., Daphnia Magna: 0.27 mg/l (survival and reproduction, OECD 211).

Algae

EC₅₀, 72 hrs., Pseudokirchneriella subcapitata: 235 mg/l (growth rate, OECD 201).

EC₁₀, 96 hrs., Pseudokirchneriella subcapitata: 13.1 mg/l (growth rate, OECD 201).

Propan-2-ol CAS: 67-63-0

The substance is not classified as hazardous for the aquatic environment.

Fish

LC₅₀, 96 hrs., Pimephales promelas: 9 640 - 10 000 mg/l (mortality, OECD 203)

Crustaceans

EC₅₀, 24 hrs., Daphnia Magna: > 10 000 mg/l (mobility, OECD 202)

logNOEC, 16 d., Daphnia Magna: 3.37 (growth, NOEC = 2 344 μmol/l = 140.9 mg/l)

Algae

Threshold toxicity, 7 d., Scenedesmus quadricauda: 1.800 mg/l

2-Butoxyethanol CAS: 111-76-2

The substance is not classified as hazardous for the aquatic environment.

Fish

LC₅₀, 96 hrs., Oncorhynchus mykiss: 1 474 (mortality, OECD 203).

NOEC, 21 d., Brachydanio rerio: > 100 mg/l (markers for endocrine disruptive effects, OECD 204).

Crustaceans

EC₅₀, 48 hrs., Daphnia Magna: 1 550 mg/l (mobility, OECD 202).

EC₁₀, 21 d., Daphnia Magna: 1 800 mg/l (mortality, OECD 202).

NOEC, 21 d., Daphnia Magna: 100 mg/l (reproduction, OECD 202).

Algae

Page: 28 / 35

CAS: 68411-30-3

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

EC₅₀, 72 hrs., Selenastrum capricornutum: 911 mg/l (biomass, OECD 201).

EC₅₀, 72 hrs., Selenastrum capricornutum: 1 840 mg/l (growth rate, OECD 201).

EC₁₀, 72 hrs., Selenastrum capricornutum: 308 mg/l (biomass, OECD 201).

EC₁₀, 72 hrs., Selenastrum capricornutum: 679 mg/l (growth rate, OECD 201).

NOEC, 72 hrs., Selenastrum capricornutum: 88 mg/l (biomass, OECD 201).

NOEC, 72 hrs., Selenastrum capricornutum: 286 mg/l (growth rate, OECD 201).

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

The substance is classified as Aquatic Chronic 3; H412.

Fish

LC50, 96 hrs., Danio rerio: 7.1 mg/l (mortality, OECD 203).

NOEC, 28 d., Oncorhynchus mykiss: 0.14 mg/l (mortality and sublethal effects, OECD 204).

Crustaceans

EC₅₀, 48 hrs., Daphnia Magna: 7.4 mg/l (mobility, OECD 202).

NOEC, 21 d., Daphnia Magna: 0.27 mg/l (survival and reproduction, OECD 211).

Algae

EC₅₀, 72 hrs., Desmodesmus subspicatus: 27.7 mg/l (growth rate, OECD 201).

EC₁₀, 72 hrs., Desmodesmus subspicatus: 4.4 mg/l (growth rate, OECD 201).

NOEC, 72 hrs., Desmodesmus subspicatus: 0.95 mg/l (growth rate, OECD 201).

Sodium hydroxide CAS: 1310-73-2

The substance is not classified as dangerous for the aquatic environment.

Fish

LC₅₀, 48 hrs, Leuciscus idus: 189 mg/l (mortality).

Crustaceans

EC₅₀, 48 hrs, Ceriodaphnia sp.: 40.4 mg/l (immobility).

Algae

Data for the substance are not available.

12.2. Persistence and degradability

Mixture

Data for the mixture are not available.

The surfactants are contained in this preparation in accordance with the biodegradability criteria according to Regulation (EC) No. 648/2004 on detergents.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS: 68411-30-3

Readily biodegradable: 85 % after 29 days (CO₂ evolution, OECD 301 B).

Propan-2-ol CAS: 67-63-0

Readily biodegradable: 53 % after 5 days (CO2 evolution, OECD 301 B).

2-Butoxyethanol CAS: 111-76-2

Readily biodegradable: 90.4 % after 28 days (CO₂ evolution, OECD 301 B).

Alcohols, C12-14, ethoxylated, sulfates, sodium salts CAS: 68891-38-3

Readily biodegradable: 100 % after 28 days (dissolved organic carbon removal, EU method C.4-C).

Page: 29 / 35

CAS: 68891-38-3

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Sodium hydroxide	CAS: 1310-73-2
Not determined, it is an inorganic substance.	
12.3. Bioaccumulative potential	
Mixture	
Data for the mixture are not available.	
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	CAS: 68411-30-3
BCF, Oncorhynchus mykiss = 87 l/kg (OECD 305 E). log Pow = 1.4 (23 °C, pH = 6.1, OECD 123).	
Propan-2-ol	CAS: 67-63-0
log Pow = 0.05 (25 °C).	
2-Butoxyethanol	CAS: 111-76-2
log Pow = 0.81 (25 °C, pH = 7, shake-flask method).	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS: 68891-38-3
log Pow = 0.3 (23 °C, pH = 6.1, OECD 123).	
Sodium hydroxide	CAS: 1310-73-2
Not determined, it is an inorganic substance.	
12.4. Mobility in soil	
Mixture	
Data for the mixture are not available.	
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	CAS: 68411-30-3
Data for the substance are not available.	
Propan-2-ol	CAS: 67-63-0
Data for the substance are not available.	
2-Butoxyethanol	CAS: 111-76-2
Data for the substance are not available.	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS: 68891-38-3
Koc = 2.2 (Q)SAR method.	
Sodium hydroxide	CAS: 1310-73-2
Not determined, it is an inorganic substance.	

12.5. Results of PBT and vPvB assessment

Mixture does not contain substance(s) meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH Regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH Regulation.

12.6. Endocrine disrupting properties

Page: 30 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH Regulation. Mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods of the substance or mixture and the contaminated packaging

Dispose according to the applicable European and local regulations (eg. in a hazardous waste incinerator). Do not empty unused product into drainage systems. Do not contaminate ponds or ditches with the product or used container. Hand over the residual amounts and solutions to a licensed disposal company.

Hand over the remaining quantities and unregenerate solutions to an authorized person (specialized company with authorization) or to the collection yard in the hazardous waste section according to the worker's instructions. Empty, cleaned packaging can be stored at a landfill of the appropriate category or handed over for recycling.

Possible waste code

07 06 01* - aqueous washing liquids and mother liquors (mixture), 15 01 10* - packaging containing residues of or contaminated by hazardous substances (contaminated packaging), 15 01 02 - plastic packaging (clear packaging).

Physical/chemical properties that may affect waste treatment options

Not known.

Special precautions recommended for waste management

Not known.

Waste legislation

Directive 2008/98/EC on waste and repealing certain Directives, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

UN 2924

14.2. UN proper shipping name

FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Propan-2-ol, Sodium hydroxide)

14.3. Transport hazard class(es)

3 (8)

14.4. Packing group

Ш

14.5. Environmental hazards

It is not dangerous for the environment during transport.

14.6. Special precautions for user

Page: 31 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Not given.

14.7. Maritime transport in bulk according to IMO instruments

Not available.

14.8. Other information

Labeling according to ADR





Additional data for ADR/RID

Classification code FC
Labels 3+8
Hazard identification code 38

Tunnel restriction code D/E (ADR), - (RID).

Limited quantities 5 I

Excepted quantities Maximum net quantity per inner packaging: 30 ml.

Maximum net quantity per outer packaging: 1 000 ml.

Transport category 3

Additional data for IMDG

Emergency Schedules (EmS) F-E, S-C

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation No. 1907/2006/EC, concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals, as amended (REACH)

Regulation No. 1272/2008/EC, on Classification, Labelling and Packaging of substances and mixtures, as amended (CLP)

Regulation No. 648/2004/EC on detergents, as amended

15.2. Chemical safety assessment

Has not been carried out for mixture.

SECTION 16: Other information

Reason for the revision of the safety data sheet

Changes labeling of the mixture. Changes in the composition of the mixture in section 3 and related changes in the other sections.

Key or legend to abbreviations and acronyms

Acute Tox. 2 Acute toxicity, cat. 2

Page: 32 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

Acute Tox. 3 Acute toxicity, cat. 3
Acute Tox. 4 Acute toxicity, cat. 4

Aquatic Acute 1 Acute aquatic hazard, cat. 1
Aquatic Chronic 1 Chronic aquatic hazard, cat. 1
Aquatic Chronic 3 Chronic aquatic hazard, cat. 3
Eye Dam. 1 Serious eye damage, cat. 1

Eye Irrit. 2 Eye irritation, cat. 2
Flam. Liq. 2 Flammable liquid, cat. 2
Flam. Liq. 3 Flammable liquid, cat. 3

Met. Corr. 1 Substance or mixture corrosive to metals, cat. 1

Skin Corr. 1A
Skin corrosion, cat. 1A
Skin Corr. 1B
Skin corrosion, cat. 1B
Skin Corr. 1C
Skin corrosion, cat. 1C
Skin Corr. 1
Skin corrosion, cat. 1
Skin Irrit. 2
Skin irritation, cat. 2

Skin Sens. 1A Skin sensitization, cat. 1A

STOT SE 3 Specific target organ toxicity - single exposure, cat. 3

ATE Acute Toxicity Estimate

bw body weight

M Multiplying factor

ADR Accord Dangereuses Route

CLP Regulation No. 1272/2008/EC, on Classification, Labelling and Packaging of subs-

tances and mixtures

DNEL Derived No Effect Level

ICAO/IATA International Air Transport Association
IMDG International Maritime Dangerous Goods
PBT Persistent, bioaccumulative, toxic substance

PNEC Predicted No Effect Concentration

REACH Regulation No. 1907/2006/EC, concerning the Registration, Evaluation, Authorisation

and Restriction of Chemicals

RID Regulation concerning the International Carriage of Dangerous Goods by Rail

STOT Specific target organ toxicity

vPvB Very persistent and very bioaccumulative substance

Sources of key data used to compile the Safety Data Sheet

European legislation, manufacturer's safety data sheet, registration dossier of substances.

List of H- and P- phrases

EUH071 Corrosive to the respiratory tract.

H225 Highly flammable liquid and vapour.

Page: 33 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

H226	Flammable liquid and vapour.	
H290	May be corrosive to metals.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H310	Fatal in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H331	Toxic if inhaled.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P501	Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Dispose of the cleaned packaging without any residual product content in the sorted waste.	

Training advice

According to SDS.

Other information

Classification according to data from the manufacturer. The mixture is classified using calculation methods according to Regulation CLP and tests. Use only for the purposes designated by the manufacturer, will prevent health and environmental risks.

Page: 34 / 35

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 210

The information in this SDS was obtained from sources, which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

The safety data sheet is created in accordance with Regulation No. 2020/878/EC. There is no additional information in accordance with the local and national legislation of the Member State in the European Union, in the safety data sheet.

The safety data sheet was created by company LACHEPRA s.r.o.

Page: 35 / 35