according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Det

Date of issue: 26. 09. 2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name

POWER Det

UFI code

UFI: SPU0-R0AY-400J-STX1

Product code

None.

Mixture description

Water solution.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Surfactant detergent with optical brighteners, which is intended for washing moderately to heavily soiled fabrics.

Professional use.

Uses advised against

Not known. It is recommended to use it only for the intended use. Other uses may expose users to unpredictable risks.

1.3. Details of the supplier of the safety data sheet

CORMEN s.r.o.

Věchnov 73

593 01

Czech Republic

telephone: +420 566 550 961 Fax: +420 566 551 822

e-mail address for a competent person responsible for the SDS: info@cormen.cz

1.4. Emergency telephone number

112 (General emergency phone).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture is classified as hazardous according to regulation 1272/2008/EC.

Classification according to 1272/2008/EC

Page: 1 / 19

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Det

Flam Liq. 3; H226 Skin Irrit. 2; H315 Eye Dam. 1; H318

Aquatic Chronic 3; H412

Full text of classifications and H-phrases: see section 16.

The most important adverse physical, human health and environmental effects

Flammable liquid and vapour. Causes skin irritation. Causes serious eye damage. Harmful to aquatic life with long lasting effects. May produce an allergic reaction.

2.2. Label elements

Hazard pictograms





Signal word

Danger

Substances of the mixture to be placed on the label

Contains Alcohols, C12-14, ethoxylated.

Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P501 Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation. Dispose of the cleaned packaging without any residual product content in the sorted waste.

the cleaned packaging without any residual product content in the sor

Supplemental hazard information

Page: 2 / 19

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Det

EUH 208 - Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Composition according to regulation 648/2004/EC on detergents: \geq 30 % nonionic surfactants, < 5 % optical brighteners.

2.3. Other hazards

Mixture does not contain substance(s) meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH regulation. Mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

3.2.1. Substances of a mixture classified as hazardous

	Identification of substance	Content wt. %	Classification according to 1272/2008/EC
Alcohols, C8-18, eth	oxylated		
CAS Number	157707-43-2		
EC Number	500-349-3	20 - < 30	Skin Irrit. 2; H315
Index Number	not given	20 - < 30	Eye Irrit. 2; H319
Registration Number	is not subject to registration, it is a polymer		
Alcohols, C12-14, et	hoxylated		
CAS Number	68439-50-9		Acuto Toy, 4: H202
EC Number	not given	5 - < 15	Acute Tox. 4; H302
Index Number	not given	5 - < 15	Eye Dam. 1; H318
Registration Number	is not subject to registration, it is a polymer		Aquatic Chronic 3; H412
Alcohols, C12-15, bi	ranched and linear, ethoxylated (≥ 2.5 - < 5	EO)	
CAS Number	106232-83-1		Eye Irrit. 2; H319
EC Number	not given	5 - < 12	Aquatic Acute 1; H400
Index Number	not given	5 - < 12	Aquatic Chronic 3; H412
Registration Number	is not subject to registration, it is a polymer		M=1
Propan-2-ol; Isopro	oyl alcohol; Isopropanol		
CAS Number	67-63-0		Flam. Liq. 2; H225
EC Number	200-661-7	1 - < 10	Eye Irrit. 2; H319
Index Number	603-117-00-0		STOT SE 3; H336
Registration Number	01-2119457558-25-XXXX		3101 3E 3, F1330
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			

Page: 3 / 19

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Det

Acute Tox. 2; H310 Skin Corr. 1C; H314

CAS Number 55965-84-9 Eye Dam. 1; H318

EC Number not given < 0.0013 Acute Tox. 2; H330

Index Number 613-167-00-5

Registration Number not yet available

Aduatic Acute 1; H400

Aquatic Chronic 1; H410

EUH071 M=100

The substance has specific concentration limits:

Skin Corr. 1C; H314 $C \ge 0.6 \%$ Eye Dam. 1; H318 $C \ge 0.6 \%$

Skin Irrit. 2; H315 $0.06 \% \le C < 0.6 \%$ Eye Irrit. 2; H319 $0.06 \% \le C < 0.6 \%$

Skin Sens. 1A; H317 C ≥ 0.0015 %

Full text of classifications and H-phrases: see section 16.

SECTION 4: First aid measures

In all cases keep the victim at physical and mental rest and warm. In case of doubt or if symptoms persist, seek medical attention. Never give anything by mouth if victim is rapidly losing consciousness, unconscious or convulsing. Protect yourself during rescue work.

4.1. Description of first aid measures

Inhalation

Interrupt the exposure, move the person to the fresh air. In case of persistent nausea, seek medical advice.

Skin contact

Remove contaminated clothing, shoes, and wash affected skin thoroughly with water (preferably lukewarm) and soap. Do not use solvents or thinners. If the problem persists, seek medical advice.

Eye contact

Rinse with a gentle stream of water for at least 15 minutes. Keep your eyelids wide open with your thumb and forefinger. If the affected person is wearing contact lenses, remove them before rinsing eyes if it is easy. Seek medical advice.

Ingestion

Rinse your mouth and then drink plenty of water. Do not induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Are not known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

SECTION 5: Firefighting measures

Page: 4 / 19

Acute Tox. 3; H301

M(Chronic)=100

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Det

5.1. Extinguishing media

Suitable extinguishing media

Small fire:

Carbon dioxide CO₂, dry extinguishing agent, sand or earth, alcohol-resistant foam.

Extensive fire:

Fragmented water streams (water mist), alcohol-resistant foam.

Unsuitable extinguishing media

Solid streams of water may be ineffective.

5.2. Special hazards arising from the substance or mixture

In case of fire extinguishing prevent leakage of water and rest of product into drains. Collect them separately and dispose of safely in accordance with current legislation and applicable local regulations.

In case of fires, hazardous combustion gases are formed: carbon oxides, sulphur oxides, hydrogen sulphide, nitrogen oxides, ammonia, chlorine oxides, hydrogen chloride and products of incomplete combustion.

5.3. Advice for firefighters

Stop further leakage of product if possible. Spilled product, which does not burn, cover with sand or foam. Move containers and barrels away from the fire to a safe place, if possible. Cool all affected containers down with flooding quantities of water. If the fire can't be extinguished - evacuate the premises.

In case of fire, wear suitable respiratory protective equipment and fire-fighting suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes, use suitable protective equipment and clothing, see Section 8. Ensure adequate ventilation. Avoid formation of vapour and aerosol. At the point of leakage, prevent the movement of unauthorized persons.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. If this cannot be avoided, inform the competent authorities (police and firefighters) immediately.

6.3. Methods and material for containment and cleaning up

According to the amount of spilled liquid, drain away the substance (large spillage) or in case of small spillage, absorb it with suitable absorbent (vermiculite, dry sand), put into labelled closed containers and dispose of them accordingly to Section 13. Flush residues with water and collect it for waste disposal. Do not use solvents or dispersants unless instructed by an expert or government authority.

If container is damaged, remove the content to the new undamaged container and label it properly again.

6.4. Reference to other sections

Refer also to the provisions of sections 7, 8 and 13 of this safety data sheet.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Page: 5 / 19

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Det

Avoid contact with skin and eyes. Personal protection see Section 8. Ensure good ventilation to prevent formation of vapour and aerosol.

Smoking, eating and drinking should be prohibited at the place of use. Keep safety regulations for handling chemicals. Take off contaminated clothing and protective equipment before entering the dining area. Do not use dirty clothing. After work wash yourself carefully with warm water and soap, take a shower. Use protective cream.

7.2. Conditions for safe storage, including any incompatibilities

Store in original, tightly closed containers, in a dry, cool and well-ventilated place at room temperature.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

Do not store together with incompatible materials (see subsection 10.5), food, drink and feed.

7.3. Specific end use(s)

See subsection 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure limit value

Not determined in EU.

8.1.2. Biological limit values

Not determined in EU.

8.1.3. DNEL and PNEC values

Propan-2-ol	CAS: 67-63-0
riupaii-z-ui	CAS. 07-03-0

Area of use	Route of 6
Workers	Inhala
Workers	Inhala
 \\/ - =	D

DNEL

Area of use	Route of exposure	Effect	Exposure time	Value
Workers	Inhalation	Systemic effect	Long term	500 mg/m ³
Workers	Inhalation	Systemic effect	Acute/short term	1 000 mg/m ³
Workers	Dermal	Systemic effect	Long term	888 mg/kg/day
General population	Inhalation	Systemic effect	Long term	89 mg/m ³
General population	Inhalation	Systemic effect	Acute/short term	178 mg/m ³
General population	Dermal	Systemic effect	Long term	319 mg/kg/day
General population	Oral	Systemic effect	Long term	26 mg/kg/day
General population	Oral	Systemic effect	Acute/short term	51 mg/kg/day

PNEC - not available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Use only in well-ventilated areas.

Observe usual safety precautions for working with chemicals. The degree of effectiveness of personal protective equipment depends on temperature and ventilation levels.

8.2.2. Individual protection measures, such as personal protective equipment

Page: 6 / 19

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Det

Do not eat, drink or smoke. After work, wash thoroughly with warm water and soap and take a shower. Use protective cream. Do not soiled protective equipment to wash, do not use solvents.

Eye/face protection

Wear safety glasses or face shield (EN 166, EN 149+A1).

Skin protection - hand protection

Wear protective gloves (EN 374-1, EN 374-2).

Recommended gloves material:

nitrile rubber, breakthrough time: 480 min., glove thickness: > 0.4 mm butyl rubber, breakthrough time: 480 min., glove thickness: > 0.7 mm

The selection of the glove material on consideration of the breakthrough time, permeability, degradation and next relevant factors; other chemicals that may come into contact, physical requirements (cut and puncture protection, dexterity, thermal protection), possible body reactions to the glove material and the glove supplier's instructions and specifications. In case of repeated use of gloves, clean and keep them in a well-ventilated place before taking off.

Skin protection - other

Suitable protective working clothing and footwear.

Respiratory protection

Not necessary in case of compliance concentration limits (if they were exceeded, use respiratory protection). In the event of an accident or a fire use self-contained breathing apparatus.

Thermal hazards

In normal use, it is not necessary to use protective equipment to be worn for materials that represent a thermal hazard.

8.2.3. Environmental exposure controls

Uncontrolled release of the mixture into environment is to be avoided. Keep the emission limits according to national legislation.

Liquid.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Mixture

Physical state

ColourColourless.OdourCharacteristic.Melting point/freezing pointNot determined.Boiling point or initial boiling point and boiling rangeNot determined.FlammabilityNot determined.Lower explosion limitNot determined.Upper explosion limitNot determined.

Page: 7 / 19

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Det

Flash point Not determined.

56.5 °C (3% aqueous solution of propan-2-ol,

literature).

43 °C (6.82% aqueous solution of propan-2-ol,

literature).

38 °C (9.69% aqueous solution of propan-2-ol,

literature).

Auto-ignition temperature Not determined.

Decomposition temperatureNot determined, the mixture does not contain self-

reactive substances or organic peroxides or other

substances which may decompose.

pH 8.5 - 9.5.

Kinematic viscosity

Not determined, the mixture does not contain a

substance classified as aspiration toxic, or the sum of the concentrations of substances classified as

aspiration toxic is less than 10 wt. %.

Solubility Miscible.

Partition coefficient n-octanol/water (log value) Does not apply to mixture.

Vapour pressureNot determined.Density and/or relative densityNot determined.Relative vapour densityNot determined.

Particle characteristics Does not apply to liquid.

Propan-2-ol CAS: 67-63-0

Physical state Liquid.

Colour Colopurless.

Odour Not determined.

Melting point/freezing point -88.5 °C (literature).

Boiling point or initial boiling point and boiling

range

Flammability Highly flammable liquid.

Lower explosion limit2 vol. % (literature).Upper explosion limit13 vol. % (literature).Flash point11.7 °C (literature).

Auto-ignition temperature 399 - 455.6 °C (literature).

Decomposition temperature Not determined, it is not a self-reactive substance

or an organic peroxide or a substance that may

decompose.

82.3 °C (literature).

Not determined.

Kinematic viscosity

Not determined, it is not a hydrocarbon or a

chlorinated hydrocarbon.

Solubility Miscible with water.

Partition coefficient n-octanol/water (log value) log Pow = 0.05 (25 °C, literature).

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Det

Vapour pressure Not determined.

Density and/or relative density 785.5 kg/m³ (20 °C, literature).

Relative vapour density Not determined.

Particle characteristics Does not apply to liquid.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Mixture

Explosives

Data for the mixture are not available.

The mixture does not contain substances classified as explosives or oxidising, or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

The mixture is classified as a flammable liquid category 3 according to the value of the flash point of an aqueous solution of propan-2-ol.

Flammable solids

It is not solid.

Self-reactive substances and mixtures

Data for the mixture are not available.

The mixture does not contain substances classified as self-reactive substances or explosives or organic peroxides or oxidising, or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Pyrophoric liquids

Data for the mixture are not available.

The mixture does not contain substances classified as pyrophoric liquids or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Pyrophoric solids

It is not solid.

Self-heating substances and mixtures

Data for the mixture are not available.

The mixture does not contain substances classified as self-heating or pyrophoric substances or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Substances and mixtures, which emit flammable gases in contact with water

Page: 9 / 19

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Det

Data for the mixture are not available.

The mixture does not contain substances classified as substances, which emit flammable gases in contact with water or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Oxidising liquids

Data for the mixture are not available.

The mixture does not contain substances classified as oxidising liquids or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Oxidizing solids

It is not solid.

Organic peroxides

Data for the mixture are not available.

The mixture does not contain substances classified as organic peroxides or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Corrosive to metals

Data for the mixture are not available.

The mixture does not contain substances classified as corrosive to metals or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Desensitised explosives

Data for the mixture are not available.

The mixture does not contain substances classified as explosives or desensitised explosives, or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Propan-2-ol CAS: 67-63-0

Explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Pure propan-2-ol is autoxidated by air and light to form an explosive cyclic triacetone triperoxide, which settles to the bottom of the vessel as a white sediment. In the event of such a finding, the container must be handled immediately and pyrotechnics called.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

The substance is classified as flammable liquid category 2 according to the value of the flash point and boiling point.

Flammable solids

It is not solid.

Page: 10 / 19

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Det

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Pyrophoric solids

It is not solid.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

Data for the substance are not available.

The chemical structure of the substance does not contain metals or metalloids.

The substance is miscible with water and forms a stable mixture with it.

Oxidising liquids

Data for the substance are not available.

It is an organic substance that does not contain oxygen, fluorine or chlorine, or these elements are chemically bounded only to carbon or hydrogen.

Oxidizing solids

It is not solid.

Organic peroxides

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

Data for the substance are not available.

The substance is not classified as corrosive to metal.

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

9.2.2. Other safety characteristics

Mechanical sensitivity

Not determined, it is not an explosive substance.

Self-accelerating polymerisation temperature Not determined, it is not a polymerising substance.

Formation of explosible dust/air mixtures Not determined, it is not a dust.

Acid/alkaline reserve Not determined, pH is in the range 4 - 10.

Evaporation rateNot determined.MiscibilityNot determined.ConductivityNot determined.CorrosivenessNot determined.

Page: 11 / 19

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Det

Gas group Not determined, it is not gas.

Redox potentialNot determined.Radical formation potentialNot determined.Photocatalytic propertiesNot determined.

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is stable under normal conditions of use. There aren't any hazardous reaction.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions aren't known under normal conditions of use.

10.4. Conditions to avoid

Protect from temperatures below 0 °C.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

They do not form under normal use. Burning releases carbon oxides, sulphur oxides, hydrogen sulphide, nitrogen oxides, ammonia, chlorine oxides, hydrogen chloride and products of incomplete combustion.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture

Acute toxicity

The mixture is not classified as toxic for all routes of exposure.

Oral Data for the mixture are not available.

ATE_{mixture} > 2 000 mg/kg (estimate, low concentration of substances classified as toxic oral

route of exposure).

CAS: 68439-50-9 LD₅₀ = 1 200 - 1 999 mg/kg.

Dermal Data for the mixture are not available.

The mixture does not contain relevant substances classified as an acute toxicity by dermal route of exposure or the concentration of substance(s) is lower than the limit for

inclusion in Section 3.

Inhalation Data for the mixture are not available.

The mixture does not contain relevant substances classified as an acute toxicity by inhalation route of exposure or the concentration of substance(s) is lower than the limit for

inclusion in Section 3.

Skin corrosion/irritation

Page: 12 / 19

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Det

Data for the mixture are not available.

The mixture is classified as skin irritant based on the general/specific concentration limits of substance(s).

Serious eye damage/irritation

Data for the mixture are not available.

The mixture is classified as causes serious eye damage based on the general/specific concentration limits of substance(s).

Respiratory or skin sensitisation

Data for the mixture are not available.

The mixture is not classified as a skin sensitizing according to the general/specific concentration limits of substance(s).

Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Germ cell mutagenicity

Data for the mixture are not available.

The mixture does not contain substances classified as mutagenicity or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Carcinogenicity

Data for the mixture are not available.

The mixture does not contain substances classified as carcinogenicity or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Reproductive toxicity

Data for the mixture are not available.

The mixture does not contain substances classified as toxic for reproduction or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

STOT - single exposure

Data for the mixture are not available.

The mixture is not classified as toxic for specific target organs in a single exposure in category 3 according to the recommended concentration limits of substance(s).

STOT - repeated exposure

Data for the mixture are not available.

The mixture does not contain substances classified as toxic for specific target organs in a repeated exposure or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Aspiration hazard

Data for the mixture are not available.

The mixture does not contain substances classified as aspiration hazard or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Other information

See section 2 and 4.

Propan-2-ol CAS: 67-63-0

Acute toxicity

Oral Based on available data, the classification criteria are not met.

 $LD_{50} = 5 840 \text{ mg/kg (rat, OECD 401)}.$

Page: 13 / 19

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Det

Dermal Based on available data, the classification criteria are not met.

 $LD_{50} = 16.4 \text{ ml/kg}$ (12 792 mg/kg at a density of 0.78 g/cm³, rabbit, OECD 402).

Inhalation Based on available data, the classification criteria are not met.

 $LC_{50} > 10~000$ ppm (vapour, 6 h, OECD 403).

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mean erythema score = 0 and oedema = 0 (rabbit, OECD 404).

Serious eye damage/irritation

The substance is classified as eye irritant.

Total mean irritation score = 1.89 (rabbit, 72 h, OECD 405).

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Not skin sensitising (guinea pig, OECD 406).

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Negative (OECD 471, OECD 476).

Carcinogenicity

Based on available data, the classification criteria are not met.

NOAEL = 5 000 ppm (testicular tumors, rat, male, vapour, OECD 451).

Reproductive toxicity

Based on available data, the classification criteria are not met.

NOAEL = 853 mg/kg/day (rat, oral, generation P0, OECD 415).

STOT - single exposure

The substance may cause drowsiness or dizziness.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

NOEC = 500 ppm (specific toxic effect, rat, vapour, 104 weeks, OECD 451).

NOAEC = 5 000 ppm (specific exposure-related adverse reaction, rat, vapour, 104 weeks, OECD 451).

NOEC = 5 000 ppm (effects of oncogenicity, rat, vapour, 104 weeks, OECD 451).

Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

11.2. Information on other hazards

Mixture does not contain substance(s) meets meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet and given in the list (established in accordance with Article 59(1) for having endocrine disrupting properties of REACH regulation.

Mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. There is no other relevant information on adverse health effects that is not required according to the classification criteria set out in CLP Regulation.

Page: 14 / 19

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Det

SECTION 12: Ecolog	ical information
---------------------------	------------------

12.1. Toxicity

Mixture

Data for the mixture are not available.

Acute aquatic toxicity

The mixture is not classified as acute aquatic toxicity based on calculation according to the summation method

category 1 Σ < 12.13

Chronic aquatic toxicity

The mixture is classified as Aquatic Chronic 3; H412 based on calculation according to the summation method.

Propan-2-ol CAS: 67-63-0

The substance is not classified as hazardous for the aquatic environment.

Fish

LC₅₀, 96 hrs., Pimephales promelas: 9 640 - 10 000 mg/l (mortality, OECD 203)

Crustaceans

EC₅₀, 24 hrs., Daphnia Magna: > 10 000 mg/l (mobility, OECD 202)

logNOEC, 16 d., Daphnia Magna: 3.37 (growth, NOEC = 2 344 µmol/l = 140.9 mg/l)

Algae

Threshold toxicity, 7 d., Scenedesmus quadricauda: 1.800 mg/l

12.2. Persistence and degradability

Mixture

Data for the mixture are not available.

Propan-2-ol CAS: 67-63-0

Readily biodegradable: 53 % after 5 days (CO2 evolution, OECD 301 B).

12.3. Bioaccumulative potential

Mixture

Data for the mixture are not available.

Propan-2-ol CAS: 67-63-0

 $\log Pow = 0.05 (25 °C).$

12.4. Mobility in soil

Mixture

Data for the mixture are not available.

Propan-2-ol CAS: 67-63-0

Data for the substance are not available.

Page: 15 / 19

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Det

12.5. Results of PBT and vPvB assessment

Mixture does not contain substance(s) meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH Regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH Regulation.

12.6. Endocrine disrupting properties

The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH Regulation. Mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods of the substance or mixture and the contaminated packaging

Dispose according to the applicable European and local regulations (eg. in a hazardous waste incinerator). Do not empty unused product into drainage systems. Do not contaminate ponds or ditches with the product or used container. Hand over the residual amounts and solutions to a licensed disposal company.

Hand over the remaining quantities and unregenerate solutions to an authorized person (specialized company with authorization) or to the collection yard in the hazardous waste section according to the worker's instructions. Empty, cleaned packaging can be stored at a landfill of the appropriate category or **in the sorted waste.**

Possible waste code

07 06 01* - aqueous washing liquids and mother liquors or 20 01 29* - detergents containing hazardous substances (mixture), 15 01 10* - packaging containing residues of or contaminated by hazardous substances (contaminated packaging), 15 01 02 - plastic packaging (clear packaging).

Physical/chemical properties that may affect waste treatment options

Flammability.

Special precautions recommended for waste management

Not known.

Waste legislation

Directive 2008/98/EC on waste and repealing certain Directives, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

UN 1987

14.2. UN proper shipping name

ALCOHOLS, N.O.S (Propan-2-ol)

14.3. Transport hazard class(es)

3

Page: 16 / 19

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Det

14.4. Packing group

Ш

14.5. Environmental hazards

It is not dangerous for the environment during transport.

14.6. Special precautions for user

Not given.

14.7. Maritime transport in bulk according to IMO instruments

Not available.

14.8. Other information

Labeling according to ADR



Additional data for ADR/RID

Classification code F1
Labels 3
Hazard identification code 30

Tunnel restriction code D/E (ADR), - (RID).

Limited quantities 5

Excepted quantities Maximum net quantity per inner packaging: 30 ml.

Maximum net quantity per outer packaging: 1 000 ml.

Transport category 3

Additional data for IMDG

Emergency Schedules (EmS) F-E/S-D

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation No. 1907/2006/EC, concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals, as amended (REACH)

Regulation No. 1272/2008/EC, on Classification, Labelling and Packaging of substances and mixtures, as amended (CLP)

Regulation No. 528/2012/EC concerning the making available on the market and use of biocidal products, as amended

Regulation No. 648/2004/EC on detergents, as amended

15.2. Chemical safety assessment

Page: 17 / 19

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Det

Has not been carried out for mixture.

SECTION 16: Other information

Reason for the revision of the safety data sheet

First edition.

Key or legend to abbreviations and acronyms

Acute Tox. 2 Acute toxicity, cat. 2
Acute Tox. 3 Acute toxicity, cat. 3
Acute Tox. 4 Acute toxicity, cat. 4

Aquatic Acute 1 Acute aquatic hazard, cat. 1
Aquatic Chronic 1 Chronic aquatic hazard, cat. 1
Aquatic Chronic 3 Chronic aquatic hazard, cat. 3
Eye Dam. 1 Serious eye damage, cat. 1

Eye Irrit. 2 Eye irritation, cat. 2
Flam. Liq. 2 Flammable liquid, cat. 2
Flam. Liq. 3 Flammable liquid, cat. 3
Skin Corr. 1C Skin corrosion, cat. 1C
Skin Irrit. 2 Skin irritation, cat. 2

Skin Sens. 1A Skin sensitization, cat. 1A

STOT SE 3 Specific target organ toxicity - single exposure, cat. 3

M Multiplying factor

ADR Accord Dangereuses Route

CLP Regulation No. 1272/2008/EC, on Classification, Labelling and Packaging of subs-

tances and mixtures

DNEL Derived No Effect Level

ICAO/IATA International Air Transport Association
IMDG International Maritime Dangerous Goods
PBT Persistent, bioaccumulative, toxic substance

PNEC Predicted No Effect Concentration

REACH Regulation No. 1907/2006/EC, concerning the Registration, Evaluation, Authorisation

and Restriction of Chemicals

RID Regulation concerning the International Carriage of Dangerous Goods by Rail

STOT Specific target organ toxicity

vPvB Very persistent and very bioaccumulative substance

Sources of key data used to compile the Safety Data Sheet

European legislation, manufacturer's safety data sheet, registration dossier of substances.

List of H- and P- phrases

EUH071 Corrosive to the respiratory tract.

Page: 18 / 19

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Det

H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H310	Fatal in contact with skin.	-
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P501	Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Dispose of the cleaned packaging without any residual product content in the sorted waste.	

Training advice

According to SDS.

Other information

Classification according to data from the manufacturer. The mixture is classified using calculation methods according to Regulation CLP and tests. Use only for the purposes designated by the manufacturer, will prevent health and environmental risks.

The information in this SDS was obtained from sources, which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

The safety data sheet is created in accordance with Regulation No. 2020/878/EC. There is no additional information in accordance with the local and national legislation of the Member State in the European Union, in the safety data sheet.

The safety data sheet was created by company LACHEPRA s.r.o.

Page: 19 / 19