according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Date of revision: 11. 10. 2021 Version: 2.0

Replaced version from: 25. 09. 2020

Date of issue: 25. 09. 2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name

CLEAMEN 610

UFI code

UFI: 8K80-E0J2-W00P-Y5EX

Product code

VC610060099

VC610120099

VC610240099

VC610925099

Mixture description

Aqueous solution of hydroxides, surfactants and other chemicals

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Liquid highly concentrated alkaline foam cleaner.

For professional use only.

Uses advised against

Not recommended for use on surfaces made of aluminum or non-ferrous metals.

It is recommended to use it only for the intended use. Other uses may expose users to unpredictable risks.

1.3. Details of the supplier of the safety data sheet

CORMEN s.r.o.

Věchnov 73

593 01

Czech Republic

Tel.: +420 566 550 961 Fax: +420 566 551 822

e-mail address for a competent person responsible for the SDS: info@cormen.cz

1.4. Emergency telephone number

112 (General emergency phone).

SECTION 2: Hazards identification

Page: 1 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

2.1. Classification of the substance or mixture

The mixture is classified as hazardous according to regulation 1272/2008/EC.

Classification according to 1272/2008/EC

Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318

Full text of classifications and H-phrases: see section 16.

The most important adverse physical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage.

2.2. Label elements

Hazard pictograms



Signal word

Danger.

Substances of the mixture to be placed on the label

Contains Potassium hydroxide, Sodium hydroxide, Disodium metasilicate pentahydrate, D-Glucopyranose, oligomeric, C10-16 alkyl glycosides.

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P234 Keep only in original packaging.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

Supplemental hazard information

Mandatory additional information is not required according to CLP regulation.

Composition according to regulation 648/2004/EC on detergents: < 5% non-ionic surfactants, phosphonates.

Page: 2 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

2.3. Other hazards

Mixture does not contain substance(s) meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH regulation., Mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

D-Glucopyranose, oligomeric, C10-16 (even numbered) alkyl glycosides

3.2. Mixtures

3.2.1. Substances of a mixture classified as hazardous

3.2.1. Substances	of a mixture classified as		
	Identification of	Content	Classification according
	substance	wt. %	to 1272/2008/EC
Potassium hydroxid	le; Caustic potash		
•	1310-58-3 215-181-3 019-002-00-8 01-2119487136-33-XXXX pecific concentration limits:	< 16.0	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1A; H314
Skin Corr. 1A; H314	peome concentration limits.	C ≥ 5 %	
Skin Corr. 1B; H314		2 % ≤ C < 5 %	
Skin Irrit. 2; H315		0.5 % ≤ C < 2 %	
Eye Irrit. 2; H319		0.5 % ≤ C < 2 %	
Sodium hydroxide;	Caustic soda		
1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 .	1310-73-2 215-185-5 011-002-00-6 01-2119457892-27-XXXX pecific concentration limits:	< 11.0	Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318
Skin Corr. 1A; H314	pecific concentration limits.	C ≥ 5 %	
Skin Corr. 1B; H314		2 % ≤ C < 5 %	
Skin Irrit. 2; H315 Eye Irrit. 2; H319		0.5 % ≤ C < 2 % 0.5 % ≤ C < 2 %	
Disodium metasilica	ata nantahydrata	0.0 % ≥ 0 < 2 %	
CAS Number EC Number Index Number	10213-79-3 229-912-9 014-010-00-8 01-2119449811-37-XXXX	≤ 5.0	Met. Corr. 1; H290 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335
The classification is for	or anhydride.		
D. Olivia automatica	linemenie 040 40 (e	la ana d'Arabad adalaha adalah	

Page: 3 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

CAS Number 110615-47-9 EC Number 600-975-8

EC Number 600-975-8 Skin Irrit. 2; H315
Index Number not given < 4.5

Skin Irrit. 2; H315
Eye Dam. 1; H318

Registration Number 01-2119489418-23-XXXX

The substance has specific concentration limits:

Etidronic acid

CAS Number 2809-21-4 Met. Corr. 1; H290

Registration Number 01-2119510391-53-XXXX

Acetic acid

CAS Number 64-19-7

EC Number 200-580-7 ≤ 0.05 Flam. Liq. 3; H226 Skin Corr. 1A; H314

Registration Number not yet available

The substance has specific concentration limits:

Skin Corr. 1A; H314 C ≥ 90 %

Skin Corr. 1B; H314 $25 \% \le C < 90 \%$ Skin Irrit. 2; H315 $10 \% \le C < 25 \%$ Eve Irrit. 2; H319 $10 \% \le C < 25 \%$

Full text of classifications and H-phrases: see section 16.

SECTION 4: First aid measures

In all cases keep the victim at physical and mental rest and warm. In case of doubt or if symptoms persist, seek medical attention. Never give anything by mouth if victim is rapidly losing consciousness, unconscious or convulsing. Protect yourself during rescue work.

4.1. Description of first aid measures

Inhalation

Interrupt the exposure, move the person to the fresh air. In case of persistent nausea, seek medical advice.

Skin contact

Remove contaminated clothing, shoes, and wash thoroughly with water (preferably lukewarm) and soap. Do not use solvents or thinners. Seek medical advice.

Eye contact

Rinse with a gentle stream of water for at least 15 minutes. Keep your eyelids wide open with your thumb and forefinger. If the affected person is wearing contact lenses, remove them before rinsing eyes if it is easy. Seek medical advice.

Ingestion

Rinse your mouth and then drink plenty of water. Do not induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Seek medical advice.

Page: 4 z 33

Eye Dam. 1; H318

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

4.2. Most important symptoms and effects, both acute and delayed

Are not known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product is non-flammable. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Solid streams of water may be ineffective.

5.2. Special hazards arising from the substance or mixture

In case of fire extinguishing prevent leakage of water and rest of product into drains. Collect them separately and dispose of safely in accordance with current legislation and applicable local regulations.

In case of fires, hazardous combustion gases are formed: carbon oxides, silicon oxides, phosphor oxides, phosphine and products of incomplete combustion.

5.3. Advice for firefighters

Stop further leakage of product if possible. Spilled product, which does not burn, cover with sand or foam. Move containers and barrels away from the fire to a safe place, if possible. Cool all affected containers down with flooding quantities of water. If the fire can't be extinguished - evacuate the premises.

In case of fire, wear suitable respiratory protective equipment and fire-fighting suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes, use suitable protective equipment and clothing, see Section 8. Ensure adequate ventilation. Avoid formation of vapour and aerosol. At the point of leakage, prevent the movement of unauthorized persons.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. If this cannot be avoided, inform the competent authorities (police and firefighters) immediately.

6.3. Methods and material for containment and cleaning up

According to the amount of spilled liquid, drain away the substance (large spillage) or in case of small spillage, absorb it with suitable absorbent (vermiculite, dry sand), put into labelled closed containers and dispose of them accordingly to Section 13. Flush residues with water and collect it for waste disposal. Do not use solvents or dispersants unless instructed by an expert or government authority.

If container is damaged, remove the content to the new undamaged container and label it properly again.

6.4. Reference to other sections

Refer also to the provisions of sections 7, 8 and 13 of this safety data sheet.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Page: 5 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Avoid contact with skin and eyes. Personal protection see. Section 8. Ensure good ventilation to prevent formation of vapor and aerosol.

Smoking, eating and drinking should be prohibited at the place of use. Keep safety regulations for handling chemicals. Take off contaminated clothing and protective equipment before entering the dining area. Do not use dirty clothing. After work wash yourself carefully with warm water and soap, take a shower. Use protective cream.

7.2. Conditions for safe storage, including any incompatibilities

Store in original, tightly closed containers, in a dry, cool and well-ventilated place at room temperature. Protect from frost.

Do not store together with incompatible materials (see subsection 10.5), food, drink and feed.

7.3. Specific end use(s)

Highly alkaline concentrated cleaning foam agent, which is characterized by a very good cleaning ability. It is suitable for both hand washing and foaming equipment. It removes organic impurities very well from various alkali-resistant surfaces. It reliably removes dirt even from very dirty floors. It is applicable to all types of food businesses and catering establishments. It can be universally used for removing strong grease, starch and protein coatings not only from surfaces but also dishes.

The composition can be used on stainless steel, ceramic and alkali-resistant plastics surfaces. Do not use on aluminum and non-ferrous metal surfaces. Working solution: 0.5 - 5%.

on alaminam and	on aluminum and non-lemous metal surfaces. Working solution. 0.5 - 5%.					
SECTION 8: E	SECTION 8: Exposure controls/personal protectio					
8.1. Control para	ameters					
8.1.1. Exposure li	mit value					
Acetic acid				CAS: 64-19-7		
Limit values - Eiç	ght hours	Limit values - Short-term	Note			
25 mg/m ³	10 ppm	50 mg/m ³ 20 ppm	none			
8.1.2. Biological I	imit values					
Not determined in	n EU.					
8.1.3. DNEL and F	PNEC values					
Potassium hydroxic	de			CAS: 1310-58-3		
DNEL						
Area of use	Route of exposu	re Effect	Exposure time	Value		
Workers	Inhalation	Local effect	Long term	1 mg/m ³		
General population	Inhalation	Local effect	Long term	1 mg/m ³		
PNEC - not yet availa	able					
Sodium hydroxide				CAS: 1310-73-2		
DNEL						
Area of use	Route of exposu	re Effect	Exposure time	Value		
Workers	Inhalation	Local effect	Long term	1 mg/m ³		
General population	Inhalation	Local effect	Long term	1 mg/m ³		
PNEC - not yet availa	able					
Disodium metasilic	ate			ES: 229-912-9		

Page: 6 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

DNEL Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 6.22 mg/m³ Workers Dermal Systemic effect Long term 1.49 mg/kg/day General population Inhalation Systemic effect Long term 1.55 mg/m³ General population Oral Systemic effect Long term 0.74 mg/kg/day General population Oral Systemic effect Long term 0.74 mg/kg/day General population Oral Systemic effect Long term 0.74 mg/kg/day General population Oral Systemic effect Long term 0.74 mg/kg/day Fresh water Marine water Inhalation Systemic effect No effect no effect To Smg/l 1 mot given 1 mot effect no effect no effect Defect Effect Exposure time Value Area of use Route of exposure Effect Exposure time 420 mg/m³ </th <th></th> <th></th> <th></th> <th></th> <th></th>					
Workers Inhalation Systemic effect Long term 6.22 mg/m³ Workers Dermal Systemic effect Long term 1.49 mg/kg/day General population Inhalation Systemic effect Long term 0.74 mg/kg/day General population Oral Systemic effect Long term 0.74 mg/kg/day PNEC Fresh water Marine water Intermittent releases Sewage Treatment Plant (STP) 7.5 mg/l 1 mg/l 7.5 mg/l not given 1 000 mg/l PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators no effect DORIL Area of use Route of exposure Effect no effect no effect DORIL Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 420 mg/m³ General population Inhalation Systemic effect Long term 357 row mg/kg/den <t< td=""><td>DNEL</td><td></td><td></td><td></td><td></td></t<>	DNEL				
Workers	Area of use	Route of exposure	Effect	Exposure time	Value
General population Inhalation Systemic effect Long term 0.74 mg/kg/day General population Dermal Systemic effect Long term 0.74 mg/kg/day General population Oral Systemic effect Long term 0.74 mg/kg/day PNEC Fresh water Marine water Fresh water 7.5 mg/l 1 mg/l 7.5 mg/l not given 1 000 mg/l PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators no effect no effect no effect no effect no effect no effect D-Glucopyranose, oligomeric, C10-16 (even numbered) alkyl glycosides CAS: 110615-47-9 DNEL Area of use Route of exposure Effect Exposure time Workers Inhalation Systemic effect Long term 124 mg/m³ Mg/len General population Dermal Systemic effect Long term 35.7 mg/kg/den General population Oral Systemic effect Long term 35.7 mg/kg/den D-GNEC Fresh water Marine water Fresh water 0.176 mg/l 0.018 mg/l 0.029 mg/l not given 5 000 mg/kg/den 1.516 mg/l 0.065 mg/kg not given 0.654 mg/kg 111.11 mg/kg food CAS: 2809-21-4 DNEL Area of use Route of exposure Effect Exposure time Value 4.00 mg/m³ 3.00 mg/leg/den 3.00 mg/kg/den 3.00 mg/leg/den 3.00 mg/leg/den 3.00 mg/kg/den 3.00 mg/leg/den 3.00 mg/kg/den 3.00 mg/leg/den 3.00	Workers	Inhalation	Systemic effect	Long term	6.22 mg/m ³
General population General population Dermal Oral Systemic effect Systemic effect Long term 0.74 mg/kg/day PNEC Fresh water Fresh water Present water A.5 mg/l Marine water A.5 mg/l Intermittent releases Fresh water Marine water Plant (STP) Sewage Treatment Plant (STP) PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators no effect no effect no effect no effect no effect on effect no effect Estimate Present Plant (STP) DNEL Area of use Route of exposure Inhalation Systemic effect Exposure time Workers Inhalation Systemic effect Long term 420 mg/m³ Workers Dermal Systemic effect Long term 420 mg/m³ Workers Dermal Systemic effect Long term 595 000 mg/kg/den General population Dermal Systemic effect Long term 124 mg/m³ 357 000 mg/kg/den General population Oral Systemic effect Long term 35.7 mg/kg/den 35.7 mg/kg/den PNEC Intermittent releases Fresh water Marine water Amarine water	Workers	Dermal	Systemic effect	Long term	1.49 mg/kg/day
General population Oral Systemic effect Long term 0.74 mg/kg/day PNEC Fresh water 7.5 mg/l 1 mg/l 7.5 mg/l not given 1 000 mg/l PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators no effect no effect no effect no effect no effect no effect D-Glucopyranose, oligomeric, C10-16 (even numbered) alkyl glycosides CAS: 110615-47-9 DNEL Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 420 mg/m³ Workers Dermal Systemic effect Long term 124 mg/m³ General population Dermal Systemic effect Long term 357 mg/kg/den General population Dermal Systemic effect Long term 357 mg/kg/den Fresh water Marine water Intermittent releases Sewage Treatment Plant (STP) Fresh water Marine water Sewage	General population	Inhalation	Systemic effect	Long term	1.55 mg/m ³
PNEC Intermittent releases Sewage Treatment Plant (STP) 7.5 mg/l 1 mg/l 7.5 mg/l not given 1 000 mg/l PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators no effect no effect no effect no effect no effect no effect D-Glucopyranose, oligomeric, C10-16 (even numbered) alkyl glycosides CAS: 110615-47-9 DNEL Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 420 mg/m³ Workers Dermal Systemic effect Long term 595 000 mg/kg/den General population Dermal Systemic effect Long term 357 000 mg/kg/den General population Oral Systemic effect Long term 357 000 mg/kg/den Fresh water Marine water Fresh water Marine water Sewage Treatment Plant (STP) 0.176 mg/l 0.018 mg/l 0.029 mg/l not given <td>General population</td> <td>Dermal</td> <td>Systemic effect</td> <td>Long term</td> <td>0.74 mg/kg/day</td>	General population	Dermal	Systemic effect	Long term	0.74 mg/kg/day
Fresh water	General population	Oral	Systemic effect	Long term	0.74 mg/kg/day
Fresh water 7.5 mg/l 1 mg/l 7.5 mg/l 1 mot given 1 000 mg/l PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators no effect no effect no effect no effect no effect D-Glucopyranose, oligomeric, C10-16 (even numbered) alkyl glycosides CAS: 110615-47-9 DNEL Area of use Route of exposure Effect Exposure time Workers Inhalation Systemic effect Long term 420 mg/m³ Workers Dermal Systemic effect Long term 595 000 mg/kg/den General population Inhalation Systemic effect Long term 124 mg/m³ General population Dermal Systemic effect Long term 357 000 mg/kg/den General population Oral Systemic effect Long term 35.7 mg/kg/den PNEC Fresh water Marine water Fresh water Marine water Plant (STP) 0.176 mg/l 0.018 mg/l 0.029 mg/l 111.11 mg/kg food Etidronic acid DNEL Area of use Route of exposure Effect Exposure time CAS: 2809-21-4 DNEL Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 34 mg/kg/den General population Dermal Systemic effect Long term 34 mg/kg/den General population One Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 32.95 mg/m³ General population Dermal Systemic effect Long term 12 mg/m³	PNEC				
Fresh water Marine water Plant (SIP) 7.5 mg/l not given 1 000 mg/l PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators no effect no effect no effect no effect no effect D-Glucopyranose, oligomeric, C10-16 (even numbered) alkyl glycosides Effect Exposure time Value Workers Inhalation Systemic effect Long term 420 mg/m³ Workers Dermal Systemic effect Long term 595 000 mg/kg/den General population Inhalation Systemic effect Long term 357 000 mg/kg/den General population Oral Systemic effect Long term 35.7 mg/kg/den PNEC Fresh water Marine water Seminater National Marine water	Fresh water	Marine water	Intermitte	ent releases	Sewage Treatment
PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators no effect no effect no effect no effect no effect D-Glucopyranose, oligomeric, C10-16 (even numbered) alkyl glycosides CAS: 110615-47-9 DNEL Area of use Route of exposure Effect Exposure time Workers Inhalation Systemic effect Long term 420 mg/m³ Workers Dermal Systemic effect Long term 595 000 mg/kg/den General population Dermal Systemic effect Long term 357 000 mg/kg/den General population Oral Systemic effect Long term 35.7 mg/kg/den PNEC Fresh water Marine water Fresh water Marine water 0.029 mg/l not given 5000 mg/l PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators 1.516 mg/l 0.065 mg/kg not given 0.654 mg/kg 111.11 mg/kg food Etidronic acid DEL Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 12 mg/m³ Workers Dermal Systemic effect Long term 12 mg/m³ Workers Dermal Systemic effect Long term 12 mg/m³ Workers Dermal Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 12 mg/m³ General population Inhalation Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 12 mg/m³ General population Inhalation Systemic effect Long term 12 mg/m³ General population Inhalation Systemic effect Long term 12 mg/m³ General population Inhalation Systemic effect Long term 12 mg/m³ General population Inhalation Systemic effect Long term 17 mg/kg/den	i iesii watei	Maille water	Fresh water	Marine water	Plant (STP)
Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators no effect	7.5 mg/l	1 mg/l	7.5 mg/l	not given	1 000 mg/l
no effect no effect no effect no effect no effect D-Glucopyranose, oligomeric, C10-16 (even numbered) alkyl glycosides CAS: 110615-47-9 DNEL Area of use Route of exposure Effect Exposure time Value Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 420 mg/m³ Workers Dermal Systemic effect Long term 595 000 mg/kg/den General population Dermal Systemic effect Long term 357 000 mg/kg/den General population Oral Systemic effect Long term 35.7 mg/kg/den PNEC Fresh water Marine water Sewage Treatment Plant (STP) 0.176 mg/l 0.018 mg/l 0.029 mg/l not given 5 000 mg/l PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators 1.516 mg/l 0.065 mg/kg not given 0.654 mg/kg 111.11 mg/kg fo	PNEC				
D-Glucopyranose, oligomeric, C10-16 (even numbered) alkyl glycosides CAS: 110615-47-9 DNEL Area of use Route of exposure Effect Exposure time Workers Inhalation Systemic effect Long term 420 mg/m³ 595 000 mg/kg/den General population Inhalation Systemic effect Long term 124 mg/m³ General population Dermal Systemic effect Long term 357 000 mg/kg/den General population Dermal Systemic effect Long term 357 000 mg/kg/den General population Oral Systemic effect Long term 35.7 mg/kg/den PNEC Fresh water Marine water Fresh water Marine water Plant (STP) 0.176 mg/l 0.018 mg/l 0.029 mg/l not given 5 000 mg/l PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators 1.516 mg/l 0.065 mg/kg not given 0.654 mg/kg 111.11 mg/kg food Etidronic acid CAS: 2809-21-4 DNEL Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 12 mg/m³ Workers Dermal Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 1.7 mg/kg/den	Sediment (freshwater)) Sediment (marine wa	iter) Air	Soil	Hazard for predators
Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 420 mg/m³ Workers Dermal Systemic effect Long term 595 000 mg/kg/den General population Inhalation Systemic effect Long term 124 mg/m³ General population Dermal Systemic effect Long term 357 000 mg/kg/den General population Oral Systemic effect Long term 35.7 mg/kg/den PNEC Fresh water Marine water Fresh water Marine water O.0.029 mg/l not given 5000 mg/l PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators 1.516 mg/l 0.065 mg/kg not given 0.654 mg/kg 111.11 mg/kg food Etidronic acid CAS: 2809-21-4 DNEL Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 12 mg/m³ Workers Dermal Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 1.7 mg/kg/den	no effect	no effect	no effect	no effect	no effect
Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 420 mg/m³ Workers Dermal Systemic effect Long term 595 000 mg/kg/den General population Inhalation Systemic effect Long term 124 mg/m³ General population Dermal Systemic effect Long term 357 000 mg/kg/den General population Oral Systemic effect Long term 35.7 mg/kg/den PNEC Fresh water Marine water Fresh water Marine water 0.176 mg/l 0.018 mg/l 0.029 mg/l not given 5 000 mg/l PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators 1.516 mg/l 0.065 mg/kg not given 0.654 mg/kg 111.11 mg/kg food Etidronic acid CAS: 2809-21-4 DNEL Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 12 mg/m³ Workers Dermal Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 1.7 mg/kg/den	D-Glucopyranose, ol	ligomeric, C10-16 (eve	n numbered) alkyl	glycosides	CAS: 110615-47-9
WorkersInhalationSystemic effectLong term420 mg/m³WorkersDermalSystemic effectLong term595 000 mg/kg/denGeneral populationInhalationSystemic effectLong term124 mg/m³General populationDermalSystemic effectLong term357 000 mg/kg/denPNECFresh waterMarine waterIntermittent releases Fresh waterSewage Treatment Plant (STP)0.176 mg/l0.018 mg/l0.029 mg/lnot given5 000 mg/lPNECSediment (freshwater)Sediment (marine water)AirSoilHazard for predators1.516 mg/l0.065 mg/kgnot given0.654 mg/kg111.11 mg/kg foodEtidronic acidCAS: 2809-21-4DNELArea of useRoute of exposureEffectExposure timeValueWorkersInhalationSystemic effectLong term12 mg/m³WorkersDermalSystemic effectLong term34 mg/kg/denGeneral populationInhalationSystemic effectLong term2.95 mg/m³General populationDermalSystemic effectLong term17 mg/kg/den	DNEL				
Workers Dermal Systemic effect Long term 595 000 mg/kg/den General population Inhalation Systemic effect Long term 124 mg/m³ General population Dermal Systemic effect Long term 357 000 mg/kg/den PNEC Intermittent releases Sewage Treatment Plant (STP) 0.176 mg/l 0.018 mg/l 0.029 mg/l not given 5 000 mg/l PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators 1.516 mg/l 0.065 mg/kg not given 0.654 mg/kg 111.11 mg/kg food Etidronic acid CAS: 2809-21-4 DNEL Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 12 mg/m³ Workers Dermal Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 17 mg/kg/den	Area of use	Route of exposure	Effect	Exposure time	Value
General population Inhalation Systemic effect Long term 357 000 mg/kg/den General population Oral Systemic effect Long term 357 000 mg/kg/den General population Oral Systemic effect Long term 35.7 mg/kg/den 70.00 mg/kg/den	Workers	Inhalation	Systemic effect	Long term	420 mg/m ³
General population Dermal Systemic effect Long term 357 000 mg/kg/den General population Oral Systemic effect Long term 35.7 mg/kg/den PNEC Fresh water Marine water Fresh water Marine water 0.176 mg/l 0.018 mg/l 0.029 mg/l not given 5 000 mg/l PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators 1.516 mg/l 0.065 mg/kg not given 0.654 mg/kg 111.11 mg/kg food Etidronic acid CAS: 2809-21-4 DNEL Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 12 mg/m³ Workers Dermal Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 17 mg/kg/den	Workers	Dermal	Systemic effect	Long term	595 000 mg/kg/den
General population Oral Systemic effect Long term 35.7 mg/kg/den PNEC Fresh water Marine water 0.176 mg/l 0.018 mg/l 0.029 mg/l not given 5 000 mg/l PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators 1.516 mg/l 0.065 mg/kg not given 0.654 mg/kg 111.11 mg/kg food Etidronic acid CAS: 2809-21-4 DNEL Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 12 mg/m³ Workers Dermal Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 17 mg/kg/den	General population	Inhalation	Systemic effect	Long term	124 mg/m ³
PNEC Fresh water Marine water Fresh water Marine water 0.0176 mg/l 0.018 mg/l 0.029 mg/l not given 5 000 mg/l PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators 1.516 mg/l 0.065 mg/kg not given 0.654 mg/kg 111.11 mg/kg food Etidronic acid CAS: 2809-21-4 DNEL Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 12 mg/m³ Workers Dermal Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 17 mg/kg/den	General population	Dermal	Systemic effect	Long term	357 000 mg/kg/den
Fresh water Marine water Fresh water Marine water 0.0176 mg/l 0.018 mg/l 0.029 mg/l not given 5 000 mg/l PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators 1.516 mg/l 0.065 mg/kg not given 0.654 mg/kg 111.11 mg/kg food Etidronic acid CAS: 2809-21-4 DNEL Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 12 mg/m³ Workers Dermal Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 17 mg/kg/den	General population	Oral	Systemic effect	Long term	35.7 mg/kg/den
Fresh water Marine water Fresh water Marine water Plant (STP)	PNEC				
Fresh water Marine water Plant (STP) 0.176 mg/l 0.018 mg/l 0.029 mg/l not given 5 000 mg/l PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators 1.516 mg/l 0.065 mg/kg not given 0.654 mg/kg 111.11 mg/kg food Etidronic acid CAS: 2809-21-4 DNEL Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 12 mg/m³ Workers Dermal Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 17 mg/kg/den	Fresh water	Marine water	Intermittent releases		
PNEC Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators 1.516 mg/l 0.065 mg/kg not given 0.654 mg/kg 111.11 mg/kg food Etidronic acid CAS: 2809-21-4 DNEL Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 12 mg/m³ Workers Dermal Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 17 mg/kg/den	1 resir water		Fresh water	Marine water	Plant (STP)
Sediment (freshwater) Sediment (marine water) Air Soil Hazard for predators 1.516 mg/l 0.065 mg/kg not given 0.654 mg/kg 111.11 mg/kg food Etidronic acid CAS: 2809-21-4 DNEL Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 12 mg/m³ Workers Dermal Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 17 mg/kg/den	0.176 mg/l	0.018 mg/l	0.029 mg/l	not given	5 000 mg/l
1.516 mg/l 0.065 mg/kg not given 0.654 mg/kg 111.11 mg/kg food Etidronic acid CAS: 2809-21-4 DNEL Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 12 mg/m³ Workers Dermal Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 17 mg/kg/den	PNEC				
Etidronic acid CAS: 2809-21-4 DNEL Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 12 mg/m³ Workers Dermal Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 17 mg/kg/den	Sediment (freshwater)) Sediment (marine wa	iter) Air	Soil	Hazard for predators
Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 12 mg/m³ Workers Dermal Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 17 mg/kg/den	1.516 mg/l	0.065 mg/kg	not given	0.654 mg/kg	111.11 mg/kg food
Area of use Route of exposure Effect Exposure time Value Workers Inhalation Systemic effect Long term 12 mg/m³ Workers Dermal Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 17 mg/kg/den	Etidronic acid				CAS: 2809-21-4
Workers Inhalation Systemic effect Long term 12 mg/m³ Workers Dermal Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 17 mg/kg/den	DNEL				
Workers Dermal Systemic effect Long term 34 mg/kg/den General population Inhalation Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 17 mg/kg/den	Area of use	Route of exposure	Effect	Exposure time	Value
General population Inhalation Systemic effect Long term 2.95 mg/m³ General population Dermal Systemic effect Long term 17 mg/kg/den	Workers	Inhalation	Systemic effect	Long term	12 mg/m ³
General population Dermal Systemic effect Long term 17 mg/kg/den	Workers	Dermal	Systemic effect	Long term	34 mg/kg/den
	General population	Inhalation	Systemic effect	Long term	2.95 mg/m ³
General population Oral Systemic effect Long term 1.7 mg/kg/den	General population	Dermal	Systemic effect	Long term	17 mg/kg/den
	General population	Oral	Systemic effect	Long term	1.7 mg/kg/den

Page: 7 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

General population	Oral	Systemic effect	Short term	1.7 mg/kg/den
PNEC				
Freeh water	Marina water	Intermittent releases		Sewage Treatment
Fresh water	Marine water	Fresh water	Marine water	Plant (STP)
0.068 mg/l	0.007 mg/l	not given	not given	40 mg/l
PNEC				
Sediment (freshwater)	Sediment (marine wat	er) Air	Soil	Hazard for predators
136 mg/kg	13.6 mg/kg	no effect	10 mg/kg	3.7 mg/kg food

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Use only in well-ventilated areas.

Observe usual safety precautions for working with chemicals. The degree of effectiveness of personal protective equipment depends on temperature and ventilation levels.

8.2.2. Individual protection measures, such as personal protective equipment

Do not eat, drink or smoke. After work, wash thoroughly with warm water and soap and take a shower. Use protective cream. Do not soiled protective equipment to wash, do not use solvents.

Eye/face protection

Wear safety glasses or face shield.

Skin protection - hand protection

Wear protective gloves.

Suitable gloves material: polyvinylchloride, neoprene, nature rubber, butyl-rubber, breakthrough time: 480 min

Unsuitable gloves material: leather

The selection of the glove material on consideration of the breakthrough time, permeability, degradation and next relevant factors; other chemicals that may come into contact, physical requirements (cut and puncture protection, dexterity, thermal protection), possible body reactions to the glove material and the glove supplier's instructions and specifications. In case of repeated use of gloves, clean and keep them in a well-ventilated place before taking off.

Skin protection - other

Suitable protective working clothing and footwear.

Respiratory protection

Not necessary in case of compliance concentration limits (if they were exceeded, use a respirator against vapour). In the event of an accident or a fire use self-contained breathing apparatus.

Thermal hazards

In normal use is not necessary protective equipment to be worn for materials that represent a thermal hazard.

8.2.3. Environmental exposure controls

Uncontrolled release of the mixture into environment is to be avoided. Keep the emission limits according to national legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Page: 8 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Mixture			
Physical state	Liquid.		
Colour	Colourless.		
Odour	Characteristic.		
Melting point/freezing point	Not determined.		
Boiling point or initial boiling point and boiling range	100 °C.		
Flammability	Not determined.		
Lower explosion limit	Not determined.		
Upper explosion limit	Not determined.		
Flash point	Not determined.		
Auto-ignition temperature	Not determined.		
Decomposition temperature	Not determined, the mixture does not contain self- reactive substances or organic peroxides.		
pΗ	14 (20 °C).		
Kinematic viscosity	Not determined, the mixture does not contain a substance classified as aspiration toxic, or the sum of the concentrations of substances classified as aspiration toxic is less than 10 wt. %.		
Solubility	Miscible.		
Partition coefficient n-octanol/water (log value)	Does not apply to mixture.		
Vapour pressure	23 hPa.		
Density and/or relative density $D_4^{20} = 1.4$.			
Relative vapour density	Not determined.		
Particle characteristics	Does not apply to liquid.		
Potassium hydroxide	CAS: 1310-58-3		
Physical state	Solid.		
Colour	White.		
Odour	Odourless.		
Melting point/freezing point	406 °C (literature).		
Boiling point or initial boiling point and boiling range	1 327 °C (literature).		
	The substance is not classified as flammable,		
Flammability	pyrophoric or emit flammable gases under standard conditions.		
Flammability Lower explosion limit	pyrophoric or emit flammable gases under		
	pyrophoric or emit flammable gases under standard conditions.		
Lower explosion limit	pyrophoric or emit flammable gases under standard conditions. Does not apply to solid.		

Page: 9 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Decomposition temperature Not determined, it is not a self-reactive substance or an organic peroxide or a substance that may decompose. ca. 13.5 (concentration 5.611 g/l, 25 °C, literature). pН Kinematic viscosity Does not apply to solid. 121 g/100 g H2O (25 °C, literature). Solubility Partition coefficient n-octanol/water (log value) Not determined, it is an inorganic substance. Vapour pressure Not determined, the substance has melting point higher than 300 °C. 2.04 g/cm³ (20 °C, literature). Density and/or relative density Relative vapour density Does not apply to solid. Particle characteristics Not determined, solid KOH is in the form of large particles (flakes). Sodium hydroxide CAS: 1310-73-2 Solid. Physical state White. Colour Odour Odourless. 323 °C (literature). Melting point/freezing point Boiling point or initial boiling point and boiling 1 388 °C (literature). range **Flammability** The substance is not classified as flammable, pyrophoric or emit flammable gases under standard conditions. Lower explosion limit Does not apply to solid. Upper explosion limit Does not apply to solid. Flash point Does not apply to solid. Auto-ignition temperature Does not apply to solid. Decomposition temperature Not determined, it is not a self-reactive substance or an organic peroxide or a substance that may decompose. pН Not determined, strong alkaline substance. Kinematic viscosity Does not apply to solid. Solubility 100 g/100 g H2O (25 °C, literature). Partition coefficient n-octanol/water (log value) Not determined, it is an inorganic substance. Vapour pressure Not determined, the substance has melting point higher than 300 °C. Density and/or relative density 2.13 g/cm³ (20 °C, literature). Relative vapour density Does not apply to solid. Particle characteristics Not determined, solid NaOH is in the form of large particles (flakes).

Disodium metasilicate

Page: 10 z 33

ES: 229-912-9

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Physical state Solid.

Colourless to white. Colour Odour Not determined. 1 089 °C (literature). Melting point/freezing point

Boiling point or initial boiling point and boiling

range

Flammability The substance is not classified as flammable,

pyrophoric or emit flammable gases under

standard conditions.

Not determined.

Lower explosion limit Does not apply to solid. Upper explosion limit Does not apply to solid. Flash point Does not apply to solid. Auto-ignition temperature Does not apply to solid.

Decomposition temperature Not determined, it is not a self-reactive substance

or an organic peroxide or a substance that may

decompose.

pН Not determined.

Kinematic viscosity Does not apply to solid. 210 g/l (20 °C, pH = 12.7). Solubility

Partition coefficient n-octanol/water (log value) Not determined, it is an inorganic substance.

Vapour pressure Not determined, the substance has melting point

higher than 300 °C.

Density and/or relative density 2.61 g/cm³ (literature). Relative vapour density Does not apply to solid.

Particle characteristics $D10 = 397 \mu m$ (ISO 13320-1).

> $D50 = 695 \mu m$ (ISO 13320-1). D90 = 1 150 μ m (ISO 13320-1).

D-Glucopyranose, oligomeric, C10-16 (even numbered) alkyl glycosides CAS: 110615-47-9

Physical state Solid.

Colour Not determined. Odour Not determined. > 150 °C (OECD 102). Melting point/freezing point > 301 °C (OECD 103).

Boiling point or initial boiling point and boiling

range

Non-flammable solid (EU method A.10). Flammability

Lower explosion limit Does not apply to solid. Upper explosion limit Does not apply to solid. Flash point Does not apply to solid.

Auto-ignition temperature Not determined.

Page: 11 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Decomposition temperatureNot determined, it is not a self-reactive substance

or an organic peroxide.

pH Not determined.

Kinematic viscosity Does not apply to solid.

Solubility > 200 g/l (20 °C, OECD 105).

Partition coefficient n-octanol/water (log value) log Pow ≤ -0.07 (20 °C, calculation).

Vapour pressure Not determined.

Density and/or relative density $D_4^{20} = 1.16$ (EU Method A.3).

Relative vapour densityDoes not apply to solid.

Particle characteristics Not determined.

Etidronic acid CAS: 2809-21-4

Physical state Solid.

ColourNot determined.OdourNot determined.

Melting point/freezing point ≥ 450 °C (EU method A.1).

Boiling point or initial boiling point and boiling

range

Flammability The substance is not classified as flammable (EU

method A.10).

Not determined.

Lower explosion limitDoes not apply to solid.Upper explosion limitDoes not apply to solid.Flash pointDoes not apply to solid.Auto-ignition temperatureDoes not apply to solid.

Decomposition temperatureNot determined, it is not a self-reactive substance

or an organic peroxide or a substance that may

decompose.

pH Not determined.

Kinematic viscosityDoes not apply to solid.Solubility690 g/l (20 °C, literature).Partition coefficient n-octanol/water (log value)log Pow = -3.5 (literature).

Vapour pressure Not determined, the substance has melting point

higher than 300 °C.

Density and/or relative density 1 450 - 1 490 kg/m³ (literature).

Relative vapour density Does not apply to solid.

Particle characteristics Not determined.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Mixture

Explosives

Page: 12 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Data for the mixture are not available.

The mixture does not contain substances classified as explosives or oxidising, or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

The mixture is not classified as flammable liquid according to the low concentration of acetic acid.

Flammable solids

It is not solid.

Self-reactive substances and mixtures

Data for the mixture are not available.

The mixture does not contain substances classified as self-reactive substances or explosives or organic peroxides or oxidising, or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Pyrophoric liquids

Data for the mixture are not available.

The mixture does not contain substances classified as pyrophoric liquids or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Pyrophoric solids

It is not solid.

Self-heating substances and mixtures

Data for the mixture are not available.

The mixture does not contain substances classified as self-heating or pyrophoric substances or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Substances and mixtures, which emit flammable gases in contact with water

Data for the mixture are not available.

The mixture does not contain substances classified as substances, which emit flammable gases in contact with water or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Oxidising liquids

Data for the mixture are not available.

The mixture does not contain substances classified as oxidising liquids or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Oxidising solids

It is not solid.

Organic peroxides

Page: 13 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Data for the mixture are not available.

The mixture does not contain substances classified as organic peroxides or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Corrosive to metals

Data for the mixture are not available.

The mixture is classified as corrosive to metal category 1, due to the potassium hydroxide and sodium hydroxide content.

Desensitised explosives

Data for the mixture are not available.

The mixture does not contain substances classified as explosives or desensitised explosives, or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Potassium hydroxide

Explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

It is not liquid.

Flammable solids

Data for the substance are not available.

The substance is not classified as flammable solid.

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

It is not liquid.

Pyrophoric solids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Page: 14 z 33

CAS: 1310-58-3

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Substances and mixtures, which emit flammable gases in contact with water

Data for the substance are not available.

The substance is soluble in water and forms a stable mixture with it.

Oxidising liquids

It is not liquid.

Oxidising solids

Data for the substance are not available.

The substance does not contain chemical groups associated with oxidising properties.

Organic peroxides

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

Data for the substance are not available.

The substance is classified as corrosive to metal category 1.

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Sodium hydroxide CAS: 1310-73-2

Explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

It is not liquid.

Flammable solids

Data for the substance are not available.

The substance is not classified as flammable solid.

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

Page: 15 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

It is not liquid.

Pyrophoric solids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

Data for the substance are not available.

The substance is soluble in water and forms a stable mixture with it.

Oxidising liquids

It is not liquid.

Oxidising solids

Data for the substance are not available.

The substance does not contain chemical groups associated with oxidising properties.

Organic peroxides

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

Data for the substance are not available.

The substance is classified as corrosive to metal category 1.

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Disodium metasilicate ES: 229-912-9

Explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

It is not liquid.

Page: 16 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Flammable solids

Data for the substance are not available.

The substance is not classified as flammable solid.

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

It is not liquid.

Pyrophoric solids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

Data for the substance are not available.

The substance is soluble in water and forms a stable mixture with it.

Oxidising liquids

It is not liquid.

Oxidizing solids

Data for the substance are not available.

It is an inorganic substance does not contain chemical groups associated with oxidising properties.

Organic peroxides

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

Data for the substance are not available.

The substance is classified as corrosive to metal category 1.

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

D-Glucopyranose, oligomeric, C10-16 (even numbered) alkyl glycosides

Explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Page: 17 z 33

CAS: 110615-47-9

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

It is not liquid.

Flammable solids

The substance is not classified as flammable solid (EU method A.10).

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

It is not liquid.

Pyrophoric solids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

Data for the substance are not available.

The chemical structure of the substance does not contain metals or metalloids.

The substance is soluble in water and forms a stable mixture with it.

Oxidising liquids

It is not liquid.

Oxidizing solids

Data for the substance are not available.

It is an organic substance that does not contain oxygen, fluorine or chlorine, or these elements are chemically bounded only to carbon or hydrogen.

Organic peroxides

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

Data for the substance are not available.

The substance is not classified as corrosive to metal.

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Etidronic acid CAS: 2809-21-4

Page: 18 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

It is not liquid.

Flammable solids

The substance is not classified as flammable, burning time = 2 minutes (EU method A.10).

Self-reactive substances and mixtures

Data for the substance are not available.

The substance is not classified as self-reactive substances.

Pyrophoric liquids

It is not liquid.

Pyrophoric solids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

Data for the substance are not available.

The chemical structure of the substance does not contain metals or metalloids.

The substance is soluble in water and forms a stable mixture with it.

Oxidising liquids

It is not liquid.

Oxidizing solids

Data for the substance are not available.

It is an organic substance that does not contain oxygen, fluorine or chlorine, or these elements are chemically bounded only to carbon or hydrogen.

Organic peroxides

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Page: 19 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Corrosive to metals

Data for the substance are not available.

The substance is classified as corrosive to metal.

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

9.2.2. Other safety characteristics

Mechanical sensitivityNot determined, it is not an explosive substance.

Self-accelerating polymerisation temperature Not determined, it is not a polymerising

substance.

Formation of explosible dust/air mixtures Not determined, it is not a dust.

Acid/alkaline reserveNot determined.Evaporation rateNot determined.MiscibilityNot determined.ConductivityNot determined.CorrosivenessNot determined.

Gas group Not determined, it is not gas.

Redox potentialNot determined.Radical formation potentialNot determined.Photocatalytic propertiesNot determined.

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is stable under normal conditions of use. There aren't any hazardous reaction.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions aren't known under normal conditions of use.

10.4. Conditions to avoid

Protect from frost.

10.5. Incompatible materials

Strong oxidising agents, acids. Mixture is corrosive to metals.

10.6. Hazardous decomposition products

Burning releases carbon oxides, silicon oxides, phosphor oxides, phosphine and products of incomplete combustion.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Page: 20 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Mixture

Acute toxicity

The mixture is not classified as toxic for all routes of exposure.

Oral Data for the mixture are not available.

The mixture is not classified by the additive formula.

ATE_{mixture} > 2 003 mg/kg.

Dermal Data for the mixture are not available.

The mixture does not contain substances classified as an acute toxicity by dermal route of exposure or the concentration of substance(s) is lower than the limit for inclusion in

Section 3.

Inhalation Data for the mixture are not available.

The mixture does not contain substances classified as an acute toxicity by inhalation route of exposure or the concentration of substance(s) is lower than the limit for inclusion in

Section 3.

Skin corrosion/irritation

Data for the mixture are not available.

The mixture is classified as corrosive for skin in category 1A based on the general/specific concentration limits of substance(s).

Serious eye damage/irritation

Data for the mixture are not available.

The mixture is classified as causes serious eye damage based on the general/specific concentration limits of substance(s).

Respiratory or skin sensitisation

Data for the mixture are not available.

The mixture does not contain substances classified as sensitizing or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Germ cell mutagenicity

Data for the mixture are not available.

The mixture does not contain substances classified as mutagenicity or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Carcinogenicity

Data for the mixture are not available.

The mixture does not contain substances classified as carcinogenicity or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Reproductive toxicity

Data for the mixture are not available.

The mixture does not contain substances classified as toxic for reproduction or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

STOT - single exposure

Data for the mixture are not available.

The mixture is not classified as toxic for specific target organs in a single exposure in category 3 according to the recommended concentration limits of substance(s).

STOT - repeated exposure

Page: 21 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Data for the mixture are not available.

The mixture does not contain substances classified as toxic for specific target organs in a repeated exposure or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Aspiration hazard

Data for the mixture are not available.

The mixture does not contain substances classified as aspiration hazard or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Other information

See section 2 and 4.

Potassium hydroxide CAS: 1310-58-3

Acute toxicity

Oral The substance is classified in category 4.

 $LD_{50} = 333$ (male, conventional method). $LD_{50} = 388$ (male, up-and-down procedure).

Dermal Data for the substance are not available. **Inhalation** Data for the substance are not available.

Skin corrosion/irritation

Substance is classified as skin corrosive category 1A.

10% solution is strongly corrosive (reconstructed human epidermis, OECD 431).

5% solution is strongly corrosive (reconstructed human epidermis, OECD 431).

Serious eye damage/irritation

Substance is classified as serious eye damage.

5% solution is extremely irritant and corrosive, 1% solution is irritant, 0.5% solution is marginal irritant, 0.1% solution is not irritant (rabbit, OECD 405).

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Not skin sensitising (guinea pig, intracutaneous test).

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Negative (Ames test).

Carcinogenicity

Data for the substance are not available.

Reproductive toxicity

Data for the substance are not available.

STOT - single exposure

Data for the substance are not available.

STOT - repeated exposure

Data for the substance are not available.

Aspiration hazard

Page: 22 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

Sodium hydroxide CAS: 1310-73-2

Acute toxicity

OralData for the substance are not available.DermalData for the substance are not available.InhalationData for the substance are not available.

Skin corrosion/irritation

Substance is classified as skin corrosive category 1A.

Irritating to the skin at a concentration of 0.95 % by weight - intact skin - mean erythema score = 2 after 24 hours, 1.7 after 72 hours, 0.7 after 8 days (irreversible for 1/6 animals, scale on the skin) and edema = 0.3 after 24 h, 0 after 72 h, 0 after 8 d (fully reversible in 72 h), broken skin - mean erythema score = 2.3 after 24 h, 2 after 72 h, 2.7 after 8 d (irreversible for 1/6 animals, skin necrosis) and edema = 2 after 24 h, 0.3 after 72 h, 0 after 8 d (fully reversible in 8 days), primary dermal irritation index PDII = 2.7 (rabbit, Draize test).

Corrosive skin at a concentration of 4.98% by weight - intact skin - mean erythema score = 4 after 24 h, 4 after 72 h, 4 after 8 d (irreversible, skin necrosis) and edema = 2 after 24 h, 1 after 72 h, 1 after 8 days (irreversible for 8 days), broken skin - mean erythema score = 4 after 24 h, 4 after 72 h, 4 after 8 d (irreversible, skin necrosis) and edema = 2 after 24 h, after 72 hours, 1 after 8 days (irreversible for 8 days), primary dermal irritation index PDII = 5.6 (rabbit, Draize test).

Serious eye damage/irritation

Substance is classified as serious eye damage.

Mean corneal opacity > 2, conjunctival redness > 2.5 (2 wt.%, rabbit, 72 h, OECD 405).

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Not skin sensitising (human).

Germ cell mutagenicity

Data for the substance are not available.

Carcinogenicity

Data for the substance are not available.

Reproductive toxicity

Data for the substance are not available.

STOT – single exposure

Data for the substance are not available.

STOT - repeated exposure

Data for the substance are not available.

Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

Disodium metasilicate ES: 229-912-9

Acute toxicity

Page: 23 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Oral Based on available data, the classification criteria are not met.

 $LD_{50} = 1.152 - 1.349$ mg/kg (rat, female, toxicity based on corrosive effect, literature).

Dermal Based on available data, the classification criteria are not met.

 $LD_{50} > 5000 \text{ mg/kg}$ (rat, EPA OPPTS 870.1200).

Inhalation Based on available data, the classification criteria are not met.

LC50 > 2.06 mg/l (vapour, rat, 4 hrs, toxicity based on corosive effect, EPA OPPTS

870.1300).

Skin corrosion/irritation

The substance is classified as skin corrosion in category 1B.

Corrosive - primary dermal irritation index (PDII) = 8 (not reversible), mean erythema score = 4 (not reversible) and edema = 4 (not reversible) (humidified, rabbit, OECD 404).

Irritant - primary dermal irritation index (PDII) = 3.67, mean erythema score = 2.33 and edema = 1.33 (50% aqueous solution, rabbit, OECD 404).

Slightly irritant - primary dermal irritation index (PDII) = 1.22, mean erythema score = 1.11 and edema = 0.11 (10% aqueous solution, rabbit, OECD 404).

Serious eye damage/irritation

The substance is classified as seriously damaging to the eyes.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Not skin sensitising (mouse, OECD 429).

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Negative (OECD 471, OECD 473, OECD 476).

Carcinogenicity

Data for the substance are not available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

NOAEL > 159 mg/kg/day (mortality, rat, female, oral, generation P0).

STOT - single exposure

The substance may cause respiratory irritation.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

NOAEL > 227 - 237 mg/kg/day (rat, oral, 90 days, OECD 408).

Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

D-Glucopyranose, oligomeric, C10-16 (even numbered) alkyl glycosides

Acute toxicity

Oral Based on available data, the classification criteria are not met.

 $LD_{50} > 5~000 \text{ mg/kg}$ (rat, OECD 401).

Page: 24 z 33

CAS: 110615-47-9

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Dermal Based on available data, the classification criteria are not met.

 $LD_{50} > 2~000~mg/kg$ (rabbit, OECD 402).

Inhalation Data for the substance are not available.

Skin corrosion/irritation

The substance is classified as skin irritant.

Mean erythema score = 2.9 (fully reversible after 17 days) and oedema = 2.1 (fully reversible after 10 days) (rabbit, 72 hrs., OECD 404).

Serious eye damage/irritation

The substance is classified as seriously damaging to the eyes.

Mean score of corneal opacity = 0.5 (not fully reversible after 21 days), iritis = 0.3 (fully reversible after 14 days), conjunctival redness = 2.1 (not fully reversible after 21 days), conjunctival oedema = 1 (not fully reversible after 21 days) (rabbit, 72 h, OECD 405).

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Not skin sensitising (guinea pig, OECD 406).

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Negative (OECD 471, OECD 473, OECD 476).

Carcinogenicity

Data for the substance are not available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

NOAEL = 1 000 mg/kg/day (reproductive toxicity, oral, rat, generation P0, OECD 421).

STOT – single exposure

Data for the substance are not available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

NOAEL = 1000 mg/kg/day (systemic and cumulative effect, rat, oral, 90 d, EU Method B.26).

Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

Etidronic acid CAS: 2809-21-4

Acute toxicity

Oral The substance is classified in category 4.

 $LD_{50} = 1 878 \text{ mg/kg (rat, OECD 401)}.$

Dermal Based on available data, the classification criteria are not met.

 $LD_{50} > 3 505 \text{ mg/kg}$ (rabbit, OECD 402).

Inhalation Data for the substance are not available.

Skin corrosion/irritation

Page: 25 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Based on available data, the classification criteria are not met.

Mean erythema score = 0 and oedema = 0 (rabbit, 72 hrs., OECD 404).

Serious eye damage/irritation

The substance is classified as seriously damaging to the eyes.

Maximum irritation score = ca. 90 of 110 (irreversible, rabbit, 72 hours, OECD 405).

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Not skin sensitising (guinea pig, maximization test).

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Negative (OECD 471, OECD 476, OECD 487).

Carcinogenicity

Based on available data, the classification criteria are not met.

NOAEL ≥ 493 mg/kg/day (rat, female, oral, OECD 453).

NOAEL ≥ 384 mg/kg/day (rat, female, oral, OECD 453).

Reproductive toxicity

Based on available data, the classification criteria are not met.

NOAEL = 92 mg/kg/day (rat, female, oral, generation P0, OECD 416).

NOAEL = 92 mg/kg/day (rat, female, oral, generation F1, OECD 416).

STOT - single exposure

Data for the substance are not available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

NOAEL = 34 mg/kg/day (juvenile rats, rat, male, oral, 90 d., OECD 408).

LOAEL = 139 mg/kg/day (anemia, rat, male, oral, 90 d., OECD 408).

Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

11.2. Information on other hazards

Mixture does not contain substance(s) meets meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet and given in the list (established in accordance with Article 59(1) for having endocrine disrupting properties of REACH regulation. Mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. There is no other relevant information on adverse health effects that is not required according to the classification criteria set out in CLP Regulation.

SECTION 12: Ecological information

12.1. Toxicity

Mixture

Page: 26 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Data for the mixture are not available.

Acute aquatic toxicity

The mixture does not contain substances classified as acute aquatic toxicity or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Chronic aquatic toxicity

The mixture does not contain substances classified as a chronic aquatic toxicity or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Potassium hydroxide

The substance is not classified as dangerous for the aquatic environment.

Fish

LC₅₀, 96 hrs., Gambusia affinis: 80 mg/l (mortality). NOEC, 96 hrs., Gambusia affinis: 56 mg/l (mortality).

Crustaceans

Data for the substance are not available.

Algae

Data for the substance are not available.

Sodium hydroxide CAS: 1310-73-2

The substance is not classified as dangerous for the aquatic environment.

Fish

LC₅₀, 48 hrs, Leuciscus idus: 189 mg/l (mortality).

Crustaceans

EC₅₀, 48 hrs, Ceriodaphnia sp.: 40.4 mg/l (immobility).

Algae

Data for the substance are not available.

Disodium metasilicate ES: 229-912-9

The substance is not classified as hazardous for the aquatic environment.

Fish

LC₅₀, 96 hrs., Danio rerio: 210 mg/l (OECD 203).

Crustaceans

EC₅₀, 48 hod., Daphnia Magna: 1 700 mg/l (OECD 202).

Algae

EC₅₀, 72 hrs., Desmodesmus subspicatus: 207 mg/l (biomass, DIN 38412).

EC₀, 72 hrs., Desmodesmus subspicatus: > 345.4 mg/l (growth rate, DIN 38412).

D-Glucopyranose, oligomeric, C10-16 (even numbered) alkyl glycosides CAS: 110615-47-9

The substance is not classified as hazardous for the aquatic environment.

Fish

Page: 27 z 33

CAS: 1310-58-3

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

LC₅₀, 96 hrs., Danio rerio: 2.95 mg/l (mortality).

NOEC, 28 d., Danio rerio: 1.8 mg/l (mortality, OECD 204).

NOEC, 28 d., Danio rerio: 3.2 mg/l (growth, OECD 204).

Crustaceans

EC₅₀, 48 hrs., Daphnia Magna: 7 mg/l (mobility).

NOEC, 21 d., Daphnia Magna: 2 mg/l (reproduction, OECD 202).

NOEC, 21 d., Daphnia Magna: 1 mg/l (mobility, OECD 202).

Algae

EC₅₀, 72 hrs., Desmodesmus subspicatus: 5 mg/l (biomass).

EC₅₀, 72 hrs., Desmodesmus subspicatus: 12.5 mg/l (growth rate).

EC₁₀, 72 hrs., Desmodesmus subspicatus: 1.45 mg/l (biomass).

EC₁₀, 72 hrs., Desmodesmus subspicatus: 4.15 mg/l (growth rate).

Etidronic acid CAS: 2809-21-4

The substance is not classified as hazardous for the aquatic environment.

Fish

LC₅₀, 96 hrs., Oncorhynchus mykiss: 195 mg/l (mobility, OECD 204).

NOEC, 14 d., Oncorhynchus mykiss: 60 mg/l (behaviour, loss of equilibrium, OECD 204).

Crustaceans

EC₅₀, 48 hrs., Daphnia Magna: 527 mg/l (mobility, OECD 202).

NOEC, 28 d., Daphnia Magna: 60 mg/l (adult survival and number of pups, EPA 66013-75-009).

Algae

Data for the substance are not available.

12.2. Persistence and degradability

Mixture

Data for the mixture are not available.

Potassium hydroxide CAS: 1310-58-3

Not determined, it is an inorganic substance.

Sodium hydroxide CAS: 1310-73-2

Not determined, it is an inorganic substance.

Disodium metasilicate ES: 229-912-9

Not determined, it is an inorganic substance.

D-Glucopyranose, oligomeric, C10-16 (even numbered) alkyl glycosides CAS: 110615-47-9

Readily biodegradable: 88 % after 28 days (c = 2 mg/I, O_2 consumption, OECD 301 D). Readily biodegradable: 60 % after 28 days (c = 5 mg/I, O_2 consumption, OECD 301 D).

Etidronic acid CAS: 2809-21-4

Not readily biodegradable: BOD5/COD = 23 % (OECD 301 D).

BOD - Biological Oxygen Demand.

COD - Chemical Oxygen Demand.

Page: 28 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Mixture	
Data for the mixture are not available.	
Potassium hydroxide	CAS: 1310-58-3
Not determined, it is an inorganic substance.	
Sodium hydroxide	CAS: 1310-73-2
Not determined, it is an inorganic substance.	
Disodium metasilicate	ES: 229-912-9
Not determined, it is an inorganic substance.	
D-Glucopyranose, oligomeric, C10-16 (even numbered) alkyl glycosides	CAS: 110615-47-9
log Pow ≤ -0.07 (20 °C, calculation).	
Etidronic acid	CAS: 2809-21-4
BCF < 7 (Cyprinus carpio, dose 0.06 mg/l). BCF < 2 (Cyprinus carpio, dose 0.6 mg/l). log Pow = -3.5 (literature).	
12.4. Mobility in soil	
Mixture	
Data for the mixture are not available.	
Potassium hydroxide	CAS: 1310-58-3
Not determined, it is an inorganic substance.	
Sodium hydroxide	CAS: 1310-73-2
Not determined, it is an inorganic substance.	
Disodium metasilicate	ES: 229-912-9
Not determined, it is an inorganic substance.	
D-Glucopyranose, oligomeric, C10-16 (even numbered) alkyl glycosides	CAS: 110615-47-9
log Koc = 1.7 (25 °C).	
Etidronic acid	CAS: 2809-21-4
log Koc = 4.22.	

12.5. Results of PBT and vPvB assessment

Mixture does not contain substance(s) meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH Regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH Regulation.

12.6. Endocrine disrupting properties

Page: 29 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH Regulation. Mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods of the substance or mixture and the contaminated packaging

Dispose according to the applicable European and local regulations (eg. in a hazardous waste incinerator). **Do not empty unused product into drainage systems.** Do not contaminate ponds or ditches with the product or used container. Hand over the residual amounts and solutions to a licensed disposal company. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Possible waste code

07 06 01* - aqueous washing liquids and mother liquors (mixture), 15 01 10* - packaging containing residues of or contaminated by hazardous substances (contaminated packaging), 15 01 02 - plastic packaging (clear packaging)

Physical/chemical properties that may affect waste treatment options

Corrosivity to metals.

Special precautions recommended for waste management

Not known.

Waste legislation

Directive 2008/98/EC on waste and repealing certain Directives, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

UN 3266

14.2. UN proper shipping name

CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide, Sodium hydroxide).

14.3. Transport hazard class(es)

8

14.4. Packing group

ī

14.5. Environmental hazards

It is not dangerous for the environment during transport.

14.6. Special precautions for user

Not given.

14.7. Maritime transport in bulk according to IMO instruments

Page: 30 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Not available.

14.8. Other information

Labeling according to ADR



Additional data for ADR/RID

Classification code C5
Labels 8
Hazard identification code 88

Tunnel restriction code E (ADR), - (RID)

Limited quantities 0

Excepted quantities Not permitted as excepted quantity.

Transport category 1

Additional data for IMDG

Emergency Schedules (EmS) F-A, S-B

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation No. 1907/2006/EC, concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals, as amended (REACH)

Regulation No. 1272/2008/EC, on Classification, Labelling and Packaging of substances and mixtures, as amended (CLP)

Regulation No. 648/2004/EC on detergents, as amended

15.2. Chemical safety assessment

It was not done for the mixture.

SECTION 16: Other information

Reason for the revision of the safety data sheet

Revision of all sections according to Commission Regulation (EU) 2020/878/EC.

Key or legend to abbreviations and acronyms

Acute Tox. 4 Acute toxicity, cat. 4

Eye Dam. 1 Serious eye damage, cat. 1

Eye Irrit. 2 Eye irritation, cat. 2

Flam. Liq. 3 Flammable liquid, cat. 3

Met. Corr. 1 Substance or mixture corrosive to metals, cat. 1

Page: 31 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

Skin Corr. 1A Skin corrosion, cat. 1A
Skin Corr. 1B Skin corrosion, cat. 1B
Skin Irrit. 2 Skin irritation, cat. 2

STOT SE 3 Specific target organ toxicity - single exposure, cat. 3

ADR Accord Dangereuses Route

CLP Regulation No. 1272/2008/EC, on Classification, Labelling and Packaging of subs-

tances and mixtures

DNEL Derived No Effect Level

ICAO/IATA International Air Transport Association
IMDG International Maritime Dangerous Goods
PBT Persistent, bioaccumulative, toxic substance

PNEC Predicted No Effect Concentration

REACH Regulation No. 1907/2006/EC, concerning the Registration, Evaluation, Authorisation

and Restriction of Chemicals

RID Regulation concerning the International Carriage of Dangerous Goods by Rail

STOT Specific target organ toxicity

vPvB Very persistent and very bioaccumulative substance

Sources of key data used to compile the Safety Data Sheet

European legislation, manufacturer's safety data sheet, registration dossier of substances.

List of H- and P- phrases

H226 Flammable liquid and vapour.
 H290 May be corrosive to metals.
 H302 Harmful if swallowed.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
P234 Keep only in original packaging.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

Training advice

Page: 32 z 33

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

CLEAMEN 610

According to SDS.

Other information

Classification according to data from the manufacturer. The mixture is classified using calculation methods according to Regulation CLP and tests. Use only for the purposes designated by the manufacturer, will prevent health and environmental risks.

The information in this SDS was obtained from sources, which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

The safety data sheet is created in accordance with Regulation No. 2020/878/EC. There is no additional information in accordance with the local and national legislation of the Member State in the European Union, in the safety data sheet.

The safety data sheet was created by company LACHEPRA s.r.o.

Page: 33 z 33