

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

Date of issue:

14. 04. 2025

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name

POWER Elegant

UFI code

UFI: JA01-20MD-P009-H8DH

Product code

None.

Mixture description

Water solution.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Washing gel.

Professional use.

Uses advised against

Not known. It is recommended to use it only for the intended use. Other uses may expose users to unpredictable risks.

1.3. Details of the supplier of the safety data sheet

CORMEN s.r.o.

Věchnov 73

593 01

Czech Republic

Tel.: +420 566 550 961

Fax: +420 566 551 822

e-mail address for a competent person responsible for the SDS: info@cormen.cz

1.4. Emergency telephone number

112 (General emergency phone).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture is classified as **hazardous** according to regulation 1272/2008/EC.

Classification according to 1272/2008/EC

Eye Dam. 1; H318

Aquatic Chronic 3; H412

Full text of classifications and H-phrases: see section 16.

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

The most important adverse physical, human health and environmental effects

Causes serious eye damage. Harmful to aquatic life with long lasting effects. May produce an allergic reaction.

2.2. Label elements

Hazard pictograms



Signal word

Danger.

Substances of the mixture to be placed on the label

Contains Alcohols, C12-14, ethoxylated, Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts.

Hazard statements

H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P501 Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. **Dispose of the cleaned packaging without any residual product content in the sorted waste.**

Supplemental hazard information

EUH208 - Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
Composition according to regulation 648/2004/EC on detergents: ≥ 15 - < 30 non-ionic surfactants, ≥ 5 - < 15 anionic surfactants, < 5 % perfumes, phosphonates, optical brighteners, enzymes, preservation agents (METHYLCHLOROISOTHIAZOLINONE AND METHYLISOTHIAZOLINONE).

2.3. Other hazards

Mixture does not contain substance(s) meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH regulation. Mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

3.2. Mixtures

3.2.1. Substances of a mixture classified as hazardous

| Identification of substance | | Content wt. % | Classification according to 1272/2008/EC |
|---|---|---------------|--|
| Alcohols, C12-14, ethoxylated | | | |
| CAS Number | 68439-50-9 | 10 - < 15 | Acute Tox. 4; H302 |
| EC Number | not given | | Eye Dam. 1; H318 |
| Index Number | not given | | Aquatic Chronic 3; H412 |
| Registration Number | is not subject to registration, it is a polymer | | ATE _{oral} = 1 200 mg/kg bw |
| The substance has specific concentration limits: | | | |
| Eye Dam. 1; H318 | C ≥ 10 % | | |
| Eye Irrit. 2; H319 | 1 % ≤ C < 10 % | | |
| Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts | | | |
| CAS Number | 68411-30-3 | 1 - < 10 | Acute Tox. 4; H302 |
| EC Number | 270-115-0 | | Skin Irrit. 2; H315 |
| Index Number | not given | | Eye Dam. 1; H318 |
| Registration Number | 01-2119489428-22-XXXX | | Aquatic Chronic 3; H412 |
| | | | ATE _{oral} = 1 080 mg/kg bw |
| Propan-2-ol; Isopropyl alcohol; Isopropanol | | | |
| CAS Number | 67-63-0 | 1 - < 10 | Flam. Liq. 2; H225 |
| EC Number | 200-661-7 | | Eye Irrit. 2; H319 |
| Index Number | 603-117-00-0 | | STOT SE 3; H336 |
| Registration Number | 01-2119457558-25-XXXX | | |
| | | | |
| Alcohols, C12-15, branched and linear, ethoxylated (≥ 2.5 - < 5 EO) | | | |
| CAS Number | 68131-39-5 | 1 - < 5 | Eye Irrit. 2; H319 |
| EC Number | not given | | Aquatic Acute 1; H400 |
| Index Number | not given | | Aquatic Chronic 3; H412 |
| Registration Number | is not subject to registration, it is a polymer | | M=1 |
| | | | |
| Sodium p-cumenesulphonate | | | |
| CAS Number | 15763-76-5 | 0.5 - < 2.5 | |
| EC Number | 239-854-6 | | Eye Irrit. 2; H319 |
| Index Number | not given | | |
| Registration Number | 01-2119489411-37-XXXX | | |
| | | | |
| Potassium p-cumenesulphonate | | | |
| CAS Number | 164524-02-1 | 0.5 - < 2.5 | |
| EC Number | 629-764-9 | | Eye Irrit. 2; H319 |
| Index Number | not given | | |
| Registration Number | 01-2119489427-24-XXXX | | |
| | | | |
| Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides | | | |

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

| | | | |
|---------------------|-----------------------|-----------|--------------------------------------|
| CAS Number | 308062-28-4 | | Acute Tox. 4; H302 |
| EC Number | 931-292-6 | | Skin Irrit. 2; H315 |
| Index Number | not given | 0.1 - < 1 | Eye Dam. 1; H318 |
| Registration Number | 01-2119490061-47-XXXX | | Aquatic Acute 1; H400 |
| | | | Aquatic Chronic 2; H411 |
| | | | M=1 |
| | | | ATE _{oral} = 1 064 mg/kg bw |

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

| | | | |
|---------------------|-------------------|----------|---|
| CAS Number | 55965-84-9 | | Acute Tox. 3; H301 |
| EC Number | not given | | Acute Tox. 2; H310 |
| Index Number | 613-167-00-5 | < 0.0015 | Skin Corr. 1C; H314 |
| Registration Number | not yet available | | Eye Dam. 1; H318 |
| | | | Skin Sens. 1A; H317 |
| | | | Acute Tox. 2; H330 |
| | | | Aquatic Acute 1; H400 |
| | | | Aquatic Chronic 1; H410 |
| | | | EUH071 |
| | | | M=100 |
| | | | M(Chronic)=100 |
| | | | ATE _{oral} = 66 mg/kg bw |
| | | | ATE _{dermal} = 87 mg/kg bw |
| | | | ATE _{inhalation} = 0.17 mg/L (aerosol) |

The substance has specific concentration limits:

| | |
|---------------------|--------------------|
| Skin Corr. 1C; H314 | C ≥ 0.6 % |
| Eye Dam. 1; H318 | C ≥ 0.6 % |
| Skin Irrit. 2; H315 | 0.06 % ≤ C < 0.6 % |
| Eye Irrit. 2; H319 | 0.06 % ≤ C < 0.6 % |
| Skin Sens. 1A; H317 | C ≥ 0.0015 % |

Full text of classifications and H-phrases: see section 16.

SECTION 4: First aid measures

In all cases keep the victim at physical and mental rest and warm. In case of doubt or if symptoms persist, seek medical attention. Never give anything by mouth if victim is rapidly losing consciousness, unconscious or convulsing. Protect yourself during rescue work.

4.1. Description of first aid measures

Inhalation

Interrupt the exposure, move the person to the fresh air. In case of persistent nausea, seek medical advice.

Skin contact

Remove contaminated clothing, shoes, and wash affected skin thoroughly with water (preferably lukewarm) and soap. Do not use solvents or thinners. If the problem persists, seek medical advice.

Eye contact

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

Rinse with a gentle stream of water for at least 15 minutes. Keep your eyelids wide open with your thumb and forefinger. If the affected person is wearing contact lenses, remove them before rinsing eyes if it is easy. Seek medical advice.

Ingestion

Rinse your mouth and then drink plenty of water. Do not induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Are not known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Small fire:

Carbon dioxide CO₂, dry extinguishing agent, sand or earth, alcohol-resistant foam.

Extensive fire:

Framgmented water streams (water mist), alcohol-resistant foam.

Unsuitable extinguishing media

Solid streams of water may be ineffective.

5.2. Special hazards arising from the substance or mixture

In case of fire extinguishing prevent leakage of water and rest of product into drains. Collect them separately and dispose of safely in accordance with current legislation and applicable local regulations.

In case of fires, hazardous combustion gases are formed: carbon oxides, sulphur oxides, hydrogen sulphide, nitrogen oxides, ammonia, chlorine oxides, hydrogen chloride and products of incomplete combustion.

5.3. Advice for firefighters

Stop further leakage of product if possible. Spilled product, which does not burn, cover with sand or foam. Move containers and barrels away from the fire to a safe place, if possible. Cool all affected containers down with flooding quantities of water. If the fire can't be extinguished - evacuate the premises.

In case of fire, wear suitable respiratory protective equipment and fire-fighting suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes, use suitable protective equipment and clothing, see Section 8. Ensure adequate ventilation. Avoid formation of vapour and aerosol. At the point of leakage, prevent the movement of unauthorized persons.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. If this cannot be avoided, inform the competent authorities (police and firefighters) immediately.

6.3. Methods and material for containment and cleaning up

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

According to the amount of spilled liquid, drain away the substance (large spillage) or in case of small spillage, absorb it with suitable absorbent (vermiculite, dry sand), put into labelled closed containers and dispose of them accordingly to Section 13. Flush residues with water and collect it for waste disposal. Do not use solvents or dispersants unless instructed by an expert or government authority.

If container is damaged, remove the content to the new undamaged container and label it properly again.

6.4. Reference to other sections

Refer also to the provisions of sections 7, 8 and 13 of this safety data sheet.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Personal protection see Section 8. Ensure good ventilation to prevent formation of vapor and aerosol.

Smoking, eating and drinking should be prohibited at the place of use. Keep safety regulations for handling chemicals. Take off contaminated clothing and protective equipment before entering the dining area. Do not use dirty clothing. After work wash yourself carefully with warm water and soap, take a shower. Use protective cream.

7.2. Conditions for safe storage, including any incompatibilities

Store in original, tightly closed containers, in a dry, cool and well-ventilated place at room temperature.

Protect from frost.

Do not store together with incompatible materials (see subsection 10.5), food, drink and feed.

7.3. Specific end use(s)

See subsection 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure limit value

Not determined.

8.1.2. Biological limit values

Not determined in EU.

8.1.3. DNEL and PNEC values

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

CAS: 68411-30-3

DNEL

| Area of use | Route of exposure | Effect | Exposure time | Value |
|--------------------|-------------------|-----------------|---------------|-----------------------|
| Workers | Inhalation | Systemic effect | Long term | 7.6 mg/m ³ |
| Workers | Dermal | Systemic effect | Long term | 119 mg/kg/day |
| General population | Inhalation | Systemic effect | Long term | 1.3 mg/m ³ |
| General population | Dermal | Systemic effect | Long term | 42.5 mg/kg/day |
| General population | Oral | Systemic effect | Long term | 0.425 mg/kg/day |

PNEC

Fresh water

Marine water

Intermittent releases

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

| | | | | |
|-------------------------------------|-------------------------|-----------------------|------------------|------------------------------|
| | | Fresh water | Marine water | Sewage Treatment Plant (STP) |
| 0.268 mg/l | 0.027 mg/l | 0.017 mg/l | not given | 3.43 mg/l |
| PNEC | | | | |
| Sediment (freshwater) | Sediment (marine water) | Air | Soil | Hazard for predators |
| 8.1 mg/l | 6.8 mg/kg | no effect | 35 mg/kg | no effect |
| Propan-2-ol | | | | CAS: 67-63-0 |
| DNEL | | | | |
| Area of use | Route of exposure | Effect | Exposure time | Value |
| Workers | Inhalation | Systemic effect | Long term | 500 mg/m ³ |
| Workers | Inhalation | Systemic effect | Acute/Short term | 1 000 mg/m ³ |
| Workers | Dermal | Systemic effect | Long term | 888 mg/kg/day |
| General population | Inhalation | Systemic effect | Long term | 89 mg/m ³ |
| General population | Inhalation | Systemic effect | Acute/Short term | 178 mg/m ³ |
| General population | Dermal | Systemic effect | Long term | 319 mg/kg/day |
| General population | Oral | Systemic effect | Long term | 26 mg/kg/day |
| General population | Oral | Systemic effect | Acute/Short term | 51 mg/kg/day |
| PNEC - not available | | | | |
| Sodium p-cumenesulphonate | | | | CAS: 15763-76-5 |
| DNEL | | | | |
| Area of use | Route of exposure | Effect | Exposure time | Value |
| Workers | Inhalation | Systemic effect | Long term | 37.4 mg/m ³ |
| Workers | Dermal | Systemic effect | Long term | 191 mg/kg/day |
| Workers | Dermal | Local effect | Long term | 0.096 mg/cm ² |
| General population | Inhalation | Systemic effect | Long term | 6.6 mg/m ³ |
| General population | Dermal | Systemic effect | Long term | 68.1 mg/kg/day |
| General population | Dermal | Local effect | Long term | 0.048 mg/cm ² |
| General population | Oral | Systemic effect | Long term | 3.8 mg/kg/day |
| PNEC | | | | |
| Fresh water | Marine water | Intermittent releases | | Sewage Treatment Plant (STP) |
| | | Fresh water | Marine water | |
| 0.1 mg/l | 0.01 mg/l | 1 mg/l | not given | 100 mg/l |
| PNEC | | | | |
| Sediment (freshwater) | Sediment (marine water) | Air | Soil | Hazard for predators |
| 0.372 mg/kg | 0.037 mg/kg | no effect | 0.016 mg/kg | no effect |
| Potassium p-cumenesulphonate | | | | CAS: 164524-02-1 |

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

| | | | | |
|--|-------------------------|-----------------------|---------------|------------------------------|
| DNEL | | | | |
| Area of use | Route of exposure | Effect | Exposure time | Value |
| Workers | Inhalation | Systemic effect | Long term | 37.4 mg/m ³ |
| Workers | Dermal | Systemic effect | Long term | 191 mg/kg/day |
| Workers | Dermal | Local effect | Long term | 0.096 mg/cm ² |
| General population | Inhalation | Systemic effect | Long term | 6.6 mg/m ³ |
| General population | Dermal | Systemic effect | Long term | 68.1 mg/kg/day |
| General population | Dermal | Local effect | Long term | 0.048 mg/cm ² |
| General population | Oral | Systemic effect | Long term | 3.8 mg/kg/day |
| PNEC | | | | |
| Fresh water | Marine water | Intermittent releases | | Sewage Treatment Plant (STP) |
| | | Fresh water | Marine water | |
| 0.1 mg/l | 0.01 mg/l | 1 mg/l | not given | 100 mg/l |
| PNEC | | | | |
| Sediment (freshwater) | Sediment (marine water) | Air | Soil | Hazard for predators |
| 0.372 mg/kg | 0.037 mg/kg | no effect | 0.016 mg/kg | no effect |
| Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides | | | | CAS: 308062-28-4 |
| DNEL | | | | |
| Area of use | Route of exposure | Effect | Exposure time | Value |
| Workers | Inhalation | Systemic effect | Long term | 8.68 mg/m ³ |
| Workers | Dermal | Systemic effect | Long term | 15.4 mg/kg/day |
| General population | Inhalation | Systemic effect | Long term | 1.53 mg/m ³ |
| General population | Dermal | Systemic effect | Long term | 5.5 mg/kg/day |
| General population | Oral | Systemic effect | Long term | 0.44 mg/kg/day |
| PNEC | | | | |
| Fresh water | Marine water | Intermittent releases | | Sewage Treatment Plant (STP) |
| | | Fresh water | Marine water | |
| 33.5 µg/l | 3.35 µg/l | 33.5 µg/l | 3.35 µg/l | 24 mg/l |
| PNEC | | | | |
| Sediment (freshwater) | Sediment (marine water) | Air | Soil | Hazard for predators |
| 11.8 mg/kg | 1.18 mg/kg | no effect | 2.34 mg/kg | 11.1 mg/kg food |
| 8.2. Exposure controls | | | | |
| 8.2.1. Appropriate engineering controls | | | | |
| Use only in well-ventilated areas. | | | | |
| Observe usual safety precautions for working with chemicals. The degree of effectiveness of personal protective equipment depends on temperature and ventilation levels. | | | | |

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

8.2.2. Individual protection measures, such as personal protective equipment

Do not eat, drink or smoke. After work, wash thoroughly with warm water and soap and take a shower. Use protective cream. Do not soiled protective equipment to wash, do not use solvents.

Eye/face protection

Wear safety glasses or face shield (EN 166, EN 149+A1).

Skin protection - hand protection

Wear protective gloves (EN 374-1, EN 374-2).

The selection of the glove material on consideration of the breakthrough time, permeability, degradation and next relevant factors; other chemicals that may come into contact, physical requirements (cut and puncture protection, dexterity, thermal protection), possible body reactions to the glove material and the glove supplier's instructions and specifications. In case of repeated use of gloves, clean and keep them in a well-ventilated place before taking off.

Skin protection - other

Suitable protective working clothing and protective footwear.

Respiratory protection

Not necessary in case of compliance concentration limits (if they were exceeded, use respiratory protection). In the event of an accident or a fire use self-contained breathing apparatus.

Thermal hazards

In normal use is not necessary protective equipment to be worn for materials that represent a thermal hazard.

8.2.3. Environmental exposure controls

Uncontrolled release of the mixture into environment is to be avoided. Keep the emission limits according to national legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Mixture

| | |
|---|---|
| Physical state | Liquid. |
| Colour | Yellowish. |
| Odour | Not determined. |
| Melting point/freezing point | Not determined. |
| Boiling point or initial boiling point and boiling range | Not determined. |
| Flammability | Not determined. |
| Lower explosion limit | Not determined. |
| Upper explosion limit | Not determined. |
| Flash point | 49 °C (ČSN EN ISO 2719). |
| Auto-ignition temperature | Not determined. |
| Decomposition temperature | Not determined, the mixture does not contain self-reactive substances or organic peroxides or other substances which may decompose. |
| pH | 6 - 8. |

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

| | |
|---|---|
| Kinematic viscosity | Not determined, the mixture does not contain a substance classified as aspiration toxic, or the sum of the concentrations of substances classified as aspiration toxic is less than 10 wt. %. |
| Solubility | Fully miscible. |
| Partition coefficient n-octanol/water (log value) | Does not apply to mixture. |
| Vapour pressure | Not determined. |
| Density and/or relative density | 1.0113 g/cm ³ . |
| Relative vapour density | Not determined. |
| Particle characteristics | Does not apply to liquid. |
| Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts CAS: 68411-30-3 | |
| Physical state | Solid. |
| Colour | Not determined. |
| Odour | Not determined. |
| Melting point/freezing point | > 350 °C (ISO 1218) |
| Boiling point or initial boiling point and boiling range | > 400 °C (ASTM E 737-76) |
| Flammability | The substance is not classified as flammable (EU method A.10) |
| Lower explosion limit | Does not apply to solid. |
| Upper explosion limit | Does not apply to solid. |
| Flash point | Does not apply to solid. |
| Auto-ignition temperature | Does not apply to solid. |
| Decomposition temperature | Not determined, it is not a self-reactive substance or an organic peroxide or a substance that may decompose. |
| pH | Not determined. |
| Kinematic viscosity | Does not apply to solid. |
| Solubility | 250 g/l (20 °C) |
| Partition coefficient n-octanol/water (log value) | 1.4 (23 °C, pH = 6.1, OECD 123) |
| Vapour pressure | Not determined, the substance has melting point higher than 300 °C. |
| Density and/or relative density | D ₄ ²⁰ = 0.776 (OECD 109). |
| Relative vapour density | Does not apply to solid. |
| Particle characteristics | Not determined. |
| Propan-2-ol CAS: 67-63-0 | |
| Physical state | Liquid. |
| Colour | Colorless. |
| Odour | Not determined. |

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

| | |
|---|---|
| Melting point/freezing point | -88.5 °C (literature). |
| Boiling point or initial boiling point and boiling range | 82.3 °C (literature). |
| Flammability | Highly flammable liquid. |
| Lower explosion limit | 2 vol. % (literature). |
| Upper explosion limit | 13 vol. % (literature). |
| Flash point | 11.7 °C (literature). |
| Auto-ignition temperature | 399 - 455.6 °C (literature). |
| Decomposition temperature | Not determined, it is not a self-reactive substance or an organic peroxide or a substance that may decompose. |
| pH | Not determined. |
| Kinematic viscosity | Not determined, it is not a hydrocarbon or a chlorinated hydrocarbon. |
| Solubility | Miscible with water. |
| Partition coefficient n-octanol/water (log value) | log Pow = 0.05 (25 °C, literature). |
| Vapour pressure | Not determined. |
| Density and/or relative density | 785.5 kg/m ³ (20 °C, literature). |
| Relative vapour density | Not determined. |
| Particle characteristics | Does not apply to liquid. |
| Sodium p-cumenesulphonate CAS: 15763-76-5 | |
| Physical state | Solid. |
| Colour | White. |
| Odour | Odourless. |
| Melting point/freezing point | > 350 °C (ISO 1218). |
| Boiling point or initial boiling point and boiling range | Not determined, the substance has a melting point higher than 300 °C. |
| Flammability | The substance is not classified as flammable (EU method A.10). |
| Lower explosion limit | Does not apply to solid. |
| Upper explosion limit | Does not apply to solid. |
| Flash point | Does not apply to solid. |
| Auto-ignition temperature | Not determined, the heating temperature of the substance is higher than 400 °C (EU method A.16). |
| Decomposition temperature | Not determined, it is not a self-reactive substance or an organic peroxide or a substance that may decompose. |
| pH | Not determined. |
| Kinematic viscosity | Does not apply to solid. |

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

| | |
|---|--|
| Solubility | 493 g/l (20 °C, pH = 6 - 7, ASTM E 1148-02). |
| Partition coefficient n-octanol/water (log value) | log Pow = - 1.1 (23 °C, pH = 6.9 - 7.2, OECD 107). |
| Vapour pressure | Not determined, the substance has melting point higher than 300 °C. |
| Density and/or relative density | ca. 0.61 g/cm ³ (22 °C, OECD 109). |
| Relative vapour density | Does not apply to solid. |
| Particle characteristics | < 1 µm, 0 % (ISO 13320-1). < 4 µm, 0.8 % (ISO 13320-1). < 100 µm, 60.6 % (ISO 13320-1). < 400 µm, 99.1 % (ISO 13320-1). |
| Potassium p-cumenesulphonate CAS: 164524-02-1 | |
| Physical state | Solid. |
| Colour | White. |
| Odour | Odourless. |
| Melting point/freezing point | > 400 °C (ASTM E 737-76). |
| Boiling point or initial boiling point and boiling range | Not determined, the substance has a melting point higher than 300 °C. |
| Flammability | The substance is not classified as flammable (EU method A.10). |
| Lower explosion limit | Does not apply to solid. |
| Upper explosion limit | Does not apply to solid. |
| Flash point | Does not apply to solid. |
| Auto-ignition temperature | Not determined, the heating temperature of the substance is higher than 400 °C (EU method A.16). |
| Decomposition temperature | Not determined, it is not a self-reactive substance or an organic peroxide or a substance that may decompose. |
| pH | Not determined. |
| Kinematic viscosity | Does not apply to solid. |
| Solubility | 499 g/l (20 °C, pH = 6 - 7, ASTM E 1148-02). |
| Partition coefficient n-octanol/water (log value) | log Pow = - 1.4 (22 °C, pH = 6, OECD 107). |
| Vapour pressure | Not determined, the substance has melting point higher than 300 °C. |
| Density and/or relative density | 0.584 g/cm ³ (22 °C, OECD 109). |
| Relative vapour density | Does not apply to solid. |
| Particle characteristics | Not determined. |
| Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides CAS: 308062-28-4 | |
| Physical state | Solid. |
| Colour | White. |

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

| | |
|---|---|
| Odour | Not determined. |
| Melting point/freezing point | 125 - 134 °C (literature). |
| Boiling point or initial boiling point and boiling range | Not determined. |
| Flammability | The substance is not classified as flammable (EU method A.10). |
| Lower explosion limit | Does not apply to solid. |
| Upper explosion limit | Does not apply to solid. |
| Flash point | Does not apply to solid. |
| Auto-ignition temperature | Does not apply to solid. |
| Decomposition temperature | Not determined, it is not a self-reactive substance or an organic peroxide or a substance that may decompose. |
| pH | Not determined. |
| Kinematic viscosity | Does not apply to solid. |
| Solubility | 409.5 g/l (literature). |
| Partition coefficient n-octanol/water (log value) | log Pow = 1.85 (C12, calculation). log Pow = 2.69 (C14, calculation). |
| Vapour pressure | ca. 0 Pa (25 °C, calculation). |
| Density and/or relative density | $D_4^{23} = 0.716$ (EU method A.3). |
| Relative vapour density | Does not apply to solid. |
| Particle characteristics | Not determined. |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Mixture

Explosives

Data for the mixture are not available.

The mixture does not contain substances classified as explosives or oxidising, or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

The mixture is not classified as a flammable liquid according to the negative result of the sustained burning test according to ČSN EN ISO 9038.

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

Flammable solids

It is not solid.

Self-reactive substances and mixtures

Data for the mixture are not available.

The mixture does not contain substances classified as self-reactive substances or explosives or organic peroxides or oxidising, or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Pyrophoric liquids

Data for the mixture are not available.

The mixture does not contain substances classified as pyrophoric liquids or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Pyrophoric solids

It is not solid.

Self-heating substances and mixtures

Data for the mixture are not available.

The mixture does not contain substances classified as self-heating or pyrophoric substances or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Substances and mixtures, which emit flammable gases in contact with water

Data for the mixture are not available.

The mixture does not contain substances classified as substances, which emit flammable gases in contact with water or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Oxidising liquids

Data for the mixture are not available.

The mixture does not contain substances classified as oxidising liquids or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Oxidizing solids

It is not solid.

Organic peroxides

Data for the mixture are not available.

The mixture does not contain substances classified as organic peroxides or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Corrosive to metals

Data for the mixture are not available.

The mixture does not contain substances classified as corrosive to metals or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Desensitised explosives

Data for the mixture are not available.

The mixture does not contain substances classified as explosives or desensitised explosives, or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

CAS: 68411-30-3

Explosives

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

It is not liquid.

Flammable solids

The substance is not classified as flammable solid (EU method A.10).

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

It is not liquid.

Pyrophoric solids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

Data for the substance are not available.

The substance is soluble in water and forms a stable mixture with it.

Oxidising liquids

It is not liquid.

Oxidizing solids

Data for the substance are not available.

It is an organic substance does not contain chemical groups associated with oxidising properties.

Organic peroxides

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

Data for the substance are not available.

The substance is not classified as corrosive to metal.

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Propan-2-ol

CAS: 67-63-0

Explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Pure propan-2-ol is autoxidated by air and light to form an explosive cyclic triacetone triperoxide, which settles to the bottom of the vessel as a white sediment. In the event of such a finding, the container must be handled immediately and pyrotechnics called.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

The substance is classified as flammable liquid category 2 according to the value of the flash point and boiling point.

Flammable solids

It is not solid.

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Pyrophoric solids

It is not solid.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

Data for the substance are not available.

The chemical structure of the substance does not contain metals or metalloids.

The substance is miscible with water and forms a stable mixture with it.

Oxidising liquids

Data for the substance are not available.

It is an organic substance that does not contain oxygen, fluorine or chlorine, or these elements are chemically bounded only to carbon or hydrogen.

Oxidizing solids

It is not solid.

Organic peroxides

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

Data for the substance are not available.

The substance is not classified as corrosive to metal.

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Sodium p-cumenesulphonate

CAS: 15763-76-5

Explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Flammable gases

It is not gas.

Aerosols

It is not an aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

It is not liquid.

Flammable solids

The substance is classified as flammable solid (EU method A.10).

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

It is not liquid.

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

Pyrophoric solids

Data for the substance are not available.
The substance is stable in air, there is no spontaneous ignition.

Self-heating substances and mixtures

Data for the substance are not available.
The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

Data for the substance are not available.
The substance is soluble in water and forms a stable mixture with it.

Oxidising liquids

It is not liquid.

Oxidizing solids

Data for the substance are not available.
It is an organic substance does not contain chemical groups associated with oxidising properties.

Organic peroxides

Data for the substance are not available.
The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

Data for the substance are not available.
The substance is not classified as corrosive to metal.

Desensitised explosives

Data for the substance are not available.
The substance does not contain chemical groups associated with explosive properties.

Potassium p-cumenesulphonate

CAS: 164524-02-1

Explosives

Data for the substance are not available.
The substance does not contain chemical groups associated with explosive properties.

Flammable gases

It is not gas.

Aerosols

It is not an aerosol.

Oxidising gases

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

It is not liquid.

Flammable solids

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

The substance is classified as flammable solid (EU method A.10).

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

It is not liquid.

Pyrophoric solids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

Data for the substance are not available.

The substance is soluble in water and forms a stable mixture with it.

Oxidising liquids

It is not liquid.

Oxidizing solids

Data for the substance are not available.

It is an organic substance does not contain chemical groups associated with oxidising properties.

Organic peroxides

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

Data for the substance are not available.

The substance is not classified as corrosive to metal.

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides

CAS: 308062-28-4

Explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Flammable gases

It is not gas.

Aerosols

It is not aerosol.

Oxidising gases

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

It is not gas.

Gases under pressure

It is not gas.

Flammable liquids

It is not liquid.

Flammable solids

The substance is not classified as flammable solid (EU method A.10).

Self-reactive substances and mixtures

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

Pyrophoric liquids

It is not liquid.

Pyrophoric solids

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

Self-heating substances and mixtures

Data for the substance are not available.

The substance is not classified as self-heating.

Substances and mixtures, which emit flammable gases in contact with water

Data for the substance are not available.

The chemical structure of the substance does not contain metals or metalloids.

The substance is soluble in water and forms a stable mixture with it.

Oxidising liquids

It is not liquid.

Oxidizing solids

Data for the substance are not available.

It is an organic substance that does not contain oxygen, fluorine or chlorine, or these elements are chemically bounded only to carbon or hydrogen.

Organic peroxides

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

Corrosive to metals

Data for the substance are not available.

The substance is not classified as corrosive to metal.

Desensitised explosives

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

9.2.2. Other safety characteristics

Mechanical sensitivity

Not determined, it is not an explosive substance.

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

| | |
|---|---|
| Self-accelerating polymerisation temperature | Not determined, it is not a polymerising substance. |
| Formation of explosible dust/air mixtures | Not determined, it is not a dust. |
| Acid/alkaline reserve | Not determined, pH is in the range 4 - 10. |
| Evaporation rate | Not determined. |
| Miscibility | Not determined. |
| Conductivity | Not determined. |
| Corrosiveness | Not determined. |
| Gas group | Not determined, it is not gas. |
| Redox potential | Not determined. |
| Radical formation potential | Not determined. |
| Photocatalytic properties | Not determined. |

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is stable under normal conditions of use. There aren't any hazardous reaction.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions aren't known under normal conditions of use.

10.4. Conditions to avoid

Protect from temperatures below 0 °C.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

They do not form under normal use. Burning releases carbon oxides, sulphur oxides, hydrogen sulphide, nitrogen oxides, ammonia, chlorine oxides, hydrogen chloride and products of incomplete combustion.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture

Acute toxicity

The mixture is not classified as toxic for all routes of exposure.

Oral

Data for the mixture are not available.

The mixture is not classified by the additive formula.

ATE_{mixture} > 2 836 mg/kg bw.

Dermal

Data for the mixture are not available.

The mixture does not contain relevant substances classified as an acute toxicity by dermal route of exposure or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

Inhalation Data for the mixture are not available.
The mixture does not contain relevant substances classified as an acute toxicity by inhalation route of exposure or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Skin corrosion/irritation

Data for the mixture are not available.
The mixture is not classified as skin irritant based on the general/specific concentration limits of substance(s).

Serious eye damage/irritation

Data for the mixture are not available.
The mixture is classified as causes serious eye damage based on the general/specific concentration limits of substance(s).

Respiratory or skin sensitisation

Data for the mixture are not available.
The mixture is not classified as a skin sensitizing according to the general/specific concentration limits of substance(s).
EUH208 - Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Germ cell mutagenicity

Data for the mixture are not available.
The mixture does not contain substances classified as mutagenicity or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Carcinogenicity

Data for the mixture are not available.
The mixture does not contain substances classified as carcinogenicity or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Reproductive toxicity

Data for the mixture are not available.
The mixture does not contain substances classified as toxic for reproduction or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

STOT – single exposure

Data for the mixture are not available.
The mixture is not classified as toxic for specific target organs in a single exposure in category 3 according to the recommended concentration limits of substance(s).

STOT – repeated exposure

Data for the mixture are not available.
The mixture does not contain relevant substances classified as toxic for specific target organs in a repeated exposure or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Aspiration hazard

Data for the mixture are not available.
The mixture does not contain substances classified as aspiration hazard or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

Other information

See sections 2 and 4.

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

| | | |
|--|--|-----------------|
| Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts | | CAS: 68411-30-3 |
| Acute toxicity | | |
| Oral | The substance is classified in category 4. LD ₅₀ = 1 080 mg/kg bw (rat, female, OECD 401). | |
| Dermal | Based on available data, the classification criteria are not met. LD ₅₀ > 2 000 mg/kg bw (rabbit, OECD 402). | |
| Inhalation | Data for the substance are not available. | |
| Skin corrosion/irritation | | |
| The substance is classified as skin irritant. Primary dermal irritation index PDII = 2.17 (max. 4, not fully reversible after 14 days) (rabbit, 72 hrs., OECD 404). | | |
| Serious eye damage/irritation | | |
| The substance is classified as seriously damaging to the eyes. Overall irritation score = 1.75 (max. 4, not rinsed, not fully reversible after 14 days), 1 (max. 3, rinse after 4 seconds, reversible after 7 days), 1.06 (max. 2, rinse after 30 seconds, reversible after 14 days) (rabbit, 72 hrs., OECD 405). | | |
| Respiratory or skin sensitisation | | |
| Based on available data, the classification criteria are not met. Not skin sensitising (guinea pig, OECD 406). | | |
| Germ cell mutagenicity | | |
| Based on available data, the classification criteria are not met. Negative (OECD 471, OECD 473, OECD 476). | | |
| Carcinogenicity | | |
| Data for the substance are not available. | | |
| Reproductive toxicity | | |
| Based on available data, the classification criteria are not met. NOAEL = 350 mg/kg/day (rat, oral, generation P0, literature). NOAEL = 350 mg/kg/day (rat, oral, generation F1, literature). NOAEL = 350 mg/kg/day (rat, oral, generation F2, literature). | | |
| STOT – single exposure | | |
| Data for the substance are not available. | | |
| STOT – repeated exposure | | |
| Based on available data, the classification criteria are not met. NOAEL = 85 mg/kg/day (rat, oral, literature). LOAEL = 300 mg/kg/day (rat, oral, literature). | | |
| Aspiration hazard | | |
| The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm ² /s or less at 40 °C. | | |
| Propan-2-ol | | CAS: 67-63-0 |
| Acute toxicity | | |

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

| | |
|-------------------|--|
| Oral | Based on available data, the classification criteria are not met. LD ₅₀ = 5 840 mg/kg bw (rat, OECD 401). |
| Dermal | Based on available data, the classification criteria are not met. LD ₅₀ = 16.4 ml/kg bw (12 792 mg/kg bw at a density of 0.78 g/cm ³ , rabbit, OECD 402). |
| Inhalation | Based on available data, the classification criteria are not met. LC ₅₀ > 10 000 ppm (vapour, 6 h, OECD 403). |

Skin corrosion/irritation

Based on available data, the classification criteria are not met.
Mean erythema score = 0 and oedema = 0 (rabbit, OECD 404).

Serious eye damage/irritation

The substance is classified as eye irritant.
Total mean irritation score = 1.89 (rabbit, 72 h, OECD 405).

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.
Not skin sensitising (guinea pig, OECD 406).

Germ cell mutagenicity

Based on available data, the classification criteria are not met.
Negative (OECD 471, OECD 476).

Carcinogenicity

Based on available data, the classification criteria are not met.
NOAEL = 5 000 ppm (testicular tumors, rat, male, vapour, OECD 451).

Reproductive toxicity

Based on available data, the classification criteria are not met.
NOAEL = 853 mg/kg/day (rat, oral, generation P0, OECD 415).

STOT – single exposure

The substance may cause drowsiness or dizziness.

STOT – repeated exposure

Based on available data, the classification criteria are not met.
NOEC = 500 ppm (specific toxic effect, rat, vapour, 104 weeks, OECD 451).
NOAEC = 5 000 ppm (specific exposure-related adverse reaction, rat, vapour, 104 weeks, OECD 451).
NOEC = 5 000 ppm (effects of oncogenicity, rat, vapour, 104 weeks, OECD 451).

Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

Sodium p-cumenesulphonate

CAS: 15763-76-5

Acute toxicity

| | |
|---------------|--|
| Oral | Based on available data, the classification criteria are not met. LD ₅₀ > 7 000 mg/kg bw (rat, OECD 401). |
| Dermal | Based on available data, the classification criteria are not met. LD ₅₀ > 2 000 mg/kg bw (rabbit, OECD 402). |

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

Inhalation Data for the substance are not available.
Based on available data, the classification criteria are not met.
LC₅₀ > 6.41 mg/l (rat, aerosol, 232 min., no death is observed, OECD 403).

Skin corrosion/irritation

Based on available data, the classification criteria are not met.
Mean erythema score = 0 and oedema = 0 (rabbit, 72 hrs., OECD 404).

Serious eye damage/irritation

The substance is classified as eye irritant.
Mean score of corneal opacity = 1 (fully reversible after 14 days), iritis = 0.44 (fully reversible after 72 hours), conjunctival redness = 0.94 (fully reversible after 6 days), conjunctival oedema = 0.33 (fully reversible after 72 hours) (rabbit, 72 hrs., OECD 405).

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.
Not skin sensitising (guinea pig, OECD 406).

Germ cell mutagenicity

Based on available data, the classification criteria are not met.
Negative (EPA OTS 798.5265, EPA OPPTS 870.5375, EPA OPPTS 870.5300, EPA OPPTS 870.5900).

Carcinogenicity

Based on available data, the classification criteria are not met.
NOAEL ≥ 727 mg/kg/day (mouse, dermal, OECD 453).

Reproductive toxicity

Data for the substance are not available.

STOT – single exposure

Data for the substance are not available.

STOT – repeated exposure

Based on available data, the classification criteria are not met.
NOAEL > 763 - < 3 534 mg/kg/day (rat, oral, 90 days, OECD 408).

Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

Potassium p-cumenesulphonate

CAS: 164524-02-1

Acute toxicity

Oral Based on available data, the classification criteria are not met.
LD₅₀ > 7 000 mg/kg bw (rat, OECD 423).

Dermal Based on available data, the classification criteria are not met.
LD₅₀ > 2 000 mg/kg bw (rabbit, OECD 402).

Inhalation Data for the substance are not available.
Based on available data, the classification criteria are not met.
LC₅₀ > 6.41 mg/l (rat, aerosol, no death is observed, OECD 403).

Skin corrosion/irritation

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

Based on available data, the classification criteria are not met.

Mean erythema score = 0 and oedema = 0 (rabbit, 72 hrs., OECD 404).

Serious eye damage/irritation

The substance is classified as eye irritant.

Mean score of corneal opacity = 0.66 (fully reversible after 7 days), iritis = 0.33 (fully reversible after 7 days), conjunctival redness = 2; 2; 1.66 (fully reversible after 7 days), conjunctival oedema = 1; 0.66; 0.66 (fully reversible after 7 days) (rabbit, 72 hrs., OECD 405).

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Not skin sensitising (guinea pig, OECD 406).

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Negative (OECD 471, OECD 473, OECD 476).

Carcinogenicity

Based on available data, the classification criteria are not met.

NOAEL \geq 727 mg/kg/day (mouse, dermal, OECD 453).

Reproductive toxicity

Data for the substance are not available.

STOT – single exposure

Data for the substance are not available.

STOT – repeated exposure

Based on available data, the classification criteria are not met.

NOAEL = 1 200 mg/kg/day (rat, oral, 90 days, OECD 408).

Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides

CAS: 308062-28-4

Acute toxicity

Oral

The substance is classified in category 4.

LD₅₀ = 1 064 mg/kg bw (rat, OECD 401).

Dermal

Based on available data, the classification criteria are not met.

LD₅₀ > 2 000 mg/kg bw (rabbit, OECD 402).

Inhalation

Data for the substance are not available.

Skin corrosion/irritation

The substance is classified as skin irritant.

Primary dermal irritation index PDII = 4 (max. 8, not fully reversible after 72 hours), mean erythema score = 4 (not fully reversible after 72 hours), mean oedema score = 0 (rabbit, 72 hrs., OECD 404).

Serious eye damage/irritation

The substance is classified as seriously damaging to the eyes.

Not reversible effect on eyes after 35 days (rabbit, 72 hrs., OECD 405).

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.
Not skin sensitising (guinea pig, OECD 406).

Germ cell mutagenicity

Based on available data, the classification criteria are not met.
Negative (OECD 471, EU method B.17).

Carcinogenicity

Based on available data, the classification criteria are not met.
NOEL = 0.2 % in food (rat, oral, OECD 451).

Reproductive toxicity

Based on available data, the classification criteria are not met.
NOAEL = 100 mg/kg/day (reproductive and development toxicity, rat, oral, generation P0, OECD 422).

STOT – single exposure

Data for the substance are not available.

STOT – repeated exposure

Based on available data, the classification criteria are not met.
NOAEL = 88 mg/kg/day (rat, oral, 90 days, OECD 408).

Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm²/s or less at 40 °C.

11.2. Information on other hazards

Mixture does not contain substance(s) meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet and given in the list (established in accordance with Article 59(1) for having endocrine disrupting properties of REACH regulation.

Mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. There is no other relevant information on adverse health effects that is not required according to the classification criteria set out in CLP Regulation.

SECTION 12: Ecological information

12.1. Toxicity

Mixture

Data for the mixture are not available.

Acute aquatic toxicity

The mixture is not classified as acute aquatic toxicity based on calculation according to the summation method.

category 1

$\Sigma < 6.15$

Chronic aquatic toxicity

The mixture is classified as Aquatic Chronic 3; H412 based on calculation according to the summation method.

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

| category | 1 | 2 | 3 | 4 |
|--|--------|-------|------|------------------|
| Σ | < 0.15 | < 1.5 | < 45 | not relevant |
| Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts | | | | CAS: 68411-30-3 |
| The substance is classified as Aquatic Chronic 3; H412. | | | | |
| Fish | | | | |
| LC ₅₀ , 96 hrs., Lepomis macrochirus: 1.67 mg/l (mortality). NOEC, 28 d., Oncorhynchus mykiss: 0.23 mg/l (mortality, OECD 210). | | | | |
| Crustaceans | | | | |
| EC ₅₀ , 48 hrs., Daphnia Magna: 2.9 mg/l (mobility, OECD 202). NOEC, 21 d., Daphnia Magna: 0.27 mg/l (survival and reproduction, OECD 211). | | | | |
| Algae | | | | |
| EC ₅₀ , 72 hrs., Pseudokirchneriella subcapitata: 235 mg/l (growth rate, OECD 201). EC ₁₀ , 96 hrs., Pseudokirchneriella subcapitata: 13.1 mg/l (growth rate, OECD 201). | | | | |
| Propan-2-ol | | | | CAS: 67-63-0 |
| The substance is not classified as hazardous for the aquatic environment. | | | | |
| Fish | | | | |
| LC ₅₀ , 96 hrs., Pimephales promelas: 9 640 - 10 000 mg/l (mortality, OECD 203) | | | | |
| Crustaceans | | | | |
| EC ₅₀ , 24 hrs., Daphnia Magna: > 10 000 mg/l (mobility, OECD 202) logNOEC, 16 d., Daphnia Magna: 3.37 (growth, NOEC = 2 344 µmol/l = 140.9 mg/l) | | | | |
| Algae | | | | |
| Threshold toxicity, 7 d., Scenedesmus quadricauda: 1.800 mg/l | | | | |
| Sodium p-cumenesulphonate | | | | CAS: 15763-76-5 |
| The substance is not classified as hazardous for the aquatic environment. | | | | |
| Fish | | | | |
| LC ₅₀ , 96 hrs., Oncorhynchus mykiss: > 1 000 mg/l (mortality, EPA OTS 797.1400). | | | | |
| Crustaceans | | | | |
| EC ₅₀ , 48 hrs., Daphnia Magna: > 1 000 mg/l (immobility, EPA OTS 797.1300). | | | | |
| Algae | | | | |
| EC ₅₀ , 96 hrs., Pseudokirchneriella subcapitata: ≥ 230 mg/l (cell number, EPA OTS 797.1050). NOEC, 96 hrs., Pseudokirchneriella subcapitata: 31 mg/l (cell number, EPA OTS 797.1050). | | | | |
| Potassium p-cumenesulphonate | | | | CAS: 164524-02-1 |
| The substance is not classified as hazardous for the aquatic environment. | | | | |
| Fish | | | | |
| LC ₅₀ , 96 hrs., Oncorhynchus mykiss: ≥ 252 mg/l (mortality, OECD 203). | | | | |
| Crustaceans | | | | |
| EC ₅₀ , 48 hrs., Daphnia Magna: > 304 mg/l (mobility, OECD 202). | | | | |
| Algae | | | | |

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

| | |
|---|------------------|
| EC ₅₀ , 96 hrs., Pseudokirchneriella subcapitata: ca. 252 mg/l (cell number, OED 201). | |
| Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides | CAS: 308062-28-4 |
| The substance is classified as Aquatic Acute 1; H400 (M = 1) and Aquatic Chronic 2; H411. | |
| Fish | |
| LC ₅₀ , 96 hrs., Pimephales promelas: 344 mg/l (according to pH value, mortality). NOEC, 15 d., Pimephales promelas: 23 mg/l (survival and mean length, EPA OPPTS 850.1500). | |
| Crustaceans | |
| EC ₅₀ , 48 hrs., Daphnia Magna: 3.1 mg/l (mobility, OECD 202). NOEC, 21 d., Daphnia Magna: 0.7 mg/l (survival and reproduction, OECD 211). | |
| Algae | |
| EC ₅₀ , 72 hrs., Scenedesmus quadricauda: 0.266 mg/l (growth rate, OECD 201). EC ₅₀ , 72 hrs., Scenedesmus quadricauda: 0.205 mg/l (biomass, OECD 201). NOEC, 72 hrs., Scenedesmus quadricauda: 0.078 mg/l (growth rate, OECD 201). | |
| 12.2. Persistence and degradability | |
| Mixture | |
| Data for the mixture are not available. | |
| Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts | CAS: 68411-30-3 |
| Readily biodegradable: 85 % after 29 days (CO ₂ evolution, OECD 301 B). | |
| Propan-2-ol | CAS: 67-63-0 |
| Readily biodegradable: 53 % after 5 days (CO ₂ evolution, OECD 301 B). | |
| Sodium p-cumenesulphonate | CAS: 15763-76-5 |
| Readily biodegradable: 99.8 % after 28 days (CO ₂ evolution, OECD 301 B). | |
| Potassium p-cumenesulphonate | CAS: 164524-02-1 |
| Readily biodegradable: 98 % after 28 days (CO ₂ evolution, OECD 301 B). | |
| Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides | CAS: 308062-28-4 |
| Readily biodegradable: 90 % after 28 days (CO ₂ evolution, OECD 301 B). | |
| 12.3. Bioaccumulative potential | |
| Mixture | |
| Data for the mixture are not available. | |
| Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts | CAS: 68411-30-3 |
| BCF, Oncorhynchus mykiss = 87 l/kg (OECD 305 E). log Pow = 1.4 (23 °C, pH = 6.1, OECD 123). | |
| Propan-2-ol | CAS: 67-63-0 |
| log Pow = 0.05 (25 °C). | |
| Sodium p-cumenesulphonate | CAS: 15763-76-5 |
| log Pow = -1.1 (23 °C, pH = 6.9 - 7.2, OECD 107). | |
| Potassium p-cumenesulphonate | CAS: 164524-02-1 |

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

log Pow = - 1.4 (22 °C, pH = 6, OECD 107).

Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides

CAS: 308062-28-4

log Pow = 1.85 (C12, calculation).

log Pow = 2.69 (C14, calculation).

12.4. Mobility in soil

Mixture

Data for the mixture are not available.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

CAS: 68411-30-3

Data for the substance are not available.

Propan-2-ol

CAS: 67-63-0

Data for the substance are not available.

Sodium p-cumenesulphonate

CAS: 15763-76-5

Data for the substance are not available.

Potassium p-cumenesulphonate

CAS: 164524-02-1

Data for the substance are not available.

Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides

CAS: 308062-28-4

Koc = 307 - > 2 113 (according to kind of soil, OECD 106).

12.5. Results of PBT and vPvB assessment

Mixture does not contain substance(s) meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH Regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH Regulation.

12.6. Endocrine disrupting properties

The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH Regulation. Mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods of the substance or mixture and the contaminated packaging

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

Dispose according to the applicable European and local regulations (eg. in a hazardous waste incinerator). Do not empty unused product into drainage systems. Do not contaminate ponds or ditches with the product or used container. Hand over the residual amounts and solutions to a licensed disposal company.

Hand over the remaining quantities and unregenerate solutions to an authorized person (specialized company with authorization) or to the collection yard in the hazardous waste section according to the worker's instructions. Empty, cleaned packaging can be stored at a landfill of the appropriate category or **in the sorted waste**.

Possible waste code

20 01 29* - detergents containing hazardous substances (mixture), 15 01 10* - packaging containing residues of or contaminated by hazardous substances (contaminated packaging), 15 01 02 - plastic packaging (clear packaging).

Physical/chemical properties that may affect waste treatment options

Not known.

Special precautions recommended for waste management

Not known.

Waste legislation

Directive 2008/98/EC on waste and repealing certain Directives, as amended.

SECTION 14: Transport information

The mixture is not classified as a flammable liquid according to the negative result of the sustained burning test according to ČSN EN ISO 9038.

14.1. UN number or ID number

Not given.

14.2. UN proper shipping name

Not given.

14.3. Transport hazard class(es)

Not given.

14.4. Packing group

Not given.

14.5. Environmental hazards

It is not dangerous for the environment during transport.

14.6. Special precautions for user

Not given.

14.7. Maritime transport in bulk according to IMO instruments

Not available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

Regulation No. 1907/2006/EC, concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals, as amended (REACH)

Regulation No. 1272/2008/EC, on Classification, Labelling and Packaging of substances and mixtures, as amended (CLP)

Regulation No. 648/2004/EC on detergents, as amended

15.2. Chemical safety assessment

It has not been carried out for mixture.

SECTION 16: Other information

Reason for the revision of the safety data sheet

First edition.

Key or legend to abbreviations and acronyms

| | |
|-------------------|--|
| Acute Tox. 2 | Acute toxicity, cat. 2 |
| Acute Tox. 3 | Acute toxicity, cat. 3 |
| Acute Tox. 4 | Acute toxicity, cat. 4 |
| Aquatic Acute 1 | Acute aquatic hazard, cat. 1 |
| Aquatic Chronic 1 | Chronic aquatic hazard, cat. 1 |
| Aquatic Chronic 2 | Chronic aquatic hazard, cat. 2 |
| Aquatic Chronic 3 | Chronic aquatic hazard, cat. 3 |
| Eye Dam. 1 | Serious eye damage, cat. 1 |
| Eye Irrit. 2 | Eye irritation, cat. 2 |
| Flam. Liq. 2 | Flammable liquid, cat. 2 |
| Skin Corr. 1C | Skin corrosion, cat. 1C |
| Skin Irrit. 2 | Skin irritation, cat. 2 |
| Skin Sens. 1A | Skin sensitization, cat. 1A |
| STOT SE 3 | Specific target organ toxicity - single exposure, cat. 3 |
| ATE | Acute Toxicity Estimate |
| bw | body weight |
| M | Multiplying factor |
| ADR | Accord Dangereuses Route |
| CLP | Regulation No. 1272/2008/EC, on Classification, Labelling and Packaging of substances and mixtures |
| DNEL | Derived No Effect Level |
| ICAO/IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| PBT | Persistent, bioaccumulative, toxic substance |
| PNEC | Predicted No Effect Concentration |
| REACH | Regulation No. 1907/2006/EC, concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals |

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

| | |
|------|---|
| RID | Regulation concerning the International Carriage of Dangerous Goods by Rail |
| STOT | Specific target organ toxicity |
| vPvB | Very persistent and very bioaccumulative substance |

Sources of key data used to compile the Safety Data Sheet

European legislation, manufacturer's safety data sheet, registration dossier of substances.

List of H- and P- phrases

| | |
|----------------|---|
| EUH071 | Corrosive to the respiratory tract. |
| H225 | Highly flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H336 | May cause drowsiness or dizziness. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER/doctor. |
| P501 | Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Dispose of the cleaned packaging without any residual product content in the sorted waste. |

Training advice

According to SDS.

Other information

Classification according to data from the manufacturer. The mixture is classified using calculation methods according to Regulation CLP and tests. Use only for the purposes designated by the manufacturer, will prevent health and environmental risks.

SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

POWER Elegant

The information in this safety data sheet has been prepared according to the best available knowledge. The safety data sheet has been compiled in good faith but without guarantee. Various factors may influence properties under specific conditions. It is the responsibility of the product user to assess the accuracy of the information for their specific application. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

The safety data sheet is prepared in accordance with Regulation No. 2020/878/EC. There is no additional information in accordance with the local and national legislation of the Member State in the European Union, in the safety data sheet.

The safety data sheet was prepared by LACHEPRA s.r.o.