

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## KRYSTAL Polish for furniture

Date of revision: 22. 01. 2026

Version: 7.0

Replaced version from: 27. 01. 2025

Date of issue: 18. 10. 2012

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product Name**

**KRYSTAL Polish for furniture**

**UFI code**

UFI: MF41-C0RF-D001-8NCM

**Product code**

TBLWP.R01a

**Mixture description**

Water solution.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses**

Liquid cleaning and polishing agent for cleaning all types of furniture.  
Consumer and professional use.

**Uses advised against**

Not known. It is recommended to use it only for the intended use. Other uses may expose users to unpredictable risks.

#### 1.3. Details of the supplier of the safety data sheet

Registered office:

**CORMEN s.r.o.**

Věchnov 73

593 01

Czech Republic

Tel.: +420 566 550 961

Fax: +420 566 551 822

Trade establishment:

**CORMEN s.r.o.**

Průmyslová 1420

593 01 Bystřice nad Pernštejnem

Czech Republic

Tel.: +420 565 400 300

e-mail address for a competent person responsible for the SDS: [info@cormen.cz](mailto:info@cormen.cz)

#### 1.4. Emergency telephone number

112 (General emergency phone).

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

The mixture is classified as **hazardous** according to regulation 1272/2008/EC.

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## KRYSTAL Polish for furniture

### Classification according to 1272/2008/EC

Flam. Liq. 3; H226

Eye Irrit. 2; H319

Full text of classifications and H-phrases: see section 16.

### The most important adverse physical, human health and environmental effects

Flammable liquid and vapour. Causes serious eye irritation.

## 2.2. Label elements

### Hazard pictograms



### Signal word

Warning.

### Substances of the mixture to be placed on the label

Are not.

### Hazard statements

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

### Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. **Dispose of the cleaned packaging without any residual product content in the sorted waste.**

### Supplemental hazard information

EUH208 - Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Composition according to regulation 648/2004/EC on detergents: < 5% non-ionic surfactants, perfumes, preservation agents (METHYLCHLOROISOTHIAZOLINONE AND METHYLISOTHIAZOLINONE).

## 2.3. Other hazards

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## KRYSTAL Polish for furniture

The mixture does not contain substance(s) meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH regulation. The mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### 3.2.1. Substances of a mixture classified as hazardous

Identification of substance	Content wt. %	Classification according to 1272/2008/EC
<b>Propan-2-ol; Isopropyl alcohol; Isopropanol</b>		
CAS Number	67-63-0	10 - < 20 Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336
EC Number	200-661-7	
Index Number	603-117-00-0	
Registration Number	01-2119457558-25-XXXX	
<b>Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)</b>		
		Acute Tox. 3; H301 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Acute Tox. 2; H330 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M=100 M(Chronic)=100 ATE <sub>oral</sub> = 66 mg/kg bw ATE <sub>dermal</sub> = 87 mg/kg bw ATE <sub>inhalation</sub> = 0.17 mg/L (aerosol)
CAS Number	55965-84-9	< 0.0015
EC Number	not given	
Index Number	613-167-00-5	
Registration Number	not yet available	
The substance has specific concentration limits:		
Skin Corr. 1C; H314	C ≥ 0.6 %	
Eye Dam. 1; H318	C ≥ 0.6 %	
Skin Irrit. 2; H315	0.06 % ≤ C < 0.6 %	
Eye Irrit. 2; H319	0.06 % ≤ C < 0.6 %	
Skin Sens. 1A; H317	C ≥ 0.0015 %	

Full text of classifications and H-phrases: see section 16.

### SECTION 4: First aid measures

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## KRYSTAL Polish for furniture

In all cases keep the victim at physical and mental rest and warm. In case of doubt or if symptoms persist, seek medical attention. Never give anything by mouth if victim is rapidly losing consciousness, unconscious or convulsing. Protect yourself during rescue work.

### 4.1. Description of first aid measures

#### **Inhalation**

Interrupt the exposure, move the person to the fresh air. In case of persistent nausea, seek medical advice.

#### **Skin contact**

Remove contaminated clothing, shoes, and wash affected skin thoroughly with water (preferably lukewarm) and soap. Do not use solvents or thinners. If the problem persists, seek medical advice.

#### **Eye contact**

Rinse with a gentle stream of water for at least 15 minutes. Keep your eyelids wide open with your thumb and forefinger. If the affected person is wearing contact lenses, remove them before rinsing eyes if it is easy. If pain or redness persists, seek medical advice.

#### **Ingestion**

Rinse your mouth and then drink plenty of water. Do not induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

Are not known.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### **Suitable extinguishing media**

##### Small fire:

Carbon dioxide CO<sub>2</sub>, dry extinguishing agent, sand or earth, alcohol-resistant foam.

##### Extensive fire:

Fragmented water streams (water mist), alcohol-resistant foam.

#### **Unsuitable extinguishing media**

Strong streams of water may be ineffective.

### 5.2. Special hazards arising from the substance or mixture

In case of fire extinguishing prevent leakage of water and rest of product into drains. Collect them separately and dispose of safely in accordance with current legislation and applicable local regulations.

In case of fires, hazardous combustion gases are formed: carbon oxides, sulphur oxides, hydrogen sulphide, nitrogen oxides, ammonia, chlorine oxides, hydrogen chloride, chlorine and products of incomplete combustion.

### 5.3. Advice for firefighters

Stop further leakage of product if possible. Spilled product, which does not burn, cover with sand or foam. Move containers and barrels away from the fire to a safe place, if possible. Cool all affected containers down with flooding quantities of water. If the fire can't be extinguished - evacuate the premises.

In case of fire, wear suitable respiratory protective equipment and fire-fighting suit.

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## KRYSTAL Polish for furniture

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes, use suitable protective equipment and clothing, see Section 8. Ensure adequate ventilation. At the point of leakage, prevent the movement of unauthorized persons.

#### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. If this cannot be avoided, inform the competent authorities (police and firefighters) immediately.

#### 6.3. Methods and material for containment and cleaning up

According to the amount of spilled liquid, drain away the substance (large spillage) or in case of small spillage, absorb it with suitable absorbent (vermiculite, dry sand), put into labelled closed containers and dispose of them accordingly to Section 13. Flush residues with water and collect it for waste disposal. Do not use solvents or dispersants unless instructed by an expert or government authority.

If container is damaged, remove the content to the new undamaged container and label it properly again.

#### 6.4. Reference to other sections

Refer also to the provisions of sections 7, 8 and 13 of this safety data sheet.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with skin and eyes. Personal protection see. Section 8. Ensure good ventilation.

Smoking, eating and drinking should be prohibited at the place of use. Keep safety regulations for handling chemicals. Take off contaminated clothing and protective equipment before entering the dining area. Do not use dirty clothing. After work wash yourself carefully with warm water and soap, take a shower. Use protective cream.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in original, tightly closed containers, in a dry, cool and well-ventilated place at room temperature.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

Do not store together with incompatible materials (see subsection 10.5), food, drink and feed.

#### 7.3. Specific end use(s)

See subsection 1.2.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1. Exposure limit value

Not determined.

##### 8.1.2. Biological limit values

Not determined in EU.

##### 8.1.3. DNEL and PNEC values

Propan-2-ol

CAS: 67-63-0

DNEL

Workers

Inhalation

Systemic effect

Long term

500 mg/m<sup>3</sup>

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## KRYSTAL Polish for furniture

Workers	Inhalation	Systemic effect	Acute/Short term	1 000 mg/m <sup>3</sup>
Workers	Dermal	Systemic effect	Long term	888 mg/kg/day
General population	Inhalation	Systemic effect	Long term	89 mg/m <sup>3</sup>
General population	Inhalation	Systemic effect	Acute/Short term	178 mg/m <sup>3</sup>
General population	Dermal	Systemic effect	Long term	319 mg/kg/day
General population	Oral	Systemic effect	Long term	26 mg/kg/day
General population	Oral	Systemic effect	Acute/Short term	51 mg/kg/day
Workers	Inhalation	Systemic effect	Long term	500 mg/m <sup>3</sup>

PNEC - not available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Use only in well-ventilated areas.

Observe usual safety precautions for working with chemicals. The degree of effectiveness of personal protective equipment depends on temperature and ventilation levels.

#### 8.2.2. Individual protection measures, such as personal protective equipment

Do not eat, drink or smoke. After work, wash thoroughly with warm water and soap and take a shower. Use protective cream. Do not soiled protective equipment to wash, do not use solvents.

##### Eye/face protection

Wear safety goggles or face shield when manufacturing and handling the product (EN 166, EN 149+A1). It is not necessary for normal use, in case of possible contact with the eyes, use protective glasses or a face shield.

##### Skin protection - hand protection

Wear protective gloves when manufacturing and handling the product (EN 374-1, EN 374-2). In normal use it is not necessary to use protective gloves. Wear protective gloves in case of prolonged skin contact.

The selection of the glove material on consideration of the breakthrough time, permeability, degradation and next relevant factors; other chemicals that may come into contact, physical requirements (cut and puncture protection, dexterity, thermal protection), possible body reactions to the glove material and the glove supplier's instructions and specifications. In case of repeated use of gloves, clean and keep them in a well-ventilated place before taking off.

##### Skin protection - other

Working clothing and protective footwear when manufacturing and handling the product.

##### Respiratory protection

Not necessary in case of compliance concentration limits (if they were exceeded, use respiratory protection). In the event of an accident or a fire use self-contained breathing apparatus.

##### Thermal hazards

In normal use is not necessary protective equipment to be worn for materials that represent a thermal hazard.

#### 8.2.3. Environmental exposure controls

Uncontrolled release of the mixture into environment is to be avoided. Keep the emission limits according to national legislation.

## SECTION 9: Physical and chemical properties

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## KRYSTAL Polish for furniture

### 9.1. Information on basic physical and chemical properties

Mixture	
<b>Physical state</b>	Liquid.
<b>Colour</b>	Colourless.
<b>Odour</b>	Characteristic.
<b>Melting point/freezing point</b>	Not determined.
<b>Boiling point or initial boiling point and boiling range</b>	100 °C.
<b>Flammability</b>	The mixture is classified as flammable liquid according to the value of the flash point.
<b>Lower explosion limit</b>	Not determined for the mixture, values are given for substances classified as flammable liquids.
<b>Upper explosion limit</b>	Not determined for the mixture, values are given for substances classified as flammable liquids.
<b>Flash point</b>	32 °C.
<b>Auto-ignition temperature</b>	Not determined.
<b>Decomposition temperature</b>	Not determined, the mixture does not contain self-reactive substances or organic peroxides.
<b>pH</b>	5 (25 °C).
<b>Kinematic viscosity</b>	Not determined, the mixture does not contain a substance classified as aspiration toxic, or the sum of the concentrations of substances classified as aspiration toxic is less than 10 wt. %.
<b>Solubility</b>	Complete miscible.
<b>Partition coefficient n-octanol/water (log value)</b>	Does not apply to mixture.
<b>Vapour pressure</b>	43 hPa.
<b>Density and/or relative density</b>	1.0 g/cm <sup>3</sup> (20 °C).
<b>Relative vapour density</b>	Not determined.
<b>Particle characteristics</b>	Does not apply to liquid.
<b>Propan-2-ol</b>	CAS: 67-63-0
<b>Physical state</b>	Liquid.
<b>Colour</b>	Colorless.
<b>Odour</b>	Not determined.
<b>Melting point/freezing point</b>	-88.5 °C (literature).
<b>Boiling point or initial boiling point and boiling range</b>	82.3 °C (literature).
<b>Flammability</b>	Highly flammable liquid.
<b>Lower explosion limit</b>	2 vol. % (literature).
<b>Upper explosion limit</b>	13 vol. % (literature).
<b>Flash point</b>	11.7 °C (literature).

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## KRYSTAL Polish for furniture

<b>Auto-ignition temperature</b>	399 - 455.6 °C (literature).
<b>Decomposition temperature</b>	Not determined, it is not a self-reactive substance or an organic peroxide or a substance that may decompose.
<b>pH</b>	Not determined.
<b>Kinematic viscosity</b>	Not determined, it is not a hydrocarbon or a chlorinated hydrocarbon.
<b>Solubility</b>	Miscible with water.
<b>Partition coefficient n-octanol/water (log value)</b>	log Pow = 0.05 (25 °C, literature).
<b>Vapour pressure</b>	Not determined.
<b>Density and/or relative density</b>	785.5 kg/m <sup>3</sup> (20 °C, literature).
<b>Relative vapour density</b>	Not determined.
<b>Particle characteristics</b>	Does not apply to liquid.

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

##### Mixture

##### **Explosives**

Data for the mixture are not available.

The mixture does not contain substances classified as explosives or oxidising, or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

##### **Flammable gases**

It is not gas.

##### **Aerosols**

It is not aerosol.

##### **Oxidising gases**

It is not gas.

##### **Gases under pressure**

It is not gas.

##### **Flammable liquids**

Data for the mixture are not available.

The mixture is classified as flammable liquid category 3 according to the value of the flash point.

##### **Flammable solids**

It is not solid.

##### **Self-reactive substances and mixtures**

Data for the mixture are not available.

The mixture does not contain substances classified as self-reactive substances or explosives or organic peroxides or oxidising, or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

##### **Pyrophoric liquids**

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## KRYSTAL Polish for furniture

Data for the mixture are not available.

The mixture does not contain substances classified as pyrophoric liquids or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### **Pyrophoric solids**

It is not solid.

### **Self-heating substances and mixtures**

Data for the mixture are not available.

The mixture does not contain substances classified as self-heating or pyrophoric substances or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### **Substances and mixtures, which emit flammable gases in contact with water**

Data for the mixture are not available.

The mixture does not contain substances classified as substances, which emit flammable gases in contact with water or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### **Oxidising liquids**

Data for the mixture are not available.

The mixture does not contain substances classified as oxidising liquids or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### **Oxidizing solids**

It is not solid.

### **Organic peroxides**

Data for the mixture are not available.

The mixture does not contain substances classified as organic peroxides or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### **Corrosive to metals**

Data for the mixture are not available.

The mixture does not contain substances classified as corrosive to metals or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### **Desensitised explosives**

Data for the mixture are not available.

The mixture does not contain substances classified as explosives or desensitised explosives, or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### **Propan-2-ol**

CAS: 67-63-0

### **Explosives**

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

Pure propan-2-ol is autoxidated by air and light to form an explosive cyclic triacetone triperoxide, which settles to the bottom of the vessel as a white sediment. In the event of such a finding, the container must be handled immediately and pyrotechnics called.

### **Flammable gases**

It is not gas.

### **Aerosols**

It is not aerosol.

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## KRYSTAL Polish for furniture

### ***Oxidising gases***

It is not gas.

### ***Gases under pressure***

It is not gas.

### ***Flammable liquids***

The substance is classified as flammable liquid category 2 according to the value of the flash point and boiling point.

### ***Flammable solids***

It is not solid.

### ***Self-reactive substances and mixtures***

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive or self-reactive properties.

### ***Pyrophoric liquids***

Data for the substance are not available.

The substance is stable in air, there is no spontaneous ignition.

### ***Pyrophoric solids***

It is not solid.

### ***Self-heating substances and mixtures***

Data for the substance are not available.

The substance is not classified as self-heating.

### ***Substances and mixtures, which emit flammable gases in contact with water***

Data for the substance are not available.

The chemical structure of the substance does not contain metals or metalloids.

The substance is miscible with water and forms a stable mixture with it.

### ***Oxidising liquids***

Data for the substance are not available.

It is an organic substance that does not contain oxygen, fluorine or chlorine, or these elements are chemically bounded only to carbon or hydrogen.

### ***Oxidizing solids***

It is not solid.

### ***Organic peroxides***

Data for the substance are not available.

The substance does not contain a bivalent group -O-O- with at least one organic radical.

### ***Corrosive to metals***

Data for the substance are not available.

The substance is not classified as corrosive to metal.

### ***Desensitised explosives***

Data for the substance are not available.

The substance does not contain chemical groups associated with explosive properties.

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## KRYSTAL Polish for furniture

### 9.2.2. Other safety characteristics

<b>Mechanical sensitivity</b>	Not determined, it is not an explosive substance.
<b>Self-accelerating polymerisation temperature</b>	Not determined, it is not a polymerising substance.
<b>Formation of explosible dust/air mixtures</b>	Not determined, it is not a dust.
<b>Acid/alkaline reserve</b>	Not determined, pH is in the range 4 - 10.
<b>Evaporation rate</b>	Not determined.
<b>Miscibility</b>	Not determined.
<b>Conductivity</b>	Not determined.
<b>Corrosiveness</b>	Not determined.
<b>Gas group</b>	Not determined, it is not gas.
<b>Redox potential</b>	Not determined.
<b>Radical formation potential</b>	Not determined.
<b>Photocatalytic properties</b>	Not determined.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The mixture is stable under normal conditions of use. There aren't any hazardous reaction.

### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions aren't known under normal conditions of use.

### 10.4. Conditions to avoid

Protect from frost.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

They do not form under normal use. Burning releases carbon oxides, sulphur oxides, hydrogen sulphide, nitrogen oxides, ammonia, chlorine oxides, hydrogen chloride, chlorine and products of incomplete combustion.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Mixture

#### Acute toxicity

The mixture is not classified as toxic for all routes of exposure.

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## KRYSTAL Polish for furniture

<b>Oral</b>	Data for the mixture are not available. The mixture does not contain relevant substances classified as an acute toxicity by oral route of exposure or the concentration of substance(s) is lower than the limit for inclusion in Section 3.
<b>Dermal</b>	Data for the mixture are not available. The mixture does not contain relevant substances classified as an acute toxicity by dermal route of exposure or the concentration of substance(s) is lower than the limit for inclusion in Section 3.
<b>Inhalation</b>	Data for the mixture are not available. The mixture does not contain relevant substances classified as an acute toxicity by inhalation route of exposure or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### **Skin corrosion/irritation**

Data for the mixture are not available.  
The mixture does not contain relevant substances classified as hazardous to skin or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### **Serious eye damage/irritation**

Data for the mixture are not available.  
The mixture is classified as eye irritant based on the general/specific concentration limits of substance(s).

### **Respiratory or skin sensitisation**

Data for the mixture are not available.  
The mixture is not classified as a skin sensitizing according to the general/specific concentration limits of substance(s).  
EUH208 - Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

### **Germ cell mutagenicity**

Data for the mixture are not available.  
The mixture does not contain substances classified as mutagenicity or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### **Carcinogenicity**

Data for the mixture are not available.  
The mixture does not contain substances classified as carcinogenicity or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### **Reproductive toxicity**

Data for the mixture are not available.  
The mixture does not contain substances classified as toxic for reproduction or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### **STOT – single exposure**

Data for the mixture are not available.  
The mixture is not classified as toxic for specific target organs in a single exposure in category 3 according to the recommended concentration limits of substance(s).

### **STOT – repeated exposure**

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## KRYSTAL Polish for furniture

Data for the mixture are not available.

The mixture does not contain substances classified as toxic for specific target organs in a repeated exposure or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### **Aspiration hazard**

Data for the mixture are not available.

The mixture does not contain substances classified as aspiration hazard or the concentration of substance(s) is lower than the limit for inclusion in Section 3.

### **Other information**

See sections 2 and 4.

### **Propan-2-ol**

CAS: 67-63-0

### **Acute toxicity**

**Oral** Based on available data, the classification criteria are not met.  
LD<sub>50</sub> = 5 840 mg/kg bw (rat, OECD 401).

**Dermal** Based on available data, the classification criteria are not met.  
LD<sub>50</sub> = 16.4 ml/kg bw (12 792 mg/kg bw at a density of 0.78 g/cm<sup>3</sup>, rabbit, OECD 402).

**Inhalation** Based on available data, the classification criteria are not met.  
LC<sub>50</sub> > 10 000 ppm (vapour, 6 h, OECD 403).

### **Skin corrosion/irritation**

Based on available data, the classification criteria are not met.  
Mean erythema score = 0 and oedema = 0 (rabbit, OECD 404).

### **Serious eye damage/irritation**

The substance is classified as eye irritant.  
Total mean irritation score = 1.89 (rabbit, 72 h, OECD 405).

### **Respiratory or skin sensitisation**

Based on available data, the classification criteria are not met.  
Not skin sensitising (guinea pig, OECD 406).

### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.  
Negative (OECD 471, OECD 476).

### **Carcinogenicity**

Based on available data, the classification criteria are not met.  
NOAEL = 5 000 ppm (testicular tumors, rat, male, vapour, OECD 451).

### **Reproductive toxicity**

Based on available data, the classification criteria are not met.  
NOAEL = 853 mg/kg/day (rat, oral, generation P0, OECD 415).

### **STOT – single exposure**

The substance may cause drowsiness or dizziness.

### **STOT – repeated exposure**

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## KRYSTAL Polish for furniture

Based on available data, the classification criteria are not met.

NOEC = 500 ppm (specific toxic effect, rat, vapour, 104 weeks, OECD 451).

NOAEC = 5 000 ppm (specific exposure-related adverse reaction, rat, vapour, 104 weeks, OECD 451).

NOEC = 5 000 ppm (effects of oncogenicity, rat, vapour, 104 weeks, OECD 451).

### Aspiration hazard

The substance is not a hydrocarbon or a chlorinated hydrocarbon with a kinematic viscosity of 20.5 mm<sup>2</sup>/s or less at 40 °C.

### 11.2. Information on other hazards

The mixture does not contain substance(s) meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet and given in the list (established in accordance with Article 59(1) for having endocrine disrupting properties of REACH regulation.

The mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. There is no other relevant information on adverse health effects that is not required according to the classification criteria set out in CLP Regulation.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Mixture

Data for the mixture are not available.

#### Acute aquatic toxicity

The mixture is not classified as acute aquatic toxicity based on calculation according to the summation method.

category 1

$\Sigma < 0.15$

#### Chronic aquatic toxicity

The mixture is not classified as chronic aquatic toxicity based on calculation according to the summation method.

category	1	2	3	4
$\Sigma$	< 0.15	< 1.5	< 15	< 0.0015

#### Propan-2-ol

CAS: 67-63-0

The substance is not classified as hazardous for the aquatic environment.

#### Fish

LC<sub>50</sub>, 96 hrs., Pimephales promelas: 9 640 - 10 000 mg/l (mortality, OECD 203)

#### Crustaceans

EC<sub>50</sub>, 24 hrs., Daphnia Magna: > 10 000 mg/l (mobility, OECD 202)

logNOEC, 16 d., Daphnia Magna: 3.37 (growth, NOEC = 2 344 µmol/l = 140.9 mg/l)

#### Algae

Threshold toxicity, 7 d., Scenedesmus quadricauda: 1.800 mg/l

### 12.2. Persistence and degradability

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## KRYSTAL Polish for furniture

<b>Mixture</b>	
Data for the mixture are not available.	
<b>Propan-2-ol</b>	CAS: 67-63-0
Readily biodegradable: 53 % after 5 days (CO <sub>2</sub> evolution, OECD 301 B).	
<b>Alcohols, C12-14, (even numbered) ethoxylated</b>	CAS: 68439-50-9
Readily biodegradable: > 60 % (OECD 301 B).	
<b>12.3. Bioaccumulative potential</b>	
<b>Mixture</b>	
Data for the mixture are not available.	
<b>Propan-2-ol</b>	CAS: 67-63-0
log Pow = 0.05 (25 °C).	
<b>12.4. Mobility in soil</b>	
<b>Mixture</b>	
Data for the mixture are not available.	
<b>Propan-2-ol</b>	CAS: 67-63-0
Data for the substance are not available.	
<b>12.5. Results of PBT and vPvB assessment</b>	
The mixture does not contain substance(s) meeting the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of REACH Regulation. The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH Regulation).	
<b>12.6. Endocrine disrupting properties</b>	
The mixture and its substances are not mentioned on the Candidate list for possible inclusion in Annex XIV of REACH at the date of the revision of the safety data sheet (established in accordance with Article 59(1) of REACH Regulation. Mixture does not contain the substance(s) identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.	
<b>12.7. Other adverse effects</b>	
Data are not available.	
<b>SECTION 13: Disposal considerations</b>	
<b>13.1. Waste treatment methods</b>	
<b>Disposal methods of the substance or mixture and the contaminated packaging</b>	
Dispose according to the applicable European and local regulations (eg. in a hazardous waste incinerator). Do not empty unused product into drainage systems. Do not contaminate ponds or ditches with the product or used container. Hand over the residual amounts and solutions to a licensed disposal company. Hand over the remaining quantities and unregenerate solutions to an authorized person (specialized company with authorization) or to the collection yard in the hazardous waste section according to the worker's instructions. Empty, cleaned packaging can be stored at a landfill of the appropriate category or <b>in the sorted waste</b> .	

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## KRYSTAL Polish for furniture

### **Possible waste code**

20 01 29\* detergents containing hazardous substances, 15 01 10\* - packaging containing residues of or contaminated by hazardous substances (contaminated packaging), 15 01 02 - plastic packaging (clear packaging).

### **Physical/chemical properties that may affect waste treatment options**

Flammability.

### **Special precautions recommended for waste management**

Not known.

### **Waste legislation**

Directive 2008/98/EC on waste and repealing certain Directives, as amended.

## SECTION 14: Transport information

### **14.1. UN number or ID number**

UN 1987

### **14.2. UN proper shipping name**

ALCOHOLS, N.O.S. (Propan-2-ol).

### **14.3. Transport hazard class(es)**

3

### **14.4. Packing group**

III

### **14.5. Environmental hazards**

It is not dangerous for the environment during transport.

### **14.6. Special precautions for user**

Not given.

### **14.7. Maritime transport in bulk according to IMO instruments**

Not available.

### **14.8. Other information**

#### **Labeling according to ADR**



#### **Additional data for ADR/RID**

Classification code F1

Labels 3

Hazard identification code 30

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## KRYSTAL Polish for furniture

Tunnel restriction code	D/E (ADR), - (RID)
Limited quantities	5l
Excepted quantities	Maximum net quantity per inner packaging: 30 ml. Maximum net quantity per outer packaging: 1 000 ml.
Transport category	3

### **Additional data for IMDG**

Emergency Schedules (EmS)	F-E, S-D.
---------------------------	-----------

## SECTION 15: Regulatory information

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation No. 1907/2006/EC, concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals, as amended (REACH)

Regulation No. 1272/2008/EC, on Classification, Labelling and Packaging of substances and mixtures, as amended (CLP)

Regulation No. 648/2004/EC on detergents, as amended

### **15.2. Chemical safety assessment**

It has not been carried out for mixture.

## SECTION 16: Other information

### **Reason for the revision of the safety data sheet**

Change in the composition of the mixture in section 3 and related changes in the other sections. Change of UFI code and product code.

### **Key or legend to abbreviations and acronyms**

Acute Tox. 2	Acute toxicity, cat. 2
Acute Tox. 3	Acute toxicity, cat. 3
Aquatic Acute 1	Acute aquatic hazard, cat. 1
Aquatic Chronic 1	Chronic aquatic hazard, cat. 1
Eye Dam. 1	Serious eye damage, cat. 1
Eye Irrit. 2	Eye irritation, cat. 2
Flam. Liq. 2	Flammable liquid, cat. 2
Flam. Liq. 3	Flammable liquid, cat. 3
Skin Corr. 1C	Skin corrosion, cat. 1C
Skin Irrit. 2	Skin irritation, cat. 2
Skin Sens. 1A	Skin sensitization, cat. 1A
STOT SE 3	Specific target organ toxicity - single exposure, cat. 3
ATE	Acute Toxicity Estimate
bw	body weight
M	Multiplying factor
ADR	Accord Dangereuses Route

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## KRYSTAL Polish for furniture

CLP	Regulation No. 1272/2008/EC, on Classification, Labelling and Packaging of substances and mixtures
DNEL	Derived No Effect Level
ICAO/IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
PBT	Persistent, bioaccumulative, toxic substance
PNEC	Predicted No Effect Concentration
REACH	Regulation No. 1907/2006/EC, concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulation concerning the International Carriage of Dangerous Goods by Rail
STOT	Specific target organ toxicity
vPvB	Very persistent and very bioaccumulative substance

### **Sources of key data used to compile the Safety Data Sheet**

European legislation, manufacturer's safety data sheet, registration dossier of substances.

### **List of H- and P- phrases**

EUH071	Corrosive to the respiratory tract.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. <b>Dispose of the cleaned packaging without any residual product content in the sorted waste.</b>

### **Training advice**

# SAFETY DATA SHEET

according to Regulation No. 1907/2006 of the European Parliament and of the Council, as subsequently amended

## KRYSTAL Polish for furniture

According to SDS.

### **Other information**

Classification according to data from the manufacturer. The mixture is classified using calculation methods according to Regulation CLP and tests. Use only for the purposes designated by the manufacturer, will prevent health and environmental risks.

The information in this safety data sheet has been prepared according to the best available knowledge. The safety data sheet has been compiled in good faith but without guarantee. Various factors may influence properties under specific conditions. It is the responsibility of the product user to assess the accuracy of the information for their specific application. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

The safety data sheet is prepared in accordance with Regulation No. 2020/878/EC. There is no additional information in accordance with the local and national legislation of the Member State in the European Union, in the safety data sheet.

The safety data sheet was prepared by LACHEPRA s.r.o.